



Surplus and Prime Worldwide

| Category des | Receipt Date | Ageing Categori | Material description | Group Description | UOM | Total Quantity | Full Material Desc |
|--------------|--------------|-----------------|---|-------------------|-----|----------------|---|
| DRILL BIT | 01/08/2012 | > 5 | BIT RCK;M:XR+PSX,8-1/2IN,117 | DRILLING BITS | EA | 1 | ""BIT, ROCK;DIAMETER: 8-1/2 IN, MILL TOOTH, IADC CODE: 117;MODEL: XR+PSX"", MAKE: SCHLUMBERGER |
| DRILL BIT | 01/08/2012 | > 5 | BIT RCK;M:XR+PSX,8-1/2IN,117 | DRILLING BITS | EA | 1 | ""BIT, ROCK;DIAMETER: 8-1/2 IN, MILL TOOTH, IADC CODE: 117;MODEL: XR+PSX"", MAKE: SCHLUMBERGER |
| DRILL BIT | 01/08/2012 | > 5 | BIT RCK;M:XR+PS,MILL TOOTH,8-1/2IN,117 | DRILLING BITS | EA | 1 | BIT, ROCK;TYPE: MILL TOOTH, DIAMETER: 8-1/2 IN,IADC CODE: 117;MODEL: XR+PS;FFT: WITH SRT LEG PROTECTION |
| DRILL BIT | 17/06/2011 | > 5 | BIT RCK;M:HCR/HCM/HCD 406ZX,PDC,6IN | DRILLING BITS | EA | 1 | BIT, ROCK;TYPE: POLYCRYSTALLINE DIAMOND COMPACT,DIAMETER: 6 IN;MODEL: HCR/HCM/HCD 406ZX;FFT: CUTTER DIAMETER: 13 MM, NO OF BLAD ES: 6 |
| DRILL BIT | 01/03/2012 | > 5 | BIT RCK;M:HCR/HCM/HCD 605SZ,PDC,8-1/2IN | DRILLING BITS | EA | 1 | BIT, ROCK;TYPE: POLYCRYSTALLINE DIAMOND COMPACT,DIAMETER: 8-1/2 IN;MODEL: HCR/HCM/HCD 605SZ;FFT: CUTTER DIAMETER: 19 MM, NO OF BLADES: 5 |
| DRILL BIT | 23/07/2011 | > 5 | BIT RCK;M:GF20BVCPS,12-1/4IN,517 | DRILLING BITS | EA | 1 | BIT, ROCK; DIAMETER: 12-1/4 IN, IADC CODE: 517; MODEL: GF20BVCPS; FFT: WITH INSERT BINARY GAUGE PROTECTION, V-FLO HYDRULICS, CENTRE JET, LEG PROTECTION |
| DRILL BIT | 21/12/2011 | > 5 | BIT RCK;M:STX-1,6IN | DRILLING BITS | EA | 1 | BIT, ROCK;DIAMETER: 6 IN;MODEL: STX-1, MNFR: HUGHES |
| DRILL BIT | 23/12/2011 | > 5 | BIT RCK;M:VG-30HM,17-1/2IN,535 | DRILLING BITS | EA | 1 | BIT, ROCK;DIAMETER: 17-1/2 IN, IADC CODE: 535;MODEL: VG-30HM |
| DRILL BIT | 28/07/2007 | > 5 | BIT RCK;PN:931801500000,PLT,4-3/4IN | DRILLING BITS | EA | 8 | BIT, ROCK;TYPE: PILOT, DIAMETER: 4-3/4 IN;OEM PART NO: 931801500000, OEM: BHEL;FFT: F/TUBING HEAD SPOOL (SIZE: 11 X 7-1/16 IN), WELLHEAD |

| | | | | | | | |
|-----------|------------|-----|--|---------------|----|---|--|
| DRILL BIT | 07/10/2014 | > 5 | BIT RCK;M:HCR/HCM/HCD 505Z,PDC,6IN | DRILLING BITS | EA | 1 | BIT, ROCK;TYPE: POLYCRYSTALLINE DIAMOND COMPACT,DIAMETER: 6 IN;MODEL: HCR/HCM/HCD 505Z |
| DRILL BIT | 18/09/2014 | > 5 | BIT RCK;M:MX-DS55DX,8-1/2IN,637 | DRILLING BITS | EA | 2 | BIT, ROCK;DIAMETER: 8-1/2 IN, IADC CODE: 637;MODEL: MX-DS55DX |
| DRILL BIT | 01/08/2010 | > 5 | BIT RCK;M:MXL DS68DX2,TCl,8-1/2IN,647 | DRILLING BITS | EA | 1 | BIT, ROCK;TYPE: TUNGSTEN CARBIDE INSERT, DIAMETER: 8-1/2 IN,IADC CODE: 647;MODEL: MXL DS68DX2 |
| DRILL BIT | 07/03/2010 | > 5 | BIT RCK;M:GFS04BCPS,12-1/4IN,417 | DRILLING BITS | EA | 1 | BIT, ROCK;DIAMETER: 12-1/4 IN, IADC CODE: 417;MODEL: GFS04BCPS;FFT: WITH INSERT BINARY GAUGE PROTECTION,CENTRE JET, LEG PROTECT ION |
| DRILL BIT | 23/07/2011 | > 5 | BIT RCK;M:GF20BVCPS,12-1/4IN,517 | DRILLING BITS | EA | 1 | BIT, ROCK; DIAMETER: 12-1/4 IN, IADC CODE: 517; MODEL: GF20BVCPS; FFT: WITH INSERT BINARY GAUGE PROTECTION, V-FLO HYDRULICS, CENTRE JET, LEG PROTECTION |
| DRILL BIT | 08/07/2010 | > 5 | BIT RCK;M:MDI616LBPX,MTRX,8-1/2IN,API | DRILLING BITS | EA | 2 | BIT, ROCK;TYPE: MATRIX, DIAMETER: 8-1/2 IN, STANDARD: API;MODEL: MDI616LBPX;FFT: CONNECTION SIZE: 4-1/2 IN, CONNECTION TYPE: PIN " |
| DRILL BIT | 07/03/2010 | > 5 | BIT RCK;M:GF65YBDODPS,8-1/2IN,647 | DRILLING BITS | EA | 2 | BIT, ROCK;DIAMETER: 8-1/2 IN, IADC CODE: 647;MODEL: GF65YBDODPS;FFT: DIAMOND HEEL (50 PCT),WITH INSERT BINARY DIAMOND GAUGE PROTECTION ANDLEG PROTECTION |
| DRILL BIT | 01/08/2010 | > 5 | BIT RCK;M:GS18VCPS,17-1/2IN,445 | DRILLING BITS | EA | 1 | BIT, ROCK; DIAMETER: 17-1/2 IN, IADC CODE: 445; MODEL: GS18VCPS |
| DRILL BIT | 21/07/2014 | > 5 | BIT RCK;M:XR+C,26IN,115 | DRILLING BITS | EA | 1 | BIT, ROCK;DIAMETER: 26 IN, IADC CODE: 115;MODEL: XR+C |
| DRILL BIT | 01/08/2010 | > 5 | BIT RCK;M:HCR/HCM/HCD 509Z,PDC,8-1/2IN | DRILLING BITS | EA | 1 | BIT, ROCK;TYPE: POLYCRYSTALLINE DIAMOND COMPACT,DIAMETER: 8-1/2 IN;MODEL: HCR/HCM/HCD 509Z;FFT: CUTTER DIAMETER: 16 MM, NO OF B LADES: 9 |
| DRILL BIT | 07/01/2015 | > 5 | BIT RCK;M:HCR/HCM/HCD 605ZX,8-1/2IN,M323 | DRILLING BITS | EA | 1 | BIT, ROCK;DIAMETER: 8-1/2 IN, IADC CODE: M323;MODEL: HCR/HCM/HCD 605ZX;FFT: CUTTER DIAMETER: 19 MM, NO OF BLADES: 5 |
| DRILL BIT | 07/01/2015 | > 5 | BIT RCK;M:HCR/HCM/HCD 605ZX,8-1/2IN,M323 | DRILLING BITS | EA | 1 | BIT, ROCK;DIAMETER: 8-1/2 IN, IADC CODE: M323;MODEL: HCR/HCM/HCD 605ZX;FFT: CUTTER DIAMETER: 19 MM, NO OF BLADES: 5 |
| DRILL BIT | 06/01/2015 | > 5 | BIT RCK;M:HCR/HCM/HCD 605S,PDC,17-1/2IN | DRILLING BITS | EA | 1 | BIT, ROCK;TYPE: POLYCRYSTALLINE DIAMOND COMPACT,DIAMETER: 17-1/2 IN;MODEL: HCR/HCM/HCD 605S |
| DRILL BIT | 24/06/2014 | > 5 | BIT RCK;M:K507QTBPXXC,IMPRG,8-1/2IN | DRILLING BITS | EA | 1 | BIT, ROCK;TYPE: IMPREG, DIAMETER: 8-1/2 IN;MODEL: K507QTBPXXC |
| DRILL BIT | 01/08/2010 | > 5 | BIT RCK;M:MXL-DS55DX,8-1/2IN | DRILLING BITS | EA | 2 | BIT, ROCK;DIAMETER: 8-1/2 IN;MODEL: MXL-DS55DX, MNFR: HUGHES;FFT: DRESSED WITH NOZZLES (SIZE: 3X14 IN) |

| | | | | | | | |
|-----------|------------|-----|---|----------------------|----|---|--|
| DRILL BIT | 19/10/2010 | > 5 | BIT RCK;M:MXL-DS55DX,8-1/2IN | DRILLING BITS | EA | 2 | BIT, ROCK;DIAMETER: 8-1/2 IN;MODEL: MXL-DS55DX, MNFR: HUGHES;FFT: DRESSED WITH NOZZLES (SIZE: 3X14 IN) |
| DRILL BIT | 07/03/2010 | > 5 | BIT RCK;M:XR65YOD1PS,6IN,647 | DRILLING BITS | EA | 1 | BIT, ROCK;DIAMETER: 6 IN, IADC CODE: 647;MODEL: XR65YOD1PS;FFT: DIAMOND HEEL(100 PCT),WITH INSERT CONICAL INSERTS, LEG PROTECTI ON |
| DRILL BIT | 14/10/2010 | > 5 | BIT RCK;M:DSR408S,PDC,2-3/4IN | DRILLING BITS | EA | 2 | BIT, ROCK;TYPE: POLYCRYSTALLINE DIAMOND COMPACT,DIAMETER: 2-3/4 IN;MODEL: DSR408S |
| DRILL BIT | 21/03/2014 | > 5 | BIT RCK;M:HCR/HCM/HCD 605SZ,PDC,8-1/2IN | DRILLING BITS | EA | 1 | BIT, ROCK;TYPE: POLYCRYSTALLINE DIAMOND COMPACT,DIAMETER: 8-1/2 IN;MODEL: HCR/HCM/HCD 605SZ;FFT: CUTTER DIAMETER: 19 MM, NO OF BLADES: 5 |
| DRILL BIT | 21/03/2011 | > 5 | BIT RCK;M:K703NTBPXC,6IN | DRILLING BITS | EA | 1 | BIT, ROCK;TYPE: POLYCRYSTALLINE DIAMOND COMPACT, IMPREG,DIAMETER: 6 IN;MODEL: K703NTBPXC;FFT: COMPLETE WITH B/B |
| DRILL BIT | 01/08/2010 | > 5 | BIT RCK;M:GTX-CG1,MILL TOOTH,14IN,115 | DRILLING BITS | EA | 1 | BIT, ROCK;TYPE: MILL TOOTH, DIAMETER: 14 IN, IADC CODE: 115;MODEL: GTX-CG1 |
| DRILL BIT | 24/02/2008 | > 5 | BIT RCK;M:HC 509Z,8-1/2IN,M323 | DRILLING BITS | EA | 1 | BIT, ROCK;DIAMETER: 8-1/2 IN, IADC CODE: M323;MODEL: HC 509Z, MNFR: HUGHES;FFT: DRESSED WITH MSP NOZZLES (SIZE: 6X13 IN) |
| DRILL BIT | 24/02/2008 | > 5 | BIT RCK;M:GF25ODGPD,8-1/2IN,517 | DRILLING BITS | EA | 1 | BIT, ROCK;DIAMETER: 8-1/2 IN, IADC CODE: 517;MODEL: GF25ODGPD, MNFR: SMITH |
| DRILL BIT | 24/02/2008 | > 5 | BIT RCK;M:GF130ODGPD,8-1/2IN,537 | DRILLING BITS | EA | 2 | BIT, ROCK;DIAMETER: 8-1/2 IN, IADC CODE: 537;MODEL: GF130ODGPD, MNFR: SMITH |
| DRILL BIT | 08/04/2009 | > 5 | BIT RCK;M:DSR813S,8-1/2IN,S442 | DRILLING BITS | EA | 1 | BIT, ROCK;DIAMETER: 8-1/2 IN, IADC CODE: S442;MODEL: DSR813S, MNFR: REED;FFT: DRESSED WITH NOZZLES (SIZE: 8X11 IN) |
| DRILL BIT | 08/04/2009 | > 5 | BIT RCK;M:DSX297A2HF+GSW,12-1/4IN | DRILLING BITS | EA | 1 | BIT, ROCK;DIAMETER: 12-1/4 IN;MODEL: DSX297A2HF+GSW, MNFR: REED |
| DRILL BIT | 24/02/2008 | > 5 | BIT RCK;M:F47HYODPD,8-1/2IN,627 | DRILLING BITS | EA | 1 | BIT, ROCK;DIAMETER: 8-1/2 IN, IADC CODE: 627;MODEL: F47HYODPD, MNFR: SMITH |
| DRILL BIT | 24/02/2008 | > 5 | BIT RCK;M:MX 30DX,6IN,537 | DRILLING BITS | EA | 1 | BIT, ROCK;DIAMETER: 6 IN, IADC CODE: 537;MODEL: MX 30DX, MNFR: HUGHES |
| DRILL BIT | 24/02/2008 | > 5 | BIT RCK;M:GF25ODGPD,8-1/2IN,517 | DRILLING BITS | EA | 1 | BIT, ROCK;DIAMETER: 8-1/2 IN, IADC CODE: 517;MODEL: GF25ODGPD, MNFR: SMITH |
| DRILL BIT | 24/02/2008 | > 5 | BIT RCK;M:GF130ODGPD,8-1/2IN,537 | DRILLING BITS | EA | 1 | BIT, ROCK;DIAMETER: 8-1/2 IN, IADC CODE: 537;MODEL: GF130ODGPD, MNFR: SMITH |
| DRILL BIT | 01/10/2014 | > 5 | BIT RCK;M:MDSI516LBPX-O2,PDC,8-1/2IN | Drill Bits & Nozzles | EA | 1 | BIT, ROCK;TYPE: POLYCRYSTALLINE DIAMOND COMPACT,DIAMETER: 8-1/2 IN;MODEL: MDSI516LBPX-O2,MNFR: SCHLUMBERGER |

| | | | | | | | |
|-----------|------------|-----|--|---------------|----|---|---|
| DRILL BIT | 18/06/2011 | > 5 | BIT RCK;M:MXL-09,TCI,17-1/2IN,435 | DRILLING BITS | EA | 1 | BIT, ROCK; TYPE: TUNGSTEN CARBIDE INSERT, DIAMETER: 17-1/2 IN, IADC CODE: 435; MODEL: MXL-09 |
| DRILL BIT | 01/04/2014 | > 5 | BIT RCK;M:QD505FX,PDC,6IN | DRILLING BITS | EA | 1 | BIT, ROCK;TYPE: POLYCRYSTALLINE DIAMOND COMPACT,DIAMETER: 6 IN;MODEL: QD505FX |
| DRILL BIT | 01/09/2015 | > 5 | BIT RCK;M:SKH516M,PDC,8-1/2IN | DRILLING BITS | EA | 1 | BIT, ROCK;TYPE: POLYCRYSTALLINE DIAMOND COMPACT, DIAMETER: 8-1/2IN; MODEL: SKH516M, OEM: NATIONAL OILWELL VARCO |
| DRILL BIT | 16/01/2015 | > 5 | BIT RCK;M:ER1GJMRS,MILL TOOTH,22IN,115 | DRILLING BITS | EA | 1 | BIT, ROCK;TYPE: MILL TOOTH, DIAMETER: 22 IN, IADC CODE: 115;MODEL: ER1GJMRS, MNFR: VAREL |
| DRILL BIT | 03/11/2014 | > 5 | BIT RCK;M:GTX-G1,MILL TOOTH,14IN,115 | DRILLING BITS | EA | 1 | BIT, ROCK;TYPE: MILL TOOTH, DIAMETER: 14 IN, IADC CODE: 115;MODEL: GTX-G1, MNFR: BAKER HUGHES |

