

Nr Crt	SIZE 1	SIZE 2	Material Description	HEAT No	Vendor	Cert. Location	Quantity	M/PCS	SITE VISIT FEB 10, 2022
703	1.25	1.25	SIZE1: 1.25 - SIZE2: 1.25 - SCHED. S-40S WN FLANGE 11 ; ISO PN 16 TYPE B (RFFE) 3,2 - 6,3 Ra ; BE ; EN 1092-1 ; A182-F316/316L DUAL GR ; ;	E161658	Van L	CERT_63081_P L01_7_11-41	21	PCS	GOOD CONDITION
706	2	2	SIZE1: 2 - SIZE2: 2 - SCHED. S-10S WN FLANGE 11 ; ISO PN 16 TYPE B (RFFE) 3,2 - 6,3 Ra ; BE ; EN 1092-1 ; A182-F316/316L DUAL GR ; ;	E161658	Van L	CERT_63081 _PL01_7_12-41	3	PCS	GOOD CONDITION
190	18	S-STD	SIZE: 18" - SCHED.S-STD 90 LR ELBOW A234-WPB BE SMLS ASME B16.9	15C43968	Kurvers Piping	CERT RC6_2-12	1	Pcs	BAD CONDITION
192	6	S-STD	SIZE: 6" - SCHED.S-STD 90 LR ELBOW A234-WPB BE SMLS ASME B16.9	1.4E+07	Kurvers Piping	CERT RC6_1-12	4	Pcs	GOOD CONDITION
193	20	S-STD	SIZE: 20" - SCHED.S-STD 90 LR ELBOW A234-WPB BE SMLS ASME B16.9	15C43968	Kurvers Piping	Scan3_6-6	1	Pcs	BAD CONDITION
194	12	S-STD	SIZE: 12" - SCHED.S-STD 90 LR ELBOW A234-WPB BE SMLS ASME B16.9	1.4E+07	Kurvers Piping	CERT RC6_1-12	6	Pcs	BAD CONDITION
236	1.5	S-XS	SIZE: 1-1/2" - SCHED.S-XS 90 LR ELBOW A234-WPB BE SMLS ASME B16.9	15C41958	Kurvers Piping	CERT RC6_1-12	28	Pcs	GOOD CONDITION
238	2	S-STD	SIZE: 2" - SCHED.S-STD 90 LR ELBOW A234-WPB BE SMLS ASME B16.9	15C41955	Kurvers Piping Italy	CERT RC6_1-12	32	Pcs	GOOD CONDITION
239	3	S-STD	SIZE: 3" - SCHED.S-STD 90 LR ELBOW A234-WPB BE SMLS ASME B16.9	637997	Kurvers Piping	Scan3_6-6	3	Pcs	GOOD CONDITION
278	6	S-STD	SIZE: 6" - SCHED.S-STD 90 LR ELBOW A234-WPB BE SMLS ASME B16.9	14287645/354903	Kurvers Piping Italy	RC_1-7	6	Pcs	GOOD CONDITION
279	4	S-STD	SIZE: 4" - SCHED.S-STD 90 LR ELBOW A234-WPB BE SMLS ASME B16.9	965738	Kurvers Piping Italy	Scan3_6-6	19	Pcs	GOOD CONDITION
286	8	S-STD	SIZE: 8" - SCHED.S-STD 90 LR ELBOW A234-WPB BE SMLS ASME B16.9	339059/1279482	Kurvers Piping	Scan3_6-6	2	Pcs	GOOD CONDITION
774	.5	S-XS	SIZE: 1/2" - SCHED.S-XS 90 LR ELBOW A234-WPB BE SMLS ASME B16.9				2	PCS	GOOD CONDITION

186	30	S-STD	SIZE: 30" - SCHED.S-STD 90 LR ELBOW A234-WPB BE WELD ASME B16.9	16S01-175484	Kurvers Piping Italy	CERT RC6_2-12	5	Pcs	BAD CONDITION
172	16	S-5S	SIZE: 16 - SCHED.S-5S 90 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9		VL		3	Pcs	SS OUT DOOR REQUIRES PICKLING AND PASSIVATION
173	10	S-5S	SIZE: 10 - SCHED.S-5S 90 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	3187638	VL	PL20_33/52	1	Pcs	SS OUT DOOR REQUIRES PICKLING AND PASSIVATION
174	12	S-10S	SIZE: 12 - SCHED.S-10S 90 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	984379	VL	VL CERT_PL2 4-25_1_5-52	1	Pcs	SS OUT DOOR REQUIRES PICKLING AND PASSIVATION
178	8	S-40S	SIZE: 8 - SCHED.S-40S 90 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	162216	Kurvers	PL03_1_6 /9	10	Pcs	GOOD CONDITION
179	18	S-10S	SIZE: 18 - SCHED.S-10S 90 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	472665-501006	Van L	VL CERT_PL 5_16_27-41	3	Pcs	SS OUT DOOR REQUIRES PICKLING AND PASSIVATION
180	10	S-10S	SIZE: 10 - SCHED.S-10S 90 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	3187638	Van L	VL CERT_PL5_4_01-44	1	Pcs	GOOD CONDITION
181	20	S-10S	SIZE: 20 - SCHED.S-10S 90 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	1415608	Kurvers Piping	Scan3_3-6	1	Pcs	SS OUT DOOR REQUIRES PICKLING AND PASSIVATION
183	36	S-6.35	SIZE: 36 - SCHED.S-6.35 90 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	1416652	Kurvers Piping Italy	Scan3_3-6	2	Pcs	SS OUT DOOR REQUIRES PICKLING AND PASSIVATION
426	8	S-10S	SIZE: 8 - SCHED.S-10S 90 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	LXM-162-216	Kurvers Piping Italy	Scan1_6-9	6	Pcs	GOOD CONDITION
428	12	S-5S	SIZE: 12 - SCHED.S-5S 90 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	1516479	Kurvers Piping Italy S.R.L.	SCAN2_1-6	2	Pcs	SS OUT DOOR REQUIRES PICKLING AND PASSIVATION
429	8	S-5S	SIZE: 8 - SCHED.S-5S 90 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	241343	Van L	CERT_PL2 3_1_5-28	1	Pcs	GOOD CONDITION
490	6	S-40S	SIZE: 6 - SCHED.S-40S 90 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	15A2634	Kurvers Piping Italy	Scan1_1-9	12	Pcs	GOOD CONDITION
491	6	S-10S	SIZE: 6 - SCHED.S-10S 90 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	15A2634	Kurvers Piping Italy	Scan1_1-9	28	Pcs	GOOD CONDITION

440	2	S-40S	SIZE: 2" - SCHED.S-40S 90 LR ELBOW A403-WP316L BE SMLS ASME B16.9	8E+07	Van L	VLCERT_PL2 6_1_17-33	3	Pcs	GOOD CONDITION
432	3	S-40S	SIZE: 3" - SCHED.S-40S 90 LR ELBOW A403-WP316L BE SMLS ASME B16.9	51511	Van L	CERT _PL21_1_36- 37	3	Pcs	GOOD CONDITION
439	3	S-10S	SIZE: 3 - SCHED.S-10S 90 LR ELBOW A403-WP316/316L DG BE SMLS ASME B16.9	15A2634	Kurvers Piping Italy	Scan1_1-9	16	Pcs	GOOD CONDITION
438	2	S-10S	SIZE: 2 - SCHED.S-10S 90 LR ELBOW A403-WP316/316L DG BE SMLS ASME B16.9	HN FK1503- 072	Kurvers Piping Italy	CERT RC1_1-16	11	Pcs	GOOD CONDITION
437	1	S-40S	SIZE: 1 - SCHED.S-40S 90 LR ELBOW A403-WP316/316L DG BE SMLS ASME B16.9	HN 150417V 03	Kurvers Piping Italy	CERT RC1_1-16	2	Pcs	GOOD CONDITION
436	1.5	S-5S	SIZE: 1.5 - SCHED.S-5S 90 LR ELBOW A403-WP316/316L DG BE SMLS ASME B16.9	7286051	Van L	VL_CERT_PL 6-2_59-66	15	Pcs	GOOD CONDITION
435	1.5	S-40S	SIZE: 1.5 - SCHED.S-40S 90 LR ELBOW A403-WP316/316L DG BE SMLS ASME B16.9	1407-673	Kurvers Piping Italy	CERT RC1_1-16	29	Pcs	GOOD CONDITION
433	.75	S-40S	SIZE: .75 - SCHED.S-40S 90 LR ELBOW A403-WP316/316L DG BE SMLS ASME B16.9	E10S29	Kurvers Piping Italy	CERT RC1- 1-16	32	Pcs	GOOD CONDITION
430	4	S-5S	SIZE: 4 - SCHED.S-5S 90 LR ELBOW A403-WP316/316L DG BE SMLS ASME B16.9	15A2634	Kurvers Piping Italy	Scan1_1-9	18	Pcs	GOOD CONDITION
427	4	S-40S	SIZE: 4 - SCHED.S-40S 90 LR ELBOW A403-WP316/316L DG BE SMLS ASME B16.9	15A2634	Kurvers Piping Italy	Scan1_1-9	7	Pcs	GOOD CONDITION
425	4	S-10S	SIZE: 4 - SCHED.S-10S 90 LR ELBOW A403-WP316/316L DG BE SMLS ASME B16.9	15A2634	Kurvers Piping Italy	Scan1_1-9	28	Pcs	GOOD CONDITION
351	.5	S-40S	SIZE: .5 - SCHED.S-40S 90 LR ELBOW A403-WP316/316L DG BE SMLS ASME B16.9	E10S22	Kurvers Piping Italy	CERT RC1_1-16	10	Pcs	GOOD CONDITION
727	10	S-10S	SIZE: 10 - SCHED.S-10S 90 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9						GOOD CONDITION

274	6	S-STD	SIZE: 6" - SCHED.S-STD 45 LR ELBOW A234-WPB BE SMLS ASME B16.9		Van L	VL-PL02-03- 09D	8	Pcs	GOOD CONDITION
235	4	S-STD	SIZE: 4" - SCHED.S-STD 45 LR ELBOW A234-WPB BE SMLS ASME B16.9	247169	Kurvers Piping Italy S.R.L.	CERT RC6_2-12	9	Pcs	GOOD CONDITION
234	.5	S-XS	SIZE: 1/2" - SCHED.S-XS 45 LR ELBOW A234-WPB BE SMLS ASME B16.9	1.5E+07	Kurvers Piping Italy S.R.L.	CERT RC6_2-12	14	Pcs	GOOD CONDITION
233	.75	S-XS	SIZE: 3/4" - SCHED.S-XS 45 LR ELBOW A234-WPB BE SMLS ASME B16.9	105680/5 0020	VL	PL-04-05-06	14	Pcs	GOOD CONDITION
232	1	S-XS	SIZE: 1" - SCHED.S-XS 45 LR ELBOW A234-WPB BE SMLS ASME B16.9		VL	PL02-03-04- 05	10	Pcs	GOOD CONDITION
231	1.5	S-XS	SIZE: 1-1/2" - SCHED.S-XS 45 LR ELBOW A234-WPB BE SMLS ASME B16.9	594359	VL	PL03-04-05- 06	13	Pcs	GOOD CONDITION
230	2	S-STD	SIZE: 2" - SCHED.S-STD 45 LR ELBOW A234-WPB BE SMLS ASME B16.9	J3820	VL	PL02-03-04- 05-09	6	Pcs	GOOD CONDITION
229	3	S-STD	SIZE: 3" - SCHED.S-STD 45 LR ELBOW A234-WPB BE SMLS ASME B16.9		VL	PL03-04-05- 06	1	Pcs	GOOD CONDITION
434	.5	S-40S	SIZE: .5 - SCHED.S-40S 90 LR ELBOW A403-WP904L BE SMLS ASME B16.9	F05864	Van L	VLCERT_PL5 _8_14-56	9	Pcs	GOOD CONDITION
431	6	S-40S	SIZE: 6" - SCHED.S-40S 90 LR ELBOW A403-WP316L BE WX ASME B16.9	138945	Van L	VLCERT _PL21_2_16- 32	3	Pcs	GOOD CONDITION
691	3	S-10S	SIZE: 3" - SCHED.S-10S 90 LR ELBOW A403-WP316L BE SMLS ASME B16.9	49931	Van L	CERT _PL22_1_9- 42	2	Pcs	GOOD CONDITION

280	14	S-STD	SIZE: 14" - SCHED.S-STD 45 LR ELBOW A234-WPB BE SMLS ASME B16.9	986618	Van L	VLCERT_PL5_12_11-38	1	Pcs	BAD CONDITION
285	8	S-STD	SIZE: 8" - SCHED.S-STD 45 LR ELBOW A234-WPB BE SMLS ASME B16.9	1279482/386484	Kurvers Piping Italy	CERT RC6_2-12	6	Pcs	BAD CONDITION
287	10	S-STD	SIZE: 10" - SCHED.S-STD 45 LR ELBOW A234-WPB BE SMLS ASME B16.9	LW93/389755	Van L	CERT_PL03-5_4-34	1	Pcs	BAD CONDITION
182	14	S-5S	SIZE: 14 - SCHED.S-5S 45 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	141409C	VL	CERT_PL23_4_15-44	1	Pcs	SS OUT DOOR REQUIRES PICKLING AND PASSIVATION
470	6	S-40S	SIZE: 6 - SCHED.S-40S 45 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	LZ134137	Kurvers Piping Italy S.R.L.	CERT RC_1-16	3	Pcs	GOOD CONDITION
471	6	S-10S	SIZE: 6 - SCHED.S-10S 45 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	15A2634	Kurvers Piping Italy	Scan1_1-9	4	Pcs	GOOD CONDITION
484	12	S-5S	SIZE: 12 - SCHED.S-5S 45 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	1516479	Kurvers Piping Italy S.R.L.	SCAN2_1-6	1	Pcs	GOOD CONDITION
485	14	S-10S	SIZE: 14 - SCHED.S-10S 45 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	141409C	Van L	CERT_PL23_4_13-44	1	Pcs	SS OUT DOOR REQUIRES PICKLING AND PASSIVATION
486	16	S-5S	SIZE: 16 - SCHED.S-5S 45 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	566761	Van L	VLCERT_PL2_3_3_8-36	2	Pcs	SS OUT DOOR REQUIRES PICKLING AND PASSIVATION
487	10	S-5S	SIZE: 10 - SCHED.S-5S 45 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	100872	Van L	VLCERT_PL2_4-25_1_30-52	2	Pcs	GOOD CONDITION
488	12	S-10S	SIZE: 12 - SCHED.S-10S 45 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	360311E	Van L	CERT_PL23_4_11-44	1	Pcs	GOOD CONDITION

728	8	S-10S	SIZE: 8 - SCHED.S-10S 45 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	LXM-162- 216	Kurvers Piping Italy	Scan1_6-9	18	PCS	GOOD CONDITION
729	12	S-40S	SIZE: 12 - SCHED.S-40S 45 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	1410586	Kurvers Piping Italy	Scan1_6-9	3	PCS	GOOD CONDITION
730	6	S-5S	SIZE: 6 - SCHED.S-5S 45 LR ELBOW A403-WP316/316L-WX DG BE - ASME B16.9	15A2634	Kurvers Piping Italy	Scan1_1-9	3	PCS	GOOD CONDITION
473	4	S-40S	SIZE: 4 - SCHED.S-40S 45 LR ELBOW A403-WP316/316L DG BE SMLS ASME B16.9	15A2634	Kurvers Piping Italy	Scan1_1-9	3	Pcs	GOOD CONDITION
474	4	S-10S	SIZE: 4 - SCHED.S-10S 45 LR ELBOW A403-WP316/316L DG BE SMLS ASME B16.9	15A2634	Kurvers Piping Italy	Scan1_1-9	12	Pcs	GOOD CONDITION
475	4	S-5S	SIZE: 4 - SCHED.S-5S 45 LR ELBOW A403-WP316/316L DG BE SMLS ASME B16.9	15A2634	Kurvers Piping Italy	Scan1_1-9	8	Pcs	GOOD CONDITION
476	3	S-10S	SIZE: 3 - SCHED.S-10S 45 LR ELBOW A403-WP316/316L DG BE SMLS ASME B16.9	15A2634	Kurvers Piping Italy	Scan1_1-9	9	Pcs	GOOD CONDITION
477	2	S-10S	SIZE: 2 - SCHED.S-10S 45 LR ELBOW A403-WP316/316L DG BE SMLS ASME B16.9	15A1370	Kurvers Piping Italy	Scan2_5-6	1	Pcs	GOOD CONDITION
479	1.5	S-40S	SIZE: 1.5 - SCHED.S-40S 45 LR ELBOW A403-WP316/316L DG BE SMLS ASME B16.9	7286051	Van L	VL_CERT_PL24- 25_2_36/45	15	Pcs	GOOD CONDITION
481	.5	S-40S	SIZE: .5 - SCHED.S-40S 45 LR ELBOW A403-WP316/316L DG BE SMLS ASME B16.9	15A1370	Kurvers Piping Italy	Scan2_5-6	12	Pcs	GOOD CONDITION
482	1	S-40S	SIZE: 1 - SCHED.S-40S 45 LR ELBOW A403-WP316/316L DG BE SMLS ASME B16.9	15A1370	Kurvers Piping Italy	Scan2_5-6	4	Pcs	GOOD CONDITION
483	.75	S-40S	SIZE: .75 - SCHED.S-40S 45 LR ELBOW A403-WP316/316L DG BE SMLS ASME B16.9	9875051	Van L	VLCERT_PL2 6_3_01-27	25	Pcs	GOOD CONDITION
478	2	S-40S	SIZE: 2" - SCHED.S-40S 45 LR ELBOW A403-WP316L BE SMLS ASME B16.9	64011	Van L	VLCERT_PL2 3_3_12-36	1	Pcs	GOOD CONDITION

480	1	S-40S	SIZE: 1" - SCHED.S-40S 45 LR ELBOW A403-WP316L BE SMLS ASME B16.9	6E+09	Van L	VLCERT_PL2 6_4_21-29	1	Pcs	GOOD CONDITION
786	3	S-40S	SIZE: 3" - SCHED.S-40S 45 LR ELBOW A403-WP316L BE SMLS ASME B16.9	7.3E+07	Van L	VLCERT_PL2 3_3_14-36	1	PCS	GOOD CONDITION
489	6	S-10S	SIZE: 6 - SCHED.S-10S 2 HALVES 90 ELBOW A403-WP316/316L-WX DG BE NPS1=3" R=114mm YH-ST-C06	SC41765	Van L	VLCERT_PL 26_1_10-33	10	Pcs	GOOD CONDITION
472	6	S-10S	SIZE: 6 - SCHED.S-10S 2 HALVES 45 ELBOW A403-WP316/316L-WX DG BE NPS1=3" R=114mm YH-ST-C06	30555	Van L	VLCERT_PL 6_2_51-66	1	Pcs	GOOD CONDITION
246	1.5	1	SIZE1: 1-1/2" - SCHED.1 S-XSSIZE2: 1" - SCHED.2 S-XS CONCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	15C4195 5/593618	Kurvers Piping Italy S.R.L.	CERT RC6_2-12	7	Pcs	GOOD CONDITION
247	1.5	.5	SIZE1: 1-1/2" - SCHED.1 S-XSSIZE2: 1/2" - SCHED.2 S-XS CONCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9		Van L	VLCERT_PL0 5	3	Pcs	GOOD CONDITION
255	8	4	SIZE1: 8" - SCHED.1 S-STDSIZE2: 4" - SCHED.2 S-STD CONCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	876011	Van L	VLCERT_PL0 2_4_49-58	1	Pcs	GOOD CONDITION
256	6	4	SIZE1: 6" - SCHED.1 S-STDSIZE2: 4" - SCHED.2 S-STD CONCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	1E+09	Van L	VLCERT_PL5 _9_39-58	2	Pcs	GOOD CONDITION
257	6	3	SIZE1: 6" - SCHED.1 S-STDSIZE2: 3" - SCHED.2 S-STD CONCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	134756	Kurvers Piping Italy S.R.L.	CERT RC6_3-12	2	Pcs	GOOD CONDITION
258	4	3	SIZE1: 4" - SCHED.1 S-STDSIZE2: 3" - SCHED.2 S-STD CONCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	1.4E+07	Kurvers Piping Italy S.R.L.	CERT RC6_3-12	2	Pcs	GOOD CONDITION

184	24	16	SIZE1: 24 - SCHED.1 S-40SSIZE2: 16 - SCHED.2 S-10S CONCENTRIC REDUCER A403-WP316/316L-WX DG BE - ASME B16.9	297148	Van L	CERT_PL21_1_26_37	1	Pcs	BAD CONDITION
267	1	.75	SIZE1: 1" - SCHED.1 S-XSSIZE2: 3/4" - SCHED.2 S-XS CONCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	15C4192 3/283505	Kurvers Piping Italy S.R.L.	CERT RC6_2-12	6	Pcs	GOOD CONDITION
266	1	.5	SIZE1: 1" - SCHED.1 S-XSSIZE2: 1/2" - SCHED.2 S-XS CONCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	22U81/28 3505	Van L	VLCERT_PL5_12_36-38	12	Pcs	GOOD CONDITION
265	1.5	.75	SIZE1: 1-1/2" - SCHED.1 S-XSSIZE2: 3/4" - SCHED.2 S-XS CONCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	332897	Van L	CERT_PL03-6_8-45	11	Pcs	GOOD CONDITION
264	1.5	.5	SIZE1: 1-1/2" - SCHED.1 S-XSSIZE2: 1/2" - SCHED.2 S-XS CONCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9		Van L		7	Pcs	GOOD CONDITION
263	1.5	1	SIZE1: 1-1/2" - SCHED.1 S-XSSIZE2: 1" - SCHED.2 S-XS CONCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	15C4195 5	Kurvers Piping Italy S.R.L.	CERT RC6_2-12	1	Pcs	GOOD CONDITION
262	2	.75	SIZE1: 2" - SCHED.1 S-STD SIZE2: 3/4" - SCHED.2 S-XS CONCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	EA52D	Van L	VL_PL04-3_23-56	2	Pcs	GOOD CONDITION
261	2	1	SIZE1: 2" - SCHED.1 S-STD SIZE2: 1" - SCHED.2 S-XS CONCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	15C4195 3	Kurvers Piping Italy S.R.L.	CERT RC6_3-12	1	Pcs	GOOD CONDITION
260	2	1.5	SIZE1: 2" - SCHED.1 S-STD SIZE2: 1-1/2" - SCHED.2 S-XS CONCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	247069/1 5751323	Kurvers Piping Italy S.R.L.	Scan3_6-6	2	Pcs	GOOD CONDITION
259	3	1.5	SIZE1: 3" - SCHED.1 S-STD SIZE2: 1-1/2" - SCHED.2 S-XS CONCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	LW29/33 7131	Van L	VLCERT_PL6-7_22-65	1	Pcs	GOOD CONDITION

664	8	6	SIZE1: 8 - SCHED.1 S-10SSIZE2: 6 - SCHED.2 S-10S CONCENTRIC REDUCER A403-WP316/316L-WX DG BE - ASME B16.9	4023374	Van L	VLCERT_PL2 3_2_7-38	1	PCS	GOOD CONDITION
666	8	4	SIZE1: 8 - SCHED.1 S-40SSIZE2: 4 - SCHED.2 S-40S CONCENTRIC REDUCER A403-WP316/316L-WX DG BE - ASME B16.9	440047	Van L	VLCERT_PL2 3_3_18-36	1	PCS	GOOD CONDITION
667	8	4	SIZE1: 8 - SCHED.1 S-10SSIZE2: 4 - SCHED.2 S-40S CONCENTRIC REDUCER A403-WP316/316L-WX DG BE - ASME B16.9	450122	Van L	VLCERT_PL2 4-25_2_11-45	2	PCS	GOOD CONDITION
672	6	4	SIZE1: 6 - SCHED.1 S-5SSIZE2: 4 - SCHED.2 S-5S CONCENTRIC REDUCER A403-WP316/316L-WX DG BE - ASME B16.9	15A2634	Kurvers Piping Italy S.R.L.	Scan1_4-9	1	PCS	GOOD CONDITION
673	6	3	SIZE1: 6 - SCHED.1 S-40SSIZE2: 3 - SCHED.2 S-10S CONCENTRIC REDUCER A403-WP316/316L-WX DG BE - ASME B16.9	15A2634	Kurvers Piping Italy S.R.L.	Scan1_2-9	1	PCS	GOOD CONDITION
674	6	3	SIZE1: 6 - SCHED.1 S-10SSIZE2: 3 - SCHED.2 S-10S CONCENTRIC REDUCER A403-WP316/316L-WX DG BE - ASME B16.9	MR150436	Kurvers Piping Italy S.R.L.	CERT RC1_2/16	1	PCS	GOOD CONDITION
737	18	12	SIZE1: 18 - SCHED.1 S-10SSIZE2: 12 - SCHED.2 S-10S CONCENTRIC REDUCER A403-WP316/316L-WX DG BE - ASME B16.9	E121431	Van L	VLCERT_PL2 6_1_23-33	2	PCS	GOOD CONDITION
738	14	8	SIZE1: 14 - SCHED.1 S-10SSIZE2: 8 - SCHED.2 S-10S CONCENTRIC REDUCER A403-WP316/316L-WX DG BE - ASME B16.9	3604580	Van L	VLCERT_PL2 4-25_4_19-32	1	PCS	GOOD CONDITION
739	12	6	SIZE1: 12 - SCHED.1 S-10SSIZE2: 6 - SCHED.2 S-10S CONCENTRIC REDUCER A403-WP316/316L-WX DG BE - ASME B16.9	245112	Van L	VLCERT_PL2 4-25_2_42-45	1	PCS	GOOD CONDITION

685	1.5	.75	SIZE1: 1.5 - SCHED.1 S-40SSIZE2: .75 - SCHED.2 S-40S CONCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	5605001	Van L	Kurvers Piping Italy S.R.L.	VL_CERT_PL 6-2_63-66	12	PCS	GOOD CONDITION
684	2	1.5	SIZE1: 2 - SCHED.1 S-10SSIZE2: 1.5 - SCHED.2 S-40S CONCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	15A1370	Kurvers Piping Italy S.R.L.	Kurvers Piping Italy S.R.L.	Scan1_4-9	2	PCS	GOOD CONDITION
682	2	1	SIZE1: 2 - SCHED.1 S-10SSIZE2: 1 - SCHED.2 S-40S CONCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	15A1370	Kurvers Piping Italy S.R.L.	Kurvers Piping Italy S.R.L.	Scan1_4-9	4	PCS	GOOD CONDITION
681	2	1.25	SIZE1: 2 - SCHED.1 S-10SSIZE2: 1.25 - SCHED.2 S-40S CONCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	E79673	Van L	Van L	CERT_63081_PL01_1_27-55	11	PCS	GOOD CONDITION
679	4	2	SIZE1: 4 - SCHED.1 S-10SSIZE2: 2 - SCHED.2 S-10S CONCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	15A2634	Kurvers Piping Italy	Kurvers Piping Italy	Scan1_2-9	4	PCS	GOOD CONDITION
678	3	2	SIZE1: 3 - SCHED.1 S-10SSIZE2: 2 - SCHED.2 S-10S CONCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	15A2634	Kurvers Piping Italy	Kurvers Piping Italy	Scan1_2-9	3	PCS	GOOD CONDITION
677	4	2	SIZE1: 4 - SCHED.1 S-40SSIZE2: 2 - SCHED.2 S-10S CONCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	15A2634	Kurvers Piping Italy	Kurvers Piping Italy	Scan1_2-9	8	PCS	GOOD CONDITION
675	4	3	SIZE1: 4 - SCHED.1 S-10SSIZE2: 3 - SCHED.2 S-10S CONCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	15A2634	Kurvers Piping Italy	Kurvers Piping Italy	Scan1_2-9	12	PCS	GOOD CONDITION
780	8	4	8"X4", CONCENTRIC REDUCER A403-WP316/316L-WX DG BE	546121	Van L	Van L	VL_CERT_PL2 4-25_2_9-45	3	PCS	GOOD CONDITION
740	10	6	SIZE1: 10 - SCHED.1 S-10SSIZE2: 6 - SCHED.2 S-10S CONCENTRIC REDUCER A403-WP316/316L-WX DG BE - ASME B16.9	YU270637	Kurvers Piping Italy S.R.L.	Kurvers Piping Italy S.R.L.	CERT RC1_4-16	2	PCS	GOOD CONDITION

686	1.5	1	SIZE1: 1.5 - SCHED.1 S-40SSIZE2: 1 - SCHED.2 S-40S CONCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	1416031	Van L	VLCERT_PL2 3_4_27-44	6	PCS	GOOD CONDITION
687	2	.75	SIZE1: 2 - SCHED.1 S-10SSIZE2: .75 - SCHED.2 S-40S CONCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	15A1370	Kurvers Piping Italy	Scan2_5-6	7	PCS	GOOD CONDITION
688	1.5	.5	SIZE1: 1.5 - SCHED.1 S-40S SIZE2: .5 - SCHED.2 S-40S CONCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	E10S29	Kurvers Piping Italy	CERT RC1- 2-16	12	PCS	GOOD CONDITION
690	.75	.5	SIZE1: .75 - SCHED.1 S-40SSIZE2: .5 - SCHED.2 S-40S CONCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	T16L48	Kurvers Piping Italy	CERT RC1_2-16	9	PCS	GOOD CONDITION
781	1	.75	1"X3/4" SCH 40S, CONCENTRIC REDUCER A403-WP316/316L DG BE	JSG1504 023	Kurvers Piping Italy	CERT RC1_2-16	12	PCS	GOOD CONDITION
784	1	.5	1"X1/2" SCH 40S, CONCENTRIC REDUCER A403-WP316/316L DG BE	15A1370	Kurvers Piping Italy	Scan2_5-6	3	PCS	GOOD CONDITION
676	3	1.5	3"X1 1/2", 40S/40S CONCENTRIC REDUCER A403-WP316L BE	Van L	VLCERT_PL 24-		1	PCS	GOOD CONDITION
680	3	2	SIZE1: 3" - SCHED.1 S-40SSIZE2: 2" - SCHED.2 S-40S CONCENTRIC REDUCER A403-WP316L BE SMLS ASME B16.9	64011	Van L	PL20	2	PCS	GOOD CONDITION
683	2	.75	SIZE1: 2" - SCHED.1 S-40SSIZE2: 3/4" - SCHED.2 S-40S CONCENTRIC REDUCER A403-WP316L BE SMLS ASME B16.9	HDJ06- 2110	Van L	VLCERT_PL8- 1_47/72	2	PCS	GOOD CONDITION
665	8	4	SIZE1: 8" - SCHED.1 S-40SSIZE2: 4" - SCHED.2 S-40S CONCENTRIC REDUCER A403-WP316L BE WX ASME B16.9	440047	Van L	VLCERT_PL8- 1_44/72	1	PCS	GOOD CONDITION
191	24	16	SIZE1: 24" - SCHED.1 S-STD SIZE2: 16" - SCHED.2 S-STD ECCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	911707	Van L	VLCERT_PL0 2_1_36-67	1	Pcs	ALL CS INDOOR IN GOOD CONDITION - CLEANING IS REQUIRED IF REUSED
241	6	3	SIZE1: 6" - SCHED.1 S-STD SIZE2: 3" - SCHED.2 S-STD ECCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	311413	VL	VLCERT_PL0 2_3_14-33	7	Pcs	GOOD CONDITION

242	4	3	SIZE1: 4" - SCHED.1 S-STDSIZE2: 3" - SCHED.2 S-STD ECCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	1.4E+07	Kurvers Piping Italy S.R.L.	CERT RC6_3-12	2	Pcs	GOOD CONDITION
243	3	2	SIZE1: 3" - SCHED.1 S-STDSIZE2: 2" - SCHED.2 S-STD ECCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	1016382 001/1015 477721	VL	VL CERT_PL5 _12_16-38	1	Pcs	GOOD CONDITION
244	3	1.5	SIZE1: 3" - SCHED.1 S-STDSIZE2: 1-1/2" - SCHED.2 S-XS ECCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	773578	Van L	VL CERT_PL5_ 15_33-42	2	Pcs	GOOD CONDITION
245	1	.75	SIZE1: 1" - SCHED.1 S-XSSIZE2: 3/4" - SCHED.2 S-XS ECCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	15C4192 3	Kurvers Piping Italy S.R.L.	CERT RC6_3-12	23	Pcs	GOOD CONDITION
248	2	1.5	SIZE1: 2" - SCHED.1 S-STDSIZE2: 1-1/2" - SCHED.2 S-XS ECCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	H4R7F/59 8218	Van L	VL_PL04- 2_21-72	28	Pcs	GOOD CONDITION
249	1.5	1	SIZE1: 1-1/2" - SCHED.1 S-XSSIZE2: 1" - SCHED.2 S-XS ECCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	93618	Van L	VL CERT_PL0 2_3_1-33	8	Pcs	GOOD CONDITION
250	2	1	SIZE1: 2" - SCHED.1 S-STDSIZE2: 1" - SCHED.2 S-XS ECCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	1541953	Kurvers Piping Italy S.R.L.	CERT RC6_3-12	9	Pcs	GOOD CONDITION
251	1.5	.5	SIZE1: 1-1/2" - SCHED.1 S-XSSIZE2: 1/2" - SCHED.2 S-XS ECCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	32283	Van L	VL CERT5_3- 41	8	Pcs	GOOD CONDITION
252	1	.5	SIZE1: 1" - SCHED.1 S-XSSIZE2: 1/2" - SCHED.2 S-XS ECCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	15C4192 3	Kurvers Piping Italy S.R.L.	CERT RC6_3-12	15	Pcs	GOOD CONDITION

253	.75	.5	SIZE1: 3/4" - SCHED.1 S-XSSIZE2: 1/2" - SCHED.2 S-XS ECCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	B10/85774	Van L	VL CERT5_2-41	5	Pcs	GOOD CONDITION
254	2	.75	SIZE1: 2" - SCHED.1 S-STDSIZE2: 3/4" - SCHED.2 S-XS ECCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	21968	Van L	VL CERT_PL0 2_2_21-37	5	Pcs	GOOD CONDITION
270	8	6	SIZE1: 8" - SCHED.1 S-STDSIZE2: 6" - SCHED.2 S-STD ECCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	1.4E+07	Kurvers Piping Italy	CERT RC6_3-12	17	Pcs	GOOD CONDITION
271	10	8	SIZE1: 10" - SCHED.1 S-STDSIZE2: 8" - SCHED.2 S-STD ECCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	783969	Van L	VL-PL02-03-05	1	Pcs	GOOD CONDITION
272	8	4	SIZE1: 8" - SCHED.1 S-STDSIZE2: 4" - SCHED.2 S-STD ECCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	924369	Van L	CERT_PL03-2_1-33	2	Pcs	GOOD CONDITION
273	12	10	SIZE1: 12" - SCHED.1 S-STDSIZE2: 10" - SCHED.2 S-STD ECCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	15C4396 8/984427	Kurvers Piping Italy	CERT RC6_4-12	1	Pcs	GOOD CONDITION
275	12	8	SIZE1: 12" - SCHED.1 S-STDSIZE2: 8" - SCHED.2 S-STD ECCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	15C4396 8	Kurvers Piping Italy	CERT RC6_4-12	7	Pcs	BAD CONDITION
276	18	12	SIZE1: 18" - SCHED.1 S-STDSIZE2: 12" - SCHED.2 S-STD ECCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	1595082 2/961448	Kurvers Piping Italy	CERT RC6_4-12	1	Pcs	BAD CONDITION
277	14	12	SIZE1: 14" - SCHED.1 S-STDSIZE2: 12" - SCHED.2 S-STD ECCENTRIC REDUCER A234-WPB BE SMLS ASME B16.9	968890	Van L	VL CERT_PL0 2_2_8-37	1	Pcs	BAD CONDITION
631	8	6	SIZE1: 8 - SCHED.1 S-10SSIZE2: 6 - SCHED.2 S-10S ECCENTRIC REDUCER A403-WP316/316L-WX DG BE - ASME B16.9	LZ22174 0	Kurvers Piping Italy S.R.L.	CERT RC1-2-16	7	PCS	GOOD CONDITION
632	8	4	SIZE1: 8 - SCHED.1 S-40SSIZE2: 4 - SCHED.2 S-40S ECCENTRIC REDUCER A403-WP316/316L-WX DG BE - ASME B16.9	148084	Van L	CERT_PL21_2_1-32	3	PCS	GOOD CONDITION
633	6	4	SIZE1: 6 - SCHED.1 S-10SSIZE2: 4 - SCHED.2 S-40S ECCENTRIC REDUCER A403-WP316/316L-WX DG BE - ASME B16.9	2204432	Van L	VL CERT_PL7_2_27-51	1	PCS	GOOD CONDITION

634	6	3	SIZE1: 6 - SCHED.1 S-10SSIZE2: 3 - SCHED.2 S-10S ECCENTRIC REDUCER A403-WP316/316L-WX DG BE - ASME B16.9	160165	Van L	VL CERT_PL23- 3_27-36	2	PCS	GOOD CONDITION
635	6	4	SIZE1: 6 - SCHED.1 S-40S SIZE2: 4 - SCHED.2 S-40S ECCENTRIC REDUCER A403-WP316/316L-WX DG BE - ASME B16.9	2204433	Van L	WSP-036	1	PCS	GOOD CONDITION
670	16	14	SIZE1: 16 - SCHED.1 S-10SSIZE2: 14 - SCHED.2 S-10S ECCENTRIC REDUCER A403-WP316/316L-WX DG BE - ASME B16.9	37067	VanL	CERT_57131 _PL20- 3_12/45	3	PCS	GOOD CONDITION
671	14	12	SIZE1: 14 - SCHED.1 S-10SSIZE2: 12 - SCHED.2 S-10S ECCENTRIC REDUCER A403-WP316/316L-WX DG BE - ASME B16.9	553198	Van L	PL20	3	PCS	GOOD CONDITION
693	6	4	SIZE1: 6 - SCHED.1 S-10SSIZE2: 4 - SCHED.2 S-10S ECCENTRIC REDUCER A403-WP316/316L-WX DG BE - ASME B16.9	63BU816	Kurvers Piping Italy S.R.L.	CERT RC1-2-16	8	PCS	GOOD CONDITION
776	6	5	SIZE1: 6"X5" - SCHED.1 S-40S,ECCENTRIC REDUCER A403-WP316/316L-WX DG BE	195421	VanL	PL20_138004 18_ HN195421	1	PCS	GOOD CONDITION
636	4	1.5	SIZE1: 4 - SCHED.1 S-40SSIZE2: 1.5 - SCHED.2 S-40S ECCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	443200	Van L	MLCERT_PL2 3_4_35-44	2	PCS	GOOD CONDITION
637	4	2	SIZE1: 4 - SCHED.1 S-40SSIZE2: 2 - SCHED.2 S-10S ECCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	15A2634	Kurvers Piping Italy	Scan1_3-9	8	PCS	GOOD CONDITION
638	4	3	SIZE1: 4"X3" - SCHED S-10S, ECCENTRIC REDUCER A403-WP316/316L DG BE	15A2634	Kurvers Piping Italy	Scan1_4-9	22	PCS	GOOD CONDITION
641	4	1.5	SIZE1: 4 - SCHED.1 S-10SSIZE2: 1.5 - SCHED.2 S-40S ECCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	443200	Van L	PL20WSP- 048	1		GOOD CONDITION
642	3	2	SIZE1: 3 - SCHED.1 S-10SSIZE2: 2 - SCHED.2 S-10S ECCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	LSG1511 014	Kurvers Piping Italy	CERT RC1_3-16	3	PCS	GOOD CONDITION
643	3	1.5	SIZE1: 3 - SCHED.1 S-10SSIZE2: 1.5 - SCHED.2 S-40S ECCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	15A2634	Kurvers Piping Italy	Scan1_2-9	2	PCS	GOOD CONDITION

644	2	1.5	SIZE1: 2 - SCHED.1 S-10SSIZE2: 1.5 - SCHED.2 S-40S ECCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	150120T04	Kurvers Piping Italy	CERT RC1_3-16	22	PCS	GOOD CONDITION
645	1.5	.5	SIZE1: 1.5 - SCHED.1 S-40SSIZE2: .5 - SCHED.2 S-40S ECCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	15A1370	Kurvers Piping Italy	Scan2_5-6	9	PCS	GOOD CONDITION
646	1.5	1	SIZE1: 1.5 - SCHED.1 S-40SSIZE2: 1 - SCHED.2 S-40S ECCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	15A1370	Kurvers Piping Italy	Scan2_5-6	15	PCS	GOOD CONDITION
647	1.5	.75	SIZE1: 1.5 - SCHED.1 S-40SSIZE2: .75 - SCHED.2 S-40S ECCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	332897	Van L	CERT_PL04-3-15_56	13	PCS	GOOD CONDITION
648	1	.5	SIZE1: 1 - SCHED.1 S-40SSIZE2: .5 - SCHED.2 S-40S ECCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	15A1370	Kurvers Piping Italy	Scan2_5-6	11	PCS	GOOD CONDITION
649	.75	.5	SIZE1: .75 - SCHED.1 S-40SSIZE2: .5 - SCHED.2 S-40S ECCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	15A1370	Kurvers Piping Italy	Scan1_4-9	9	Pcs	GOOD CONDITION
692	4	3	SIZE1: 4 - SCHED.1 S-40SSIZE2: 3 - SCHED.2 S-10S ECCENTRIC REDUCER A403-WP316/316L DG BE SMLS ASME B16.9	15A2747	Kurvers Piping Italy	SCAN2_1-6	4	PCS	GOOD CONDITION
778	2	.75	SIZE1: 2"X3/4" - SCHED-10S/40S,ECCENTRIC REDUCER A403-WP316/316L-WX DG BE	270058	Van L	VLCERT_PL2 4-25_2_17-45	3	PCS	GOOD CONDITION
779	1	.75	SIZE1: 1"X3/4" - SCHED-40S,ECCENTRIC REDUCER A403-WP316/316L-WX DG BE	15A1370	Kurvers Piping Italy S.R.L.	Scan1_4-9	18	PCS	GOOD CONDITION
639	4	2	SIZE1: 4"X2" - SCHED S-40S/10S, ECCENTRIC REDUCER A403-WP316 BE	443200	Van L	VLCERT_PL7 _2_29-51	1	PCS	GOOD CONDITION
640	2	1	2"X1", SCH 40S, ECCENTRIC REDUCER A403-WP316L BE	441647	Van L	VLCERT_PL2 4-25_3_41-42	6	PCS	GOOD CONDITION
777	3	2	SIZE1: 3"X2" - SCHED S-40S, ECCENTRIC REDUCER A403-WP316 BE	75801	Van L	CERT _PL21_2_26-32	1	PCS	GOOD CONDITION

651	6	3	SIZE1: 6 - SCHED.1 S-40SSIZE2: 3 - SCHED.2 S-10S ECCENTRIC REDUCER A403-WP316L BE WX ASME B16.9	550840	Van L	VLCERT_PL7 _2_31-51	1	Pcs	GOOD CONDITION
187	18	S-STD	SIZE: 18" - SCHED.S-STD STRAIGHT TEE A234-WPB BE SMLS ASME B16.9	1.6E+07	Kurvers Piping Italy	CERT RC6_5-12	1	Pcs	BAD CONDITION
188	12	S-STD	SIZE: 12" - SCHED.S-STD STRAIGHT TEE A234-WPB BE SMLS ASME B16.9	15C43968	Kurvers Piping Italy	CERT RC6_5-12	3	Pcs	BAD CONDITION
495	4	S-STD	SIZE: 4" - SCHED.S-STD STRAIGHT TEE A234-WPB BE SMLS ASME B16.9	1.4E+07	Kurvers Piping Italy	CERT RC6_5-12	9	Pcs	GOOD CONDITION
496	3	S-STD	SIZE: 3" - SCHED.S-STD STRAIGHT TEE A234-WPB BE SMLS ASME B16.9	247069	Kurvers Piping Italy	CERT RC6_5-12	1	Pcs	GOOD CONDITION
500	1.5	S-XS	SIZE: 1-1/2" - SCHED.S-XS STRAIGHT TEE A234-WPB BE SMLS ASME B16.9	15C41955	Kurvers Piping Italy	CERT RC6_7-12	7	Pcs	GOOD CONDITION
501	1	S-XS	SIZE: 1" - SCHED.S-XS STRAIGHT TEE A234-WPB BE SMLS ASME B16.9	15C41923	Kurvers Piping Italy	CERT RC6_4-12	8	Pcs	GOOD CONDITION
505	10	S-STD	SIZE: 10" - SCHED.S-STD STRAIGHT TEE A234-WPB BE SMLS ASME B16.9	8YVWE	Van L	VL CERT8_12-48	1	Pcs	BAD CONDITION
507	.75	S-XS	SIZE: 3/4" - SCHED.S-XS STRAIGHT TEE A234-WPB BE SMLS ASME B16.9	128948	Kurvers Piping Italy	CERT RC6_4-12	29	Pcs	GOOD CONDITION
509	.5	S-XS	SIZE: 1/2" - SCHED.S-XS STRAIGHT TEE A234-WPB BE SMLS ASME B16.9	1.5E+07	Kurvers Piping Italy	CERT RC6_4-12	88	Pcs	GOOD CONDITION
510	2	S-STD	SIZE: 2" - SCHED.S-STD STRAIGHT TEE A234-WPB BE SMLS ASME B16.9	15C41953	Kurvers Piping Italy	CERT RC6_4-12	478	Pcs	GOOD CONDITION
185	30	S-STD	SIZE: 30" - SCHED.S-STD STRAIGHT TEE A234-WPB BE WELD ASME B16.9	16S01-175484	Kurvers Piping Italy	CERT RC6_5-12	2	Pcs	BAD CONDITION
176	12	S-40S	SIZE: 12 - SCHED.S-40S STRAIGHT TEE A403-WP316/316L-WX DG BE - ASME B16.9	162216	Kurvers	Scan2_1/6	1	Pcs	GOOD CONDITION
177	16	S-10S	SIZE: 16 - SCHED.S-10S STRAIGHT TEE A403-WP316/316L-WX DG BE - ASME B16.9	33466		PL20	1	Pcs	GOOD CONDITION

441	8	S-10S	SIZE: 8 - SCHED.S-10S STRAIGHT TEE A403-WP316/316L-WX DG BE - ASME B16.9	LXM-162-216	Kurvers Piping Italy	SCAN2_1-6	9	Pcs	GOOD CONDITION
447	6	S-10S	SIZE: 6 - SCHED.S-10S STRAIGHT TEE A403-WP316/316L-WX DG BE - ASME B16.9	289503	VL	VL CERT_PL 24-25-3_17-42	2+5	Pcs	GOOD CONDITION
731	10	S-10S	SIZE: 10 - SCHED.S-10S STRAIGHT TEE A403-WP316/316L-WX DG BE - ASME B16.9	LXM-162-216	Kurvers Piping Italy	CERT RC4_2-12	1	PCS	GOOD CONDITION
732	6	S-40S	SIZE: 6 - SCHED.S-40S STRAIGHT TEE A403-WP316/316L-WX DG BE - ASME B16.9						GOOD CONDITION
734	8	S-40S	SIZE: 8 - SCHED.S-40S STRAIGHT TEE A403-WP316/316L-WX DG BE - ASME B16.9						GOOD CONDITION
448	4	S-10S	SIZE: 4 - SCHED.S-10S STRAIGHT TEE A403-WP316/316L DG BE SMLS ASME B16.9	15A2634	Kurvers Piping Italy	Scan1_3-9	25	Pcs	GOOD CONDITION
512	4	S-5S	SIZE: 4 - SCHED.S-5S STRAIGHT TEE A403-WP316/316L DG BE SMLS ASME B16.9	15A2634	Kurvers Piping Italy	Scan1_3-9	2	Pcs	GOOD CONDITION
516	3	S-10S	SIZE: 3 - SCHED.S-10S STRAIGHT TEE A403-WP316/316L DG BE SMLS ASME B16.9	15A2634	Kurvers Piping Italy	Scan1_3-9	25	Pcs	GOOD CONDITION
520	1.5	S-40S	SIZE: 1.5 - SCHED.S-40S STRAIGHT TEE A403-WP316/316L DG BE SMLS ASME B16.9	15A1370	Kurvers Piping Italy	Scan2_5-6	14	Pcs	GOOD CONDITION
525	2	S-10S	SIZE: 2 - SCHED.S-10S STRAIGHT TEE A403-WP316/316L DG BE SMLS ASME B16.9	15A1370	Kurvers Piping Italy	Scan2_5-6	25	Pcs	GOOD CONDITION
529	1	S-40S	SIZE: 1 - SCHED.S-40S STRAIGHT TEE A403-WP316/316L DG BE SMLS ASME B16.9	E10S29	Kurvers Piping Italy	CERT RC1-4-16	26	Pcs	GOOD CONDITION
530	.5	S-40S	SIZE: .5 - SCHED.S-40S STRAIGHT TEE A403-WP316/316L DG BE SMLS ASME B16.9	JSG1507028	Kurvers Piping Italy	CERT RC1-3-16	26	Pcs	GOOD CONDITION
531	.75	S-40S	SIZE: .75 - SCHED.S-40S STRAIGHT TEE A403-WP316/316L DG BE SMLS ASME B16.9	E10S29	Kurvers Piping Italy	CERT RC1-4-16	11	Pcs	GOOD CONDITION
791	4	S-40S	SIZE: 4 - SCHED.S-40S STRAIGHT TEE A403-WP316/316L DG BE SMLS ASME B16.9	15A2634	Kurvers Piping Italy	Scan1_3-9	2	PCS	GOOD CONDITION

513	4	S-40S	SIZE: 4" - SCHED.S-40S STRAIGHT TEE A403-WP316L BE SMLS ASME B16.9	8300090	Van L	VLCERT_PL 23_4_39-44	1	Pcs	GOOD CONDITION
517	3	S-40S	SIZE: 3" - SCHED.S-40S STRAIGHT TEE A403-WP316L BE SMLS ASME B16.9	927041	Van L	VLCERT_PL 23_4_1-44	1	Pcs	GOOD CONDITION
189	20	18	SIZE1: 20" - SCHED.1 S-STDSIZE2: 18" - SCHED.2 S-STD REDUCING TEE A234-WPB BE SMLS ASME B16.9	914939	Van L	VLCERT_PL 02_4_33-58	1	Pcs	ALL CS INDOOR IN GOOD CONDITION - CLEANING IS REQUIRED IF REUSED
497	1.5	.5	SIZE1: 1-1/2" - SCHED.1 S-XSSIZE2: 1/2" - SCHED.2 S-XS REDUCING TEE A234-WPB BE SMLS ASME B16.9	116755	Van L	VLCERT_PL 6_6_21-50	6	Pcs	GOOD CONDITION
498	1.5	1	SIZE1: 1-1/2" - SCHED.1 S-XSSIZE2: 1" - SCHED.2 S-XS REDUCING TEE A234-WPB BE SMLS ASME B16.9	15C4195 5	Kurvers Piping Italy	CERT RC6_6-12	25	Pcs	GOOD CONDITION
499	1.5	.75	SIZE1: 1-1/2" - SCHED.1 S-XSSIZE2: 3/4" - SCHED.2 S-XS REDUCING TEE A234-WPB BE SMLS ASME B16.9	15C4195 5	Kurvers Piping Italy	CERT RC6_6-12	8	Pcs	GOOD CONDITION
502	1	.75	SIZE1: 1" - SCHED.1 S-XSSIZE2: 3/4" - SCHED.2 S-XS REDUCING TEE A234-WPB BE SMLS ASME B16.9	15C4192 3	Kurvers Piping Italy	CERT RC6_5-12	11	Pcs	GOOD CONDITION
503	1	.5	SIZE1: 1" - SCHED.1 S-XSSIZE2: 1/2" - SCHED.2 S-XS REDUCING TEE A234-WPB BE SMLS ASME B16.9	15C4192 3	Kurvers Piping Italy	CERT RC6_5-12	44	Pcs	GOOD CONDITION
504	6	4	SIZE1: 6" - SCHED.1 S-STDSIZE2: 4" - SCHED.2 S-STD REDUCING TEE A234-WPB BE SMLS ASME B16.9	134756	Kurvers Piping Italy	CERT RC6_6-12	1	Pcs	GOOD CONDITION
506	1.5	.5	SIZE1: 1-1/2" - SCHED.1 S-XSSIZE2: 1/2" - SCHED.2 S-XS REDUCING TEE A234-WPB BE SMLS ASME B16.9	975319	Van L	VLCERT_PL 02_6_16-19	2	Pcs	GOOD CONDITION
508	.75	.5	SIZE1: 3/4" - SCHED.1 S-XSSIZE2: 1/2" - SCHED.2 S-XS REDUCING TEE A234-WPB BE SMLS ASME B16.9	128948	Kurvers Piping Italy	CERT RC6_5-12	48	Pcs	GOOD CONDITION
175	14	12	SIZE1: 14 - SCHED.1 S-10SSIZE2: 12 - SCHED.2 S-10S REDUCING TEE A403-WP316/316L-WX DG BE - ASME B16.9		VL	PL20	3	Pcs	GOOD CONDITION
442	18	10	SIZE1: 18 - SCHED.1 S-10SSIZE2: 10 - SCHED.2 S-10S REDUCING TEE A403-WP316/316L-WX DG BE - ASME B16.9	2207678	Van L	VLCERT_PL 26_1_21-33	2	Pcs	GOOD CONDITION
443	10	8	SIZE1: 10 - SCHED.1 S-10SSIZE2: 8 - SCHED.2 S-10S REDUCING TEE A403-WP316/316L-WX DG BE - ASME B16.9	LXM-162-216	Kurvers Piping Italy	CERT RC4_2-12	3	Pcs	GOOD CONDITION

444	8	6	SIZE1: 8 - SCHED.1 S-10SSIZE2: 6 - SCHED.2 S-10S REDUCING TEE A403-WP316/316L-WX DG BE - ASME B16.9	LXM-162-216	Kurvers Piping Italy	CERT RC4_2-12	9	Pcs	GOOD CONDITION
445	8	6	SIZE1: 8 - SCHED.1 S-40SSIZE2: 6 - SCHED.2 S-40S REDUCING TEE A403-WP316/316L-WX DG BE - ASME B16.9	LXM-162-216	Kurvers Piping Italy	CERT RC4_2-12		Pcs	GOOD CONDITION
446	6	4	SIZE1: 6 - SCHED.1 S-10SSIZE2: 4 - SCHED.2 S-10S REDUCING TEE A403-WP316/316L-WX DG BE - ASME B16.9	15A2634	Kurvers Piping Italy	Scan1_3-9	32	Pcs	GOOD CONDITION
511	6	4	SIZE1: 6 - SCHED.1 S-10SSIZE2: 4 - SCHED.2 S-40S REDUCING TEE A403-WP316/316L-WX DG BE - ASME B16.9	86615	Van L	VLCERT_PL 24-25_1_49-	1	Pcs	GOOD CONDITION
733	6	4	SIZE1: 6 - SCHED.1 S-40SSIZE2: 4 - SCHED.2 S-40S REDUCING TEE A403-WP316/316L-WX DG BE - ASME B16.9						GOOD CONDITION
514	4	3	SIZE1: 4 - SCHED.1 S-40SSIZE2: 3 - SCHED.2 S-10S REDUCING TEE A403-WP316/316L DG BE SMLS ASME B16.9	15A2634	Kurvers Piping Italy	Scan1_3-9	11	Pcs	GOOD CONDITION
515	4	3	SIZE1: 4 - SCHED.1 S-10SSIZE2: 3 - SCHED.2 S-10S REDUCING TEE A403-WP316/316L DG BE SMLS ASME B16.9	15A2634	Kurvers Piping Italy	Scan1_3-9	6	Pcs	GOOD CONDITION
521	1	.75	SIZE1: 1 - SCHED.1 S-40SSIZE2: .75 - SCHED.2 S-40S REDUCING TEE A403-WP316/316L DG BE SMLS ASME B16.9	15A1370	Kurvers Piping Italy	Scan2_5-6	20	Pcs	GOOD CONDITION
523	1.5	.75	SIZE1: 1.5 - SCHED.1 S-40SSIZE2: .75 - SCHED.2 S-40S REDUCING TEE A403-WP316/316L DG BE SMLS ASME B16.9	15A1370	Van L	Scan2_5-6	19	Pcs	GOOD CONDITION
526	1.5	1	SIZE1: 1.5 - SCHED.1 S-40SSIZE2: 1 - SCHED.2 S-40S REDUCING TEE A403-WP316/316L DG BE SMLS ASME B16.9	15A1370	Kurvers Piping Italy	Scan2_5-6	37	Pcs	GOOD CONDITION
527	.75	.5	SIZE1: .75 - SCHED.1 S-40SSIZE2: .5 - SCHED.2 S-40S REDUCING TEE A403-WP316/316L DG BE SMLS ASME B16.9	15A1370	Kurvers Piping Italy	Scan2_5-6	16	Pcs	GOOD CONDITION
528	1	.5	SIZE1: 1 - SCHED.1 S-40SSIZE2: .5 - SCHED.2 S-40S REDUCING TEE A403-WP316/316L DG BE SMLS ASME B16.9	15A1370	Kurvers Piping Italy	Scan2_5-6	20	Pcs	GOOD CONDITION
785	3	2	3"X2" SCH 10S,REDUCING TEE A403-WP316/316L DG BE	15A2634	Kurvers Piping Italy	Scan1_3-9	33	PCS	GOOD CONDITION
519	3	2	SIZE1: 3" - SCHED.1 S-40SSIZE2: 2" - SCHED.2 S-40S REDUCING TEE A403-WP316L BE SMLS ASME B16.9	737041	Van L	PL20	2	Pcs	GOOD CONDITION

524	1	5	SIZE1: 1" - SCHED.1 S-40SSIZE2: 1/2" - SCHED.2 S-40S REDUCING TEE A403-WP316L BE SMLS ASME B16.9	6435031	Van L	VLCERT_PL 23_4_3-44	13	Pcs	GOOD CONDITION
353	14	2	SIZE1: 14" - SCHED.1 S-STDSIZE2: 2" - SCHED.2 S-STD REDUCING WELDOLET A105 BE - MSS-SP-97	14/79164	Kurvers Piping Italy	MEGA2_6- 12	1	Pcs	GOOD CONDITION
354	18	2	SIZE1: 18" - SCHED.1 S-STDSIZE2: 2" - SCHED.2 S-STD REDUCING WELDOLET A105 BE - MSS-SP-97	14/79164	Kurvers Piping Italy	MEGA2_7- 12	2	Pcs	GOOD CONDITION
355	12	1.5	SIZE1: 12" - SCHED.1 S-STDSIZE2: 1-1/2" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/79165	Kurvers Piping Italy	MEGA2_6- 12	1	Pcs	GOOD CONDITION
356	8	.75	SIZE1: 8" - SCHED.1 S-STDSIZE2: 3/4" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/71266	Kurvers Piping Italy	MEGA2_4- 12	3	Pcs	GOOD CONDITION
357	3	1.5	SIZE1: 3" - SCHED.1 S-STDSIZE2: 1-1/2" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/79165	Kurvers Piping Italy	MEGA2_2- 12	1	Pcs	GOOD CONDITION
358	6	1.5	SIZE1: 6" - SCHED.1 S-STDSIZE2: 1-1/2" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/79165	Kurvers Piping Italy	MEGA2_3- 12	1	Pcs	GOOD CONDITION
359	10	1.5	SIZE1: 10" - SCHED.1 S-STDSIZE2: 1-1/2" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/79165	Kurvers Piping Italy	MEGA2_5- 12	1	Pcs	GOOD CONDITION
360	8	1.5	SIZE1: 8" - SCHED.1 S-STDSIZE2: 1-1/2" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/79165	Kurvers Piping Italy	MEGA2_4- 12	4	Pcs	GOOD CONDITION
361	4	1	SIZE1: 4" - SCHED.1 S-STDSIZE2: 1" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/72397	Kurvers Piping Italy	MEGA2_2- 12	1	Pcs	GOOD CONDITION
362	3	.75	SIZE1: 3" - SCHED.1 S-STDSIZE2: 3/4" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/71266	Kurvers Piping Italy	MEGA2_1- 12	1	Pcs	GOOD CONDITION
363	2	1	SIZE1: 2" - SCHED.1 S-STDSIZE2: 1" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/71245	Kurvers Piping Italy	MEGA2_1- 12	15	Pcs	GOOD CONDITION
364	8	1	SIZE1: 8" - SCHED.1 S-STDSIZE2: 1" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/72397	Kurvers Piping Italy	MEGA2_4- 12	6	Pcs	GOOD CONDITION
365	4	1.5	SIZE1: 4" - SCHED.1 S-STDSIZE2: 1-1/2" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/79165	Kurvers Piping Italy	MEGA2_3- 12	2	Pcs	GOOD CONDITION

366	4	.75	SIZE1: 4" - SCHED.1 S-STDSIZE2: 3/4" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/71266	Kurvers Piping Italy	MEGA2_2- 12	3	Pcs	GOOD CONDITION
367	18	1	SIZE1: 18" - SCHED.1 S-STDSIZE2: 1" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/72397	Kurvers Piping Italy	MEGA2_11- 12	3	Pcs	GOOD CONDITION
368	3	1	SIZE1: 3" - SCHED.1 S-STDSIZE2: 1" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/72397	Kurvers Piping Italy	MEGA2_2- 12	3	Pcs	GOOD CONDITION
369	2	.75	SIZE1: 2" - SCHED.1 S-STDSIZE2: 3/4" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/71266	Kurvers Piping Italy	MEGA2_1- 12	2	Pcs	GOOD CONDITION
370	16	1	SIZE1: 16" - SCHED.1 S-STDSIZE2: 1" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	15/73624	Van L	CERT_PL03- 6_40-45	1	Pcs	GOOD CONDITION
371	12	1	SIZE1: 12" - SCHED.1 S-STDSIZE2: 1" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/72397	Kurvers Piping Italy	MEGA2_5- 12	1	Pcs	GOOD CONDITION
372	30	1.5	SIZE1: 30" - SCHED.1 S-STDSIZE2: 1- 1/2" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/79165	Kurvers Piping Italy S.R.L.	MEGA2_9-12	1	Pcs	ALL CS INDOOR IN GOOD CONDITION - CLEANING IS REQUIRED IF REUSED
373	20	1	SIZE1: 20" - SCHED.1 S-STDSIZE2: 1" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/72397	Kurvers Piping Italy S.R.L.	MEGA2_8-12	1	Pcs	ALL CS INDOOR IN GOOD CONDITION - CLEANING IS REQUIRED IF REUSED
374	30	1	SIZE1: 30" - SCHED.1 S-STDSIZE2: 1" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	15/73624	Van L	CERT_PL03- 6_41-45	1	Pcs	ALL CS INDOOR IN GOOD CONDITION - CLEANING IS REQUIRED IF REUSED
375	2	.5	SIZE1: 2" - SCHED.1 S-STDSIZE2: 1/2" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/71266	Kurvers Piping Italy	MEGA2_1- 12	46	Pcs	GOOD CONDITION
376	10	.75	SIZE1: 10" - SCHED.1 S-STDSIZE2: 3/4" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	230471	Van L	CERT_PL04- 3_40-56	2	Pcs	GOOD CONDITION
377	18	1	SIZE1: 18" - SCHED.1 S-STDSIZE2: 1" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/72397	Kurvers Piping Italy	MEGA2_11- 12	3	Pcs	GOOD CONDITION
378	30	.75	SIZE1: 30" - SCHED.1 S-STDSIZE2: 3/4" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/71266	Kurvers Piping Italy S.R.L.	MEGA2_9-12	6	Pcs	ALL CS INDOOR IN GOOD CONDITION - CLEANING IS REQUIRED IF REUSED

379	6	.75	SIZE1: 6" - SCHED.1 S-STDSIZE2: 3/4" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/71266	Kurvers	Kurvers Piping Italy	MEGA2_3-12	8	Pcs	GOOD CONDITION
380	2	1.5	SIZE1: 2" - SCHED.1 S-STDSIZE2: 1-1/2" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/79165	Kurvers	Kurvers Piping Italy	MEGA2_1-12	8	Pcs	GOOD CONDITION
381	12	.75	SIZE1: 12" - SCHED.1 S-STDSIZE2: 3/4" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/71266	Kurvers	Kurvers Piping Italy	MEGA2_10-12	2	Pcs	GOOD CONDITION
382	18	.5	SIZE1: 18" - SCHED.1 S-STDSIZE2: 1/2" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/71266	Kurvers	Kurvers Piping Italy	MEGA2_11-12	3	Pcs	GOOD CONDITION
383	30	.5	SIZE1: 30" - SCHED.1 S-STDSIZE2: 1/2" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/71266	Kurvers Piping Italy	S.R.L. Italy	MEGA2_9-12	2	Pcs	ALL CS INDOOR IN GOOD CONDITION - CLEANING IS REQUIRED IF REUSED
384	12	.5	SIZE1: 12" - SCHED.1 S-STDSIZE2: 1/2" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/71266	Kurvers	Kurvers Piping Italy	MEGA2_10-12	7	Pcs	GOOD CONDITION
385	3	.75	SIZE1: 3" - SCHED.1 S-STDSIZE2: 3/4" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/71266	Kurvers	Kurvers Piping Italy	MEGA2_1-12	7	Pcs	GOOD CONDITION
388	10	2	SIZE1: 10" - SCHED.1 S-STDSIZE2: 2" - SCHED.2 S-STD REDUCING WELDOLET A105 BE - MSS-SP-97	14/72471	Van L		VLCERT_PL 5_14_30-47	1	Pcs	GOOD CONDITION
389	14	1	SIZE1: 14" - SCHED.1 S-STDSIZE2: 1" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	15/73624	Van L		VLCERT_PL 5_14_31-47	2	Pcs	GOOD CONDITION
411	18	6	SIZE1: 18" - SCHED.1 S-STDSIZE2: 6" - SCHED.2 S-STD REDUCING WELDOLET A105 BE - MSS-SP-97	2706-11	Kurvers	Kurvers Piping Italy	MEGA2_7-12	1	Pcs	GOOD CONDITION
412	12	6	SIZE1: 12" - SCHED.1 S-STDSIZE2: 6" - SCHED.2 S-STD REDUCING WELDOLET A105 BE - MSS-SP-97	15/76525	Van L		PL02	1	Pcs	GOOD CONDITION
413	20	6	SIZE1: 20" - SCHED.1 S-STDSIZE2: 6" - SCHED.2 S-STD REDUCING WELDOLET A105 BE - MSS-SP-97	2706-11	Kurvers Piping Italy	S.R.L. Italy	MEGA2_8-12	2	Pcs	ALL CS INDOOR IN GOOD CONDITION - CLEANING IS REQUIRED IF REUSED
414	10	4	SIZE1: 10" - SCHED.1 S-STDSIZE2: 4" - SCHED.2 S-STD REDUCING WELDOLET A105 BE - MSS-SP-97	13/77968	Kurvers	Kurvers Piping Italy	MEGA2_5-12	5	Pcs	GOOD CONDITION

415	18	3	SIZE1: 18" - SCHED.1 S-STDSIZE2: 3" - SCHED.2 S-STD REDUCING WELDOLET A105 BE - MSS-SP-97	P412124 0320	Kurvers Piping Italy	MEGA2_7- 12	1	Pcs	GOOD CONDITION
416	16	4	SIZE1: 16" - SCHED.1 S-STDSIZE2: 4" - SCHED.2 S-STD REDUCING WELDOLET A105 BE - MSS-SP-97		Van L	PL02	1	Pcs	GOOD CONDITION
417	20	4	SIZE1: 20" - SCHED.1 S-STDSIZE2: 4" - SCHED.2 S-STD REDUCING WELDOLET A105 BE - MSS-SP-97	13/77968	Kurvers Piping Italy S.R.L.	MEGA2_8-12	3	Pcs	ALL CS INDOOR IN GOOD CONDITION - CLEANING IS REQUIRED IF REUSED
418	14	3	SIZE1: 14" - SCHED.1 S-STDSIZE2: 3" - SCHED.2 S-STD REDUCING WELDOLET A105 BE - MSS-SP-97	P412124 0320	Kurvers Piping Italy	MEGA2_6- 12	3	Pcs	GOOD CONDITION
419	6	2	SIZE1: 6" - SCHED.1 S-STDSIZE2: 2" - SCHED.2 S-STD REDUCING WELDOLET A105 BE - MSS-SP-97	14/79164	Kurvers Piping Italy	MEGA2_3- 12	7	Pcs	GOOD CONDITION
420	8	2	SIZE1: 8" - SCHED.1 S-STDSIZE2: 2" - SCHED.2 S-STD REDUCING WELDOLET A105 BE - MSS-SP-97	14/79164	Kurvers Piping Italy	MEGA2_4- 12	26	Pcs	GOOD CONDITION
421	18	1.5	SIZE1: 18" - SCHED.1 S-STDSIZE2: 1- 1/2" - SCHED.2 S-XS REDUCING WELDOLET A105 BE - MSS-SP-97	14/79165	Kurvers Piping Italy	MEGA2_7- 12	2	Pcs	GOOD CONDITION
422	12	2	SIZE1: 12" - SCHED.1 S-STDSIZE2: 2" - SCHED.2 S-STD REDUCING WELDOLET A105 BE - MSS-SP-97	14/79164	Kurvers Piping Italy	MEGA2_6- 12	2	Pcs	GOOD CONDITION
423	30	2	SIZE1: 30" - SCHED.1 S-STDSIZE2: 2" - SCHED.2 S-STD REDUCING WELDOLET A105 BE - MSS-SP-97	14/79164	Kurvers Piping Italy S.R.L.	MEGA2_9-12	2	Pcs	ALL CS INDOOR IN GOOD CONDITION - CLEANING IS REQUIRED IF REUSED
424	4	2	SIZE1: 4" - SCHED.1 S-STDSIZE2: 2" - SCHED.2 S-STD REDUCING WELDOLET A105 BE - MSS-SP-97	231751	Van L	PL40-1_1- 49	5	Pcs	GOOD CONDITION
460	6	1	SIZE1: 6" - SCHED.1 S-40SSIZE2: 1" - SCHED.2 S-40S REDUCING WELDOLET A182-F316L BE - MSS- SP-97	267287	Van L	CERT_PL41- 2_9-44	3	Pcs	GOOD CONDITION
535	6	.5	SIZE1: 6" - SCHED.1 S-40SSIZE2: 1/2" - SCHED.2 S-40S REDUCING WELDOLET A182-F316L BE - MSS- SP-97	K7RR	Van L	CERT_PL41- 2_7-44	3	Pcs	GOOD CONDITION
539	3	1	SIZE1: 3" - SCHED.1 S-10SSIZE2: 1" - SCHED.2 S-40S REDUCING WELDOLET A182-F316L BE - MSS- SP-97	267287	Van L	PL40-1_5- 49	8	Pcs	GOOD CONDITION

545	2	.5	SIZE1: 2" - SCHED.1 S-40SSIZE2: 1/2" - SCHED.2 S-40S REDUCING WELDOLET A182-F316L BE - MSS-SP-97	380808	Van L	VLCERT_PL 5_2_33-64	1	Pcs	GOOD CONDITION
550	4	1	SIZE1: 4" - SCHED.1 S-40SSIZE2: 1" - SCHED.2 S-40S REDUCING WELDOLET A182-F316L BE - MSS-SP-97	396671	Van L	PL40-1_4- 49	2	Pcs	GOOD CONDITION
551	2	1	SIZE1: 2" - SCHED.1 S-40SSIZE2: 1" - SCHED.2 S-40S REDUCING WELDOLET A182-F316L BE - MSS-SP-97	270180	Van L	PL40-1_5- 49	6	Pcs	GOOD CONDITION
552	2	.5	SIZE1: 2" - SCHED.1 S-10SSIZE2: 1/2" - SCHED.2 S-40S REDUCING WELDOLET A182-F316L BE - MSS-SP-97	380808	Van L	PL40-3_4- 68	4	Pcs	GOOD CONDITION
553	2	1	SIZE1: 2" - SCHED.1 S-10SSIZE2: 1" - SCHED.2 S-40S REDUCING WELDOLET A182-F316L BE - MSS-SP-97	270180	Van L	PL40-3_4- 68	2	Pcs	GOOD CONDITION
559	3	.75	SIZE1: 3" - SCHED.1 S-10SSIZE2: 3/4" - SCHED.2 S-40S REDUCING WELDOLET A182-F316L BE - MSS-SP-97	411710	Van L	PL40-1_5- 49	2	Pcs	GOOD CONDITION
560	3	.5	SIZE1: 3" - SCHED.1 S-10SSIZE2: 1/2" - SCHED.2 S-40S REDUCING WELDOLET A182-F316L BE - MSS-SP-97	K7RR	Van L	CERT_PL41- 2_5-44	2	Pcs	GOOD CONDITION
563	2	1.5	SIZE1: 2 - SCHED.1 S-10SSIZE2: 1.5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316L BE - MSS-SP-97	249975	Van L	PL40-1_5- 49	1	Pcs	GOOD CONDITION
568	3	.5	SIZE1: 3" - SCHED.1 S-40SSIZE2: 1/2" - SCHED.2 S-40S REDUCING WELDOLET A182-F316L BE - MSS-SP-97	246530	Van L	PL40-3_4- 68	2	Pcs	GOOD CONDITION
598	2	.75	2"X 3/4" - SCHED S-40S,REDUCING WELDOLET A182-F316L BE	267626	Van L	VLCERT_PL 7-2_1-51	4	Pcs	GOOD CONDITION
461	10	.5	SIZE1: 10 - SCHED.1 S-10SSIZE2: .5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	K7RR	Van L	CERT_6308 1_PL02_28- 34	4	Pcs	GOOD CONDITION
462	12	2	SIZE1: 12 - SCHED.1 S-10SSIZE2: 2 - SCHED.2 S-10S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	472915	Van L	PL40_2_4- 68	1	Pcs	GOOD CONDITION
463	18	4	SIZE1: 18 - SCHED.1 S-10SSIZE2: 4 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	357749	Van L	PL40_2_55- 68	5	Pcs	GOOD CONDITION
464	6	1	SIZE1: 6 - SCHED.1 S-10SSIZE2: 1 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	255922	Van L	PL40-1_32- 49	14	Pcs	GOOD CONDITION

465	10	4	SIZE1: 10 - SCHED.1 S-10SSIZE2: 4 - SCHED.2 S-10S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	377499	Van L	CERT_PL41-1_27-45	1	Pcs	GOOD CONDITION
466	12	6	SIZE1: 12 - SCHED.1 S-10SSIZE2: 6 - SCHED.2 S-10S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	419539	Van L	PL40_2_4-68	1	Pcs	GOOD CONDITION
467	18	6	SIZE1: 18 - SCHED.1 S-10SSIZE2: 6 - SCHED.2 S-10S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	264388	Van L	CERT_PL41-2_3-44	2	Pcs	GOOD CONDITION
468	12	4	SIZE1: 12 - SCHED.1 S-10SSIZE2: 4 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	361303	Van L	PL40_3_66-68	2	Pcs	GOOD CONDITION
532	18	1.5	SIZE1: 18 - SCHED.1 S-10SSIZE2: 1.5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	382150	Van L	PL40_2_55-68	2	Pcs	GOOD CONDITION
534	8	.5	SIZE1: 8 - SCHED.1 S-40SSIZE2: .5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	245530	Van L	PL40_2_34-68	2	Pcs	GOOD CONDITION
536	8	.75	SIZE1: 8 - SCHED.1 S-40SSIZE2: .75 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	423618	Van L	PL40_1_6/4-9	4	Pcs	GOOD CONDITION
537	16	1	SIZE1: 16 - SCHED.1 S-10SSIZE2: 1 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	396671	Van L	PL40_1_9/4-9	1	Pcs	GOOD CONDITION
538	8	.75	SIZE1: 8 - SCHED.1 S-10SSIZE2: .75 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	423618	Van L	CERT_PL41-1_16-45	1	Pcs	GOOD CONDITION
540	12	1.5	SIZE1: 12 - SCHED.1 S-40SSIZE2: 1.5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	249975	Van L	PL40_2_37-69	4	Pcs	GOOD CONDITION
541	14	1.5	SIZE1: 14 - SCHED.1 S-10SSIZE2: 1.5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	382150	Van L	PL40_2_37-69	3	Pcs	GOOD CONDITION
542	4	.5	SIZE1: 4 - SCHED.1 S-40SSIZE2: .5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	K7RR	Van L	CERT_PL41-1_6-45	23	Pcs	GOOD CONDITION
543	18	3	SIZE1: 18 - SCHED.1 S-10SSIZE2: 3 - SCHED.2 S-10S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	330096	Van L	PL40_2_55-68	1	Pcs	GOOD CONDITION
544	3	.75	SIZE1: 3 - SCHED.1 S-10SSIZE2: .75 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	411710	Van L	PL40-1_18-49	5	Pcs	GOOD CONDITION

546	8	1	SIZE1: 8 - SCHED.1 S-10SSIZE2: 1 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	267287	Van L	CERT_PL41-1_18-45	5	Pcs	GOOD CONDITION
548	4	.5	SIZE1: 4 - SCHED.1 S-10SSIZE2: .5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	246530	Van L	PL40-1_18-49	1	Pcs	GOOD CONDITION
549	6	1.5	SIZE1: 6 - SCHED.1 S-10SSIZE2: 1.5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	8Y9/980995	Van L	VLCERT_PL8-1_13/72	1	Pcs	GOOD CONDITION
554	8	.5	SIZE1: 8 - SCHED.1 S-10SSIZE2: .5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	K7RR	Van L	CERT_63081_PL02_22-34	3	Pcs	GOOD CONDITION
556	3	1.5	SIZE1: 3 - SCHED.1 S-10SSIZE2: 1.5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	391730	Van L	PL40-1_18-49	2	Pcs	GOOD CONDITION
557	18	2	SIZE1: 18 - SCHED.1 S-10SSIZE2: 2 - SCHED.2 S-10S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	472915	Van L	PL40_2_55-68	1	Pcs	GOOD CONDITION
562	14	2	SIZE1: 14 - SCHED.1 S-10SSIZE2: 2 - SCHED.2 S-10S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	472915	Van L	PL40_2_34-69	1	Pcs	GOOD CONDITION
564	16	.75	SIZE1: 16 - SCHED.1 S-10SSIZE2: .75 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	267294	Van L		2	Pcs	GOOD CONDITION
565	12	1	SIZE1: 12 - SCHED.1 S-10SSIZE2: 1 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	396671	Van L	PL40_2_4-68	2	Pcs	GOOD CONDITION
566	8	1.5	SIZE1: 8 - SCHED.1 S-10SSIZE2: 1.5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	249975	Van L	CERT_PL41-2_13-44	3	Pcs	GOOD CONDITION
567	12	.75	SIZE1: 12 - SCHED.1 S-10SSIZE2: .75 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	423618	Van L	VLCERT_PL5_2_36-64	2	Pcs	GOOD CONDITION
569	12	1.5	SIZE1: 12 - SCHED.1 S-10SSIZE2: 1.5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	673147	Van L	CERT_63081_PL02_32-34	4	Pcs	GOOD CONDITION
596	10	.75	SIZE1: 10 - SCHED.1 S-10SSIZE2: .75 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	423618	Van L	PL40_2_4-68	7	Pcs	GOOD CONDITION
597	18	.75	SIZE1: 18 X3/4- S-10S/40S, REDUCING WELDOLET A182-F316/316L, DUAL GRADE	423618	Van L	VLCERT_PL7_2_5-51	1	Pcs	GOOD CONDITION

599	32	2	32"X2" STD/10S, REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	258765	Kurvers Piping Italy	MEGA1_8- 10	1	Pcs	GOOD CONDITION
600	8	3	SIZE1: 8 - SCHED.1 S-10SSIZE2: 3 - SCHED.2 S-10S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	209164	Kurvers Piping Italy	MEGA1_6- 10	1	Pcs	GOOD CONDITION
606	2	.5	SIZE1: 2 - SCHED.1 S-10SSIZE2: .5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	HN 393876	Kurvers Piping Italy	MEGA1_1- 10	34	Pcs	GOOD CONDITION
607	3	.5	SIZE1: 3 - SCHED.1 S-10SSIZE2: .5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	HN 393876	Kurvers Piping Italy	MEGA1_1- 10	11	Pcs	GOOD CONDITION
608	6	.5	SIZE1: 6 - SCHED.1 S-40SSIZE2: .5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	393876	Kurvers Piping Italy	MEGA1_4- 10	2	Pcs	GOOD CONDITION
609	4	.75	SIZE1: 4 - SCHED.1 S-40SSIZE2: .75 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	HN 393124	Kurvers Piping Italy	MEGA1_2- 10	3	Pcs	GOOD CONDITION
610	6	1.5	SIZE1: 6"X1 1/2"S-40S,REDUCING WELDOLET A182-F316/316L DUAL GR BE	401448	Kurvers Piping Italy	MEGA1_4- 10	2	Pcs	GOOD CONDITION
611	20	4	20"X4" - S-10S/40S,REDUCING WELDOLET A182-F316/316L DUAL GR BE	HN 389940	Kurvers Piping Italy	MEGA1_8- 10	4	Pcs	GOOD CONDITION
612	8	1	SIZE1: 8 - SCHED.1 S-40SSIZE2: 1 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	399089	Kurvers Piping Italy	MEGA1_5- 10	5	Pcs	GOOD CONDITION
613	32	1	SIZE1: 32 - SCHED.1 S-STDSSIZE2: 1 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	399089	Kurvers Piping Italy	MEGA1_8- 10	5	Pcs	GOOD CONDITION
614	8	2	SIZE1: 8 - SCHED.1 S-40SSIZE2: 2 - SCHED.2 S-10S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	258765	Kurvers Piping Italy	MEGA1_5- 10	1	Pcs	GOOD CONDITION
616	8	1.5	SIZE1: 8 - SCHED.1 S-40SSIZE2: 1.5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	391813	Kurvers Piping Italy	MEGA1_5- 10	2	Pcs	GOOD CONDITION
617	2	1	SIZE1: 2 - SCHED.1 S-10SSIZE2: 1 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	391813	Kurvers Piping Italy	MEGA1_1- 10	22	Pcs	GOOD CONDITION
618	6	.75	SIZE1: 6 - SCHED.1 S-10SSIZE2: .75 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	393124	Kurvers Piping Italy	MEGA1_4- 10	23	Pcs	GOOD CONDITION

619	4	1.5	SIZE1: 4 - SCHED.1 S-10SSIZE2: 1.5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	401448	Kurvers Piping Italy	MEGA1_3-10	5	Pcs	GOOD CONDITION
621	3	1	SIZE1: 3 - SCHED.1 S-10SSIZE2: 1 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	399089	Kurvers Piping Italy	MEGA1_2-10	12	PCS	GOOD CONDITION
622	24	.5	SIZE1: 24 - SCHED.1 S-40SSIZE2: .5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	393876	Kurvers Piping Italy	MEGA1_7-10	5	PCS	GOOD CONDITION
623	2	1.5	SIZE1: 2 - SCHED.1 S-10SSIZE2: 1.5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	HN 401448	Kurvers Piping Italy	MEGA1_1-10	2	PCS	GOOD CONDITION
624	24	1.5	1 1/2"X8-24, SCH 40S, REDUCING WELDOLET A182-F316/316L DUAL GR BE	391813	Kurvers Piping Italy	MEGA1_7-10	2	PCS	GOOD CONDITION
625	8	3	SIZE1: 8 - SCHED.1 S-40SSIZE2: 3 - SCHED.2 S-10S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	263916	Kurvers Piping Italy	MEGA1_6-10	4	Pcs	GOOD CONDITION
626	40	1.5	SIZE1: 40 - SCHED.1 S-10.31SIZE2: 1.5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	401448	Kurvers Piping Italy	MEGA1_8-10	4	PCS	GOOD CONDITION
627	4	.75	SIZE1: 4 - SCHED.1 S-10SSIZE2: .75 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	HN 393124	Kurvers Piping Italy	MEGA1_2-10	2	PCS	GOOD CONDITION
628	4	1	SIZE1: 4 - SCHED.1 S-10SSIZE2: 1 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	399089	Kurvers Piping Italy	MEGA1_3-10	14	PCS	GOOD CONDITION
629	12	1	SIZE1: 12 - SCHED.1 S-40SSIZE2: 1 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	HN 399089	Kurvers Piping Italy	MEGA1_3-10	10	PCS	GOOD CONDITION
630	20	1.5	SIZE1: 20 - SCHED.1 S-10SSIZE2: 1.5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	391813	Kurvers Piping Italy	MEGA1_8-10	5	PCS	GOOD CONDITION
694	2	.75	SIZE1: 2 - SCHED.1 S-10SSIZE2: .75 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	HN 393124	Kurvers Piping Italy	MEGA1_1-10	9	PCS	GOOD CONDITION
695	6	2	SIZE1: 6 - SCHED.1 S-40SSIZE2: 2 - SCHED.2 S-10S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	258765	Kurvers Piping Italy	MEGA1_5-10	9	Pcs	GOOD CONDITION
696	4	1.5	4"X1 1/2", SCH 10S/40S,REDUCING WELDOLET A182-F316/316L DUAL GR BE	401448	Kurvers Piping Italy	MEGA1_3-10	1	PCS	GOOD CONDITION

697	6	1	SIZE1: 6 - SCHED.1 S-40SSIZE2: 1 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	HN 399089	Kurvers Piping Italy	MEGA1_3-10	1	PCS	GOOD CONDITION
698	3	1.5	SIZE1: 3 - SCHED.1 S-10SSIZE2: 1.5 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	HN 401448	Kurvers Piping Italy	MEGA1_2-10	1	PCS	GOOD CONDITION
699	6	.75	SIZE1: 6 - SCHED.1 S-40SSIZE2: .75 - SCHED.2 S-40S REDUCING WELDOLET A182-F316/316L DUAL GR BE - MSS-SP-97	423618	Van L	VLCERT_PL 7_1_11-40	1	PCS	GOOD CONDITION
615	40	1.5	1 1/2"x40",SCH 40S/10S,REDUCING WELDOLET A182-F904L BE	XFN8/229 581	Kurvers Piping Italy	MEGA3_5-11	4	Pcs	GOOD CONDITION
387	4	1.5	SIZE1: 4 - SCHED.1 S-STDSIZE2: 1.5 - SCHED.2 S-XS REDUCING ELBOLET A105 BE - MSS SP-97/AA	228999	Van L	CERT_6308 1_PL01_2_29-51	4	Pcs	GOOD CONDITION
492	1.5	S-XS	SIZE: 1-1/2" - SCHED.S-XS CAP A234-WPB BE SMLS ASME B16.9	134756	Kurvers Piping Italy	CERT RC6_6-12	2	Pcs	GOOD CONDITION
493	1	S-XS	SIZE: 1" - SCHED.S-XS CAP A234-WPB BE SMLS ASME B16.9	1.4E+07	Kurvers Piping Italy	CERT RC6_6-12	8	Pcs	GOOD CONDITION
494	4	S-STD	SIZE: 4" - SCHED.S-STD CAP A234-WPB BE SMLS ASME B16.9	557920	Van L	VLCERT_PL 6_6_45-50	3	Pcs	GOOD CONDITION
652	12	S-10S	SIZE: 12 - SCHED.S-10S CAP A403-WP316/316L DG BE SMLS ASME B16.9	521416	Van L	VLCERT_PL 5_16_25-41	2	Pcs	GOOD CONDITION
653	10	S-10S	SIZE: 10 - SCHED.S-10S CAP A403-WP316/316L DG BE SMLS ASME B16.9	38376-4	Van L	CERT_6308 1_PL01_5_44-50	3	Pcs	GOOD CONDITION
654	8	S-40S	SIZE: 8 - SCHED.S-40S CAP A403-WP316/316L DG BE SMLS ASME B16.9	SF23685	Kurvers Piping Italy	CERT RC1_4-16	3	Pcs	GOOD CONDITION
655	6	S-10S	SIZE: 6 - SCHED.S-10S CAP A403-WP316/316L DG BE SMLS ASME B16.9	432372	Van L	VLCERT_PL 23_4_5-44	2	Pcs	GOOD CONDITION
656	6	S-40S	SIZE: 6 - SCHED.S-40S CAP A403-WP316/316L DG BE SMLS ASME B16.9	HN E1548	Kurvers Piping Italy	CERT RC1_4-16	1	Pcs	GOOD CONDITION
657	3	S-40S	SIZE: 3 - SCHED.S-40S CAP A403-WP316/316L DG BE SMLS ASME B16.9	63BT603	Kurvers Piping Italy	CERT RC1_4/16	2	PCS	GOOD CONDITION

658	4	S-40S	SIZE: 4 - SCHED.S-40S CAP A403-WP316/316L DG BE SMLS ASME B16.9	63BT603	Kurvers Piping Italy	CERT RC1_4-16	4	P	GOOD CONDITION
659	3	S-10S	SIZE: 3 - SCHED.S-10S CAP A403-WP316/316L DG BE SMLS ASME B16.9	63BU816	Kurvers Piping Italy	CERT RC1_4/16	4	PCS	GOOD CONDITION
660	2	S-10S	SIZE: 2 - SCHED.S-10S CAP A403-WP316/316L DG BE SMLS ASME B16.9	HN 63BU601	Kurvers Piping Italy	CERT RC1-4-16	5	PCS	GOOD CONDITION
661	1.5	S-40S	SIZE: 1.5 - SCHED.S-40S CAP A403-WP316/316L DG BE SMLS ASME B16.9	A6BV	Van L	VL_CERT_P L6-3_14-54	7	PCS	GOOD CONDITION
662	1	S-40S	SIZE: 1 - SCHED.S-40S CAP A403-WP316/316L DG BE SMLS ASME B16.9	320099	Van L	VL_CERT_PL 24-25_4_11-	17	PCS	GOOD CONDITION
663	.75	S-40S	SIZE: .75 - SCHED.S-40S CAP A403-WP316/316L DG BE SMLS ASME B16.9	AOX7	Van L	VL_CERT_P L6-3_12-54	1	PCS	GOOD CONDITION
783	4	S-10S	SIZE: 4 - SCHED.S-10S CAP A403-WP316/316L DG BE SMLS	46444	Van L	CERT_6308 1_PL01_5_42-50	2	PCS	GOOD CONDITION
806	4	0	SIZE: 4 DRIP RING 150# FF A515-70 125 - 250 AARH YH-ST-D08 ASME B16.5	414914	Van L	CERT_6308 1_PL01_7_14-41	2	PCS	GOOD CONDITION
811	3	0	SIZE: 3 SPACER RING TSTR 150# FF A240-316/316L DUAL GR 125 - 250 AARH YH-ST-D07 ASME B16.5		MECCANIC A PADANA	PL01	3	PCS	GOOD CONDITION
812	6	0	SIZE: 6 SPACER RING TSTR 150# FF A240-316/316L DUAL GR 125 - 250 AARH YH-ST-D07 ASME B16.5		MECCANIC A PADANA	PL01	3	PCS	GOOD CONDITION
814	2	0	SIZE: 2 SPACER RING TSTR 150# FF A240-316L 125 - 250 AARH YH-ST-D07 ASME B16.5		MECCANIC A PADANA	PL01	1	PCS	GOOD CONDITION
815	3	0	SIZE: 3 SPACER RING TSTR 150# FF A240-316L 125 - 250 AARH YH-ST-D07 ASME B16.5		MECCANIC A PADANA	PL01	2	PCS	GOOD CONDITION
807	6	0	SIZE: 6 SPACER RING TSTR 300# FF A240-316/316L DUAL GR 125 - 250 AARH YH-ST-D07 ASME B16.5		MECCANIC A PADANA	PL01	1	PCS	GOOD CONDITION
808	3	0	SIZE: 3 SPACER RING TSTR 300# FF A240-316/316L DUAL GR 125 - 250 AARH YH-ST-D07 ASME B16.5		MECCANIC A PADANA	PL01	3	PCS	GOOD CONDITION

816	3	0	SIZE: 3 SPACER RING TSTR 300# FF A240-316L 125 - 250 AARH YH-ST- D07 ASME B16.5		MECCANIC A PADANA	PL01	2	PCS	GOOD CONDITION
775	4	0	SIZE: 4 SPECTACLE DISC 150# FF A240-316/316L DUAL GR 125 - 250 AARH ASME B16.48 ASME B16.5	261324	MECCANIC A PADANA	PL01	3	PCS	GOOD CONDITION
809	6	0	SIZE: 6 SPECTACLE DISC 150# FF A240-316/316L DUAL GR 125 - 250 AARH ASME B16.48 ASME B16.5		MECCANIC A PADANA	PL01	1	PCS	GOOD CONDITION
810	5	0	SIZE: 5 SPECTACLE DISC 150# FF A240-316/316L DUAL GR 125 - 250 AARH ASME B16.48 ASME B16.5		MECCANIC A PADANA	PL01	12	PCS	GOOD CONDITION
813	8	0	SIZE: 8 SPECTACLE DISC 150# FF A240-316/316L DUAL GR 125 - 250 AARH ASME B16.48 ASME B16.5		MECCANIC A PADANA	PL01	1	PCS	GOOD CONDITION
281	24	24	SIZE1: 24 - SIZE2: 24 - SCHED. S-STD WN FLANGE 150# RF BE A105 125 - 250 AARH ASME B16.5	44174/5	Dylan Staal Netherlands	Part2_4/26	1	Pcs	CS FLANGES OUTDOOR IN BAD CONDITION
282	20	20	SIZE1: 20 - SIZE2: 20 - SCHED. S-STD WN FLANGE 150# RF BE A105 125 - 250 AARH ASME B16.5	79892	Dylan Staal Netherlands	Part2_3/26	7	Pcs	CS FLANGES OUTDOOR IN BAD CONDITION
283	18	18	SIZE1: 18 - SIZE2: 18 - SCHED. S-STD WN FLANGE 150# RF BE A105 125 - 250 AARH ASME B16.5	590944	Dylan Staal Netherlands	Part1_35/94	2	Pcs	CS FLANGES OUTDOOR IN BAD CONDITION
288	2	2	SIZE1: 2 - SIZE2: 2 - SCHED. S-STD WN FLANGE 150# RF BE A105 125 - 250 AARH ASME B16.5	917 - 15/74215	Dylan Staal Netherlands BV	Part1_6-10/94	27	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS REQUIRED IF TO BE REUSED
289	14	14	SIZE1: 14 - SIZE2: 14 - SCHED. S-STD WN FLANGE 150# RF BE A105 125 - 250 AARH ASME B16.5	A60A6	Van L	CERT_PL04- 3_47-56	2	Pcs	CS FLANGES OUTDOOR IN BAD CONDITION
290	12	12	SIZE1: 12 - SIZE2: 12 - SCHED. S-STD WN FLANGE 150# RF BE A105 125 - 250 AARH ASME B16.5	C12A5	Dylan Staal Netherlands BV	Part1_28/94	5	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS REQUIRED IF TO BE REUSED
291	8	8	SIZE1: 8 - SIZE2: 8 - SCHED. S-STD WN FLANGE 150# RF BE A105 125 - 250 AARH ASME B16.5	1644957 - 16/44269	Dylan Staal Netherlands BV	PL1_23/27	5	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS REQUIRED IF TO BE REUSED

449	20	20	SIZE1: 20 - SIZE2: 20 - SCHED. S-10S WN FLANGE 150# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	544863	Van L	VL_PL50_1 8-30	1	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
735	4	4	SIZE1: 4 - SIZE2: 4 - SCHED. S-40S WN FLANGE 150# RF BE A182- F316L 125 - 250 AARH ASME B16.5	42085/1	Van L	VLCERT_PL 51_64-70	18	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
580	3	3	SIZE1: 3 - SIZE2: 3 - SCHED. S-10S WN FLANGE 150# RF BE A182- F316L 125 - 250 AARH ASME B16.5	102771/1	Van L	VLCERT_PL 51_59-70	12	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
454	8	8	SIZE1: 8 - SIZE2: 8 - SCHED. S-40S WN FLANGE 150# RF BE A182- F316L 125 - 250 AARH ASME B16.5	1375	Van L	VLCERT_PL 6-4-27-55	1	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
453	6	6	SIZE1: 6 - SIZE2: 6 - SCHED. S-40S WN FLANGE 150# RF BE A182- F316L 125 - 250 AARH ASME B16.5	104173/1	Van L	VLCERT_PL 8-1_49/72	5	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
409	.75	.75	SIZE1: .75 - SIZE2: .75 - SCHED. S-XS WN FLANGE 150# RF BE A105 125 - 250 AARH ASME B16.5	B85A5	Dylan Staal Netherlands	Part2_2/26	37	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS REQUIRED IF TO BE REUSED
401	1.5	1.5	SIZE1: 1.5 - SIZE2: 1.5 - SCHED. S-XS WN FLANGE 150# RF BE A105 125 - 250 AARH ASME B16.5	75366	Dylan Staal Netherlands BV	Part1_3_4/94	57	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS REQUIRED IF TO BE REUSED
398	.5	.5	SIZE1: .5 - SIZE2: .5 - SCHED. S-XS WN FLANGE 150# RF BE A105 125 - 250 AARH ASME B16.5	15/76752	Dylan Staal Netherlands BV	Part1_2/94	175	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS REQUIRED IF TO BE REUSED
390	1	1	SIZE1: 1 - SIZE2: 1 - SCHED. S-XS WN FLANGE 150# RF BE A105 125 - 250 AARH ASME B16.5	15/75411	Dylan Staal Netherlands	PL1-2- 3_25/27	13	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS
295	4	4	SIZE1: 4 - SIZE2: 4 - SCHED. S-STD WN FLANGE 150# RF BE A105 125 - 250 AARH ASME B16.5	4455/16	Dylan Staal Netherlands	CERT PL02_2- 25	7	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS REQUIRED IF TO BE
293	6	6	SIZE1: 6 - SIZE2: 6 - SCHED. S-STD WN FLANGE 150# RF BE A105 125 - 250 AARH ASME B16.5	A37A6 / 873	Dylan Staal Netherlands	PL3_Pag 22/24	9	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS REQUIRED IF TO BE
292	10	10	SIZE1: 10 - SIZE2: 10 - SCHED. S-STD WN FLANGE 150# RF BE A105 125 - 250 AARH ASME B16.5	15/40722	Dylan Staal Netherlands BV	Part1_26/94	2	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS REQUIRED IF TO BE REUSED

450	14	14	SIZE1: 14 - SIZE2: 14 - SCHED. S-10S WN FLANGE 150# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	543987	Van L	VL_PL50_1- 30	1	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
451	4	4	SIZE1: 4 - SIZE2: 4 - SCHED. S-10S WN FLANGE 150# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	42024/1	Van L	VLCERT_PL 51_37-70	10	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
455	3	3	SIZE1: 3 - SIZE2: 3 - SCHED. S-10S WN FLANGE 150# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	268122	Dylan Staal Netherlands	PL1-2- 3_10/27	9	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
576	12	12	SIZE1: 12 - SIZE2: 12 - SCHED. S-10S WN FLANGE 150# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	103442/1	Van L	VLCERT_PL 51_6-70	17	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
577	4	4	SIZE1: 4 - SIZE2: 4 - SCHED. S-40S WN FLANGE 150# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	102771/1	Van L	VLCERT_PL 51_54-70	8	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
595	.5	.5	SIZE1: .5 - SIZE2: .5 - SCHED. S-40S WN FLANGE 150# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	102248/1	Van L	VLCERT_PL 51_8-70	45	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
701	1.5	1.5	SIZE1: 1.5 - SIZE2: 1.5 - SCHED. S- 40S WN FLANGE 150# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	L4AJ	Dylan Staal Netherlands	Part1_36/94	14		ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
707	.75	.75	SIZE1: .75 - SIZE2: .75 - SCHED. S- 40S WN FLANGE 150# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	L4AL	Dylan Staal Netherlands	PL1_20/27	39	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
717	16	16	SIZE1: 16 - SIZE2: 16 - SCHED. S-10S WN FLANGE 150# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	543987	Van L	VL_PL50_2 9-30	6	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
719	8	8	SIZE1: 8 - SIZE2: 8 - SCHED. S-10S WN FLANGE 150# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	259990	Dylan Staal Netherlands	Part2_7/26	7	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
721	1	1	SIZE1: 1 - SIZE2: 1 - SCHED. S-40S WN FLANGE 150# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	L4AL	Dylan Staal Netherlands	PL1_21/27	43	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
722	6	6	SIZE1: 6 - SIZE2: 6 - SCHED. S-10S WN FLANGE 150# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	268122	Dylan Staal Netherlands	PL1_22/27	36	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
724	24	24	SIZE1: 24 - SIZE2: 24 - SCHED. S-40S WN FLANGE 150# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	546021	Van L	VL_PL50_3- 30	1	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
741	2	2	SIZE1: 2 - SIZE2: 2 - SCHED. S-10S WN FLANGE 150# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	268122	Dylan Staal Netherlands	PL1_11/27	134	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION

742	10	10	SIZE1: 10 - SIZE2: 10 - SCHED. S-10S WN FLANGE 150# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	102271/1	Van L	VLCERT_PL 51_61-70	2	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
708	.5	.5	SIZE1: .5 - SIZE2: .5 - SCHED. S-40S WN FLANGE 150# RF BE A182- F904L 125 - 250 AARH ASME B16.5	508042	Van L	VLCERT_PL 8-1_63/72	6	PCS	GOOD CONDITION
284	16	16	SIZE1: 16 - SIZE2: 16 - SCHED. S-STD WN FLANGE 300# RF BE A105 125 - 250 AARH ASME B16.5		Van L	VL-PL02	3	Pcs	CS FLANGES OUTDOOR IN BAD CONDITION
294	6	6	SIZE1: 6 - SIZE2: 6 - SCHED. S-STD WN FLANGE 300# RF BE A105 125 - 250 AARH ASME B16.5	595029	Van L	CERT_PL03- 2_2-33	2	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS REQUIRED IF TO BE DELIVERED
296	1	1	SIZE1: 1 - SIZE2: 1 - SCHED. S-XS WN FLANGE 300# RF BE A105 125 - 250 AARH ASME B16.5	13/77263 15/74878	Dylan Staal Netherlands	Part1_52/94	19	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS REQUIRED IF TO BE DELIVERED
297	1.5	1.5	SIZE1: 1.5 - SIZE2: 1.5 - SCHED. S-XS WN FLANGE 300# RF BE A105 125 - 250 AARH ASME B16.5	13427 15/76294	Dylan Staal Netherlands BV	Part1_53/94	2	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS REQUIRED IF TO BE DELIVERED
391	2	2	SIZE1: 2 - SIZE2: 2 - SCHED. S-STD WN FLANGE 300# RF BE A105 125 - 250 AARH ASME B16.5	15/36576	Dylan Staal Netherlands BV	Part1_54/94	5	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS REQUIRED IF TO BE DELIVERED
392	.75	.75	SIZE1: .75 - SIZE2: .75 - SCHED. S-XS WN FLANGE 300# RF BE A105 125 - 250 AARH ASME B16.5	14/71409	Dylan Staal Netherlands BV	Part1_51/94	15	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS REQUIRED IF TO BE DELIVERED
393	1.5	1.5	SIZE1: 1.5 - SIZE2: 1.5 - SCHED. S-XS WN FLANGE 300# RF BE A105 125 - 250 AARH ASME B16.5	13427	Dylan Staal Netherlands	Part1_53/94	9	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS REQUIRED IF TO BE DELIVERED
394	.5	.5	SIZE1: .5 - SIZE2: .5 - SCHED. S-XS WN FLANGE 300# RF BE A105 125 - 250 AARH ASME B16.5	13/77109	Van L	CERT_PL4_4 _24-64	16	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS REQUIRED IF TO BE DELIVERED
452	2	2	SIZE1: 2 - SIZE2: 2 - SCHED. S-40S WN FLANGE 300# RF BE A182- F316L 125 - 250 AARH ASME B16.5	102775/1	Van L	VLCERT_PL 51_15-70	18	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
668	6	6	SIZE1: 6 - SIZE2: 6 - SCHED. S-40S WN FLANGE 300# RF BE A182- F316L 125 - 250 AARH ASME B16.5	102903/1	Van L	VLCERT_PL 52_29-48	6	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION

669	1	1	SIZE1: 1 - SIZE2: 1 - SCHED. S-40S WN FLANGE 300# RF BE A182- F316L 125 - 250 AARH ASME B16.5	3967/16	VL	VLCERT_PL 9-3_05-53	69	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
700	1.5	1.5	SIZE1: 1.5 - SIZE2: 1.5 - SCHED. S- 40S WN FLANGE 300# RF BE A182- F316L 125 - 250 AARH ASME B16.5	102669/1	Van L	VLCERT_PL 51_69-70	5	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
705	2	2	SIZE1: 2 - SIZE2: 2 - SCHED. S-10S WN FLANGE 300# RF BE A182- F316L 125 - 250 AARH ASME B16.5	103003/1	Van L	VLCERT_PL 52_13-48	7	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
789	3	3	SIZE1: 3 - SIZE2: 3 - SCHED. S-40S WN FLANGE 300# RF BE A182- F316L 125 - 250 AARH ASME B16.5	44274/1	Van L	M2722- 2818	3	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
579	1.5	1.5	SIZE1: 1.5 - SIZE2: 1.5 - SCHED. S- 40S WN FLANGE 300# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	102669/1	Van L	VLCERT_PL 51_55-70	25	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
581	4	4	SIZE1: 4 - SIZE2: 4 - SCHED. S-40S WN FLANGE 300# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	101998	Van L	VL_PL50_2 5-30	13	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
709	.75	.75	SIZE1: .75 - SIZE2: .75 - SCHED. S- 40S WN FLANGE 300# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	3312	Van L	VLCERT_PL 9-2_18/33	19	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
710	.5	.5	SIZE1: .5 - SIZE2: .5 - SCHED. S-40S WN FLANGE 300# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	L4AL	Dylan Staal Netherlands	PL1_17/27	43	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
718	12	12	SIZE1: 12 - SIZE2: 12 - SCHED. S-40S WN FLANGE 300# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	240862	Dylan Staal Netherlands	PL1_16/27	5	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
720	8	8	SIZE1: 8 - SIZE2: 8 - SCHED. S-40S WN FLANGE 300# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	255632	Dylan Staal Netherlands	Part1_60/94	7	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
725	6	6	SIZE1: 6 - SIZE2: 6 - SCHED. S-40S WN FLANGE 300# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	268124	Dylan Staal Netherlands	PL01- Part2_15/26	10	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
726	1	1	SIZE1: 1 - SIZE2: 1 - SCHED. S-40S WN FLANGE 300# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	K7HB	Dylan Staal Netherlands	PL1-18/27	163	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
790	3	3	SIZE1: 3 - SIZE2: 3 - SCHED. S-10S WN FLANGE 300# RF BE A182- F316/316L DUAL GR	264926	Dylan Staal Netherlands	PL1_13/27	1	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
702	1.5	1.5	SIZE1: 1.5 - SIZE2: 1.5 - SCHED. S- 40S WN FLANGE 300# RF BE A182- F904L 125 - 250 ASME B16.5	508042	Dylan Staal Netherlands	Part2_16/26	8	PCS	GOOD CONDITION

787	32	32	SIZE1: 32 - SIZE2: 32 - SCHED. S-STD WN FLANGE 150# RF BE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.47-B	98919	Dylan Staal Netherlands	CERT PL2_25-25	1	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
571	3	3	SIZE1: 3 - SIZE2: 3 SLIP ON FLANGE 150# FF PE A182-F316/316L DUAL GR 125 - 250 AARH ASME B16.5	102505/1	Van L	VLCERT_PL 51_70-70	4	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
572	1.5	1.5	SIZE1: 1.5 - SIZE2: 1.5 SLIP ON FLANGE 150# FF PE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	103349/1	Van L	VLCERT_PL 8-1_50/72	14	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
573	2	2	SIZE1: 2 - SIZE2: 2 SLIP ON FLANGE 150# FF PE A182-F316/316L DUAL GR 125 - 250 AARH ASME B16.5	103298	Van L	VL 8	3	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
574	.75	.75	SIZE1: .75 - SIZE2: .75 SLIP ON FLANGE 150# FF PE A182- F316/316L DUAL GR 125 - 250 AARH ASME B16.5	A01L3	Van L	VLCERT_PL 9-1_33/67	17	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
575	1	1	SIZE1: 1 - SIZE2: 1 SLIP ON FLANGE 150# FF PE A182-F316/316L DUAL GR 125 - 250 AARH ASME B16.5	98659/1	Van L	CERT_PL6- 5_9-68	5	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
578	2	2	SIZE1: 2 - SIZE2: 2 SLIP ON FLANGE 300# FF PE A182-F316/316L DUAL GR 125 - 250 AARH ASME B16.5	439039	Van L	VLCERT_PL 9A-1_14/17	1	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
456	10	10	SIZE1: 10 - SIZE2: 10 SLIP ON FLANGE --- FF PE A182-F316/316L DUAL GR 125 - 250 AARH XH-ST- F66	1602556/ 1	Van L	VLCERT_PL 51_34-70	5	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
457	36	36	SIZE1: 36 - SIZE2: 36 SLIP ON FLANGE --- FF PE A182-F316/316L DUAL GR 125 - 250 AARH XH-ST- F66	1603578/ 1	Van L	VLCERT_PL 51_49-70	2	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
458	4	4	SIZE1: 4 - SIZE2: 4 SLIP ON FLANGE FF PE A182-F316/316L DUAL GR 125 - 250 AARH XH-ST-F66	1602556/ 1	Van L	VLCERT_PL 51_39-70	33	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
459	6	6	SIZE1: 6 - SIZE2: 6 SLIP ON FLANGE -- - FF PE A182-F316/316L DUAL GR 125 - 250 AARH XH-ST-F66	1602556/ 1	Van L	VLCERT_PL 51_40-70	1	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
570	8	8	SIZE1: 8 - SIZE2: 8 SLIP ON FLANGE -- - FF PE A182-F316/316L DUAL GR 125 - 250 AARH XH-ST-F66	1602556/ 1	Van L	VLCERT_PL 51_41-70	22	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
601	14	14	SIZE1: 14 - SIZE2: 14 SLIP ON FLANGE --- FF PE A182-F316/316L DUAL GR 125 - 250 AARH XH-ST- F66						ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
782	16	16	16" SLIP ON FLANGE,FF PE A182- F316/316L DUAL GR	1602556/ 1	Van L	VLCERT_PL 51_35-70	3	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION

395	1	0	SIZE: 1 BLIND FLANGE 150# RF - A105 125 - 250 AARH ASME B16.5	B40A4	Dylan Staal Netherlands	Part2_24/26	5	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS
396	.5	0	SIZE: .5 BLIND FLANGE 150# RF - A105 125 - 250 AARH ASME B16.5	15/73458	Dylan Staal Netherlands	Part2_23/26	25	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS
397	.75	0	SIZE: .75 BLIND FLANGE 150# RF - A105 125 - 250 AARH ASME B16.5	75263	Dylan Staal Netherlands	Part1_62/94	16	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS
402	2	0	SIZE: 2 BLIND FLANGE 150# RF - A105 125 - 250 AARH ASME B16.5	A32A6	Dylan Staal Netherlands	Part1_65/94	7	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS
404	3	0	SIZE: 3 BLIND FLANGE 150# RF - A105 125 - 250 AARH ASME B16.5	A12A6 - 17/49038	Van L	CERT_PL3_9_2-46	3	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS
406	1.5	0	SIZE: 1.5 BLIND FLANGE 150# RF - A105 125 - 250 AARH ASME B16.5	75559	Dylan Staal Netherlands	Part1_81/94	14	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS
407	4	0	SIZE: 4 BLIND FLANGE 150# RF - A105 125 - 250 AARH ASME B16.5	A73A6	Van L	CERT_PL4_4_25-64	4	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS
408	12	0	SIZE: 12 BLIND FLANGE 150# RF - A105 125 - 250 AARH ASME B16.5	B31A4	Van L	PL02	1	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS
410	20	0	SIZE: 20 BLIND FLANGE 150# RF - A105 125 - 250 AARH ASME B16.5	211958	Dylan Staal Netherlands	Part1_93/94	1	Pcs	CS FLANGES OUTDOOR IN BAD CONDITION
593	.75	0	SIZE: .75 BLIND FLANGE 150# RF - A182-F316L 125 - 250 AARH ASME B16.5	102619/1	Van L	VLCERT_PL 51_17-70	4	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
591	1	0	SIZE: 1 BLIND FLANGE 150# FF - A182-F316/316L DUAL GR 125 - 250 AARH ASME B16.5	J9DR	Van L	VLCERT_PL 6_4_42-55	4	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
592	.75	0	SIZE: .75 BLIND FLANGE 150# FF - A182-F316/316L DUAL GR 125 - 250 AARH ASME B16.5	5133/1	Van L	VLCERT_PL 8-1_53/72	5	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
582	1.5	0	SIZE: 1.5 BLIND FLANGE 150# RF - A182-F316/316L DUAL GR 125 - 250 AARH ASME B16.5	100881	Van L	VL_PL50_2 4-30	14	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
586	3	0	SIZE: 3 BLIND FLANGE 150# RF - A182-F316/316L DUAL GR 125 - 250 AARH ASME B16.5	251178	Van L	CERT_6308 1_PL01_1_55-55	4	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION

588	1	0	SIZE: 1 BLIND FLANGE 150# RF - A182-F316/316L DUAL GR 125 - 250 AARH ASME B16.5	101928	Van L	VL_PL50_2 2-30	44	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
594	.75	0	SIZE: .75 BLIND FLANGE 150# RF - A182-F316/316L DUAL GR 125 - 250 AARH ASME B16.5	1832	Van L	VL_CERT_PL 6_3_24-54	14	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
603	2	0	SIZE: 2 BLIND FLANGE 150# RF - A182-F316/316L DUAL GR 125 - 250 AARH ASME B16.5				3		ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
712	8	0	SIZE: 8 BLIND FLANGE 150# RF - A182-F316/316L DUAL GR 125 - 250 AARH ASME B16.5	48444	Dylan Staal Netherlands	Part1_75/94	1	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
713	12	0	SIZE: 12 BLIND FLANGE 150# RF - A182-F316/316L DUAL GR 125 - 250 AARH ASME B16.5	101464	Van L	VL_PL50_7- 30	3	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
714	4	0	SIZE: 4 BLIND FLANGE 150# RF - A182-F316/316L DUAL GR 125 - 250 AARH ASME B16.5	A06L5	Dylan Staal Netherlands	Part1_71/94	10	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
715	6	0	SIZE: 6 BLIND FLANGE 150# RF - A182-F316/316L DUAL GR 125 - 250 AARH ASME B16.5	255632	Dylan Staal Netherlands	PL2_24-25	13	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
399	1	0	SIZE: 1 BLIND FLANGE 300# RF - A105 125 - 250 AARH ASME B16.5	24AV6	Van L	CERT_PL3_ 9_10-46	14	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS
400	.75	0	SIZE: .75 BLIND FLANGE 300# RF - A105 125 - 250 AARH ASME B16.5	15/73845	Van L	CERT_PL3_ 9_9-46	16	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS
403	1.25	0	SIZE: 1.25 BLIND FLANGE 300# RF - A105 125 - 250 AARH ASME B16.5	?	Van L	PL-09D	17	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS
405	3	0	SIZE: 3 BLIND FLANGE 300# RF - A105 125 - 250 AARH ASME B16.5	1575672	Van L	VL_CERT_PL 5_14_08- 47	2	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS
587	3	0	SIZE: 3 BLIND FLANGE 300# RF - A105 125 - 250 AARH ASME B16.5	1575672	Van L	VL_CERT_PL 5_14_08- 47	2	Pcs	CS FLANGES INDOOR ARE IN GOOD CONDITION - CLEANING IS
583	1	0	SIZE: 1 BLIND FLANGE 300# RF - A182-F316L 125 - 250 AARH ASME B16.5	100216/1	Van L	PL50_17- 30	4	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
585	1.5	0	SIZE: 1.5 BLIND FLANGE 300# RF - A182-F316/316L DUAL GR 125 - 250 AARH ASME B16.5	L4AL	Dylan Staal Netherlands	Part1_66/94	17	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION

589	1	0	SIZE: 1 BLIND FLANGE 300# RF - A182-F316/316L DUAL GR 125 - 250 AARH ASME B16.5	3487/15	VL	VLCERT_PL 9-3_01-53	28	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
590	.75	0	SIZE: .75 BLIND FLANGE 300# RF - A182-F316/316L DUAL GR 125 - 250 AARH ASME B16.5	M4DJ	Van L	VLCERT_PL 6-4-25-55	28	Pcs	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
711	2	0	SIZE: 2 BLIND FLANGE 300# RF - A182-F316/316L DUAL GR 125 - 250 AARH ASME B16.5	A43K5	Dylan Staal Netherlands	Part1_79/94	18	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
716	4	0	SIZE: 4 BLIND FLANGE FF - A182-F316/316L DUAL GR 125 - 250 AARH XH-ST-F67	1602556/1	Van L	VLCERT_PL 51_42-70	1	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
788	8	0	SIZE: 8 BLIND FLANGE --- FF - A182-F316/316L DUAL GR 125 - 250 AARH XH-ST-F67	548183	Van L	VLCERT_PL 6_4_38-55	1	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
723	6	6	SIZE1: 6 - SIZE2: 6 - SCHED. S-10S WN FLANGE-JACK SCREW 150# RF BE A182-F316/316L DUAL GR 125 - 250 AARH ASME B16.5 JACK	264926	Dylan Staal Netherlands	PL3_17/24	3	PCS	ALL SS FLANGES KEPT INDOOR ARE IN GOOD CONDITION
764	1	0	SIZE: 1 INSULATION KIT 150# RF PTFE/TEFLON MFTR STD /ASME B16.21 INS.KIT ASME B16.5	PL01-02-03	CARRARA		46	SET	
765	1.5	0	SIZE: 1.5 INSULATION KIT 150# RF PTFE/TEFLON MFTR STD /ASME B16.21 INS.KIT ASME B16.5	PL01-02-03	CARRARA		23	SET	
766	2	0	SIZE: 2 INSULATION KIT 150# RF PTFE/TEFLON MFTR STD /ASME B16.21 INS.KIT ASME B16.5	PL01-02-03	CARRARA		20	SET	
767	3	0	SIZE: 3 INSULATION KIT 150# RF PTFE/TEFLON MFTR STD /ASME B16.21 INS.KIT ASME B16.5	PL01-02-03	CARRARA		17	SET	
768	6	0	SIZE: 6 INSULATION KIT 150# RF PTFE/TEFLON MFTR STD /ASME B16.21 INS.KIT ASME B16.5	PL01-02-03	CARRARA		1	SET	
771	.5	0	SIZE: .5 INSULATION KIT 150# RF PTFE/TEFLON MFTR STD /ASME B16.21 INS.KIT ASME B16.5	PL01-02-03	CARRARA		5	SET	
772	.75	0	SIZE: .75 INSULATION KIT 150# RF PTFE/TEFLON MFTR STD /ASME B16.21 INS.KIT ASME B16.5	PL01-02-03	CARRARA		26	SET	
793	4	0	SIZE: 4" INSULATION KIT 150# RF PTFE/TEFLON MFTR STD /ASME B16.21 INS.KIT ASME B16.5	PL01-02-03	CARRARA		10	SET	

762	2	0	SIZE: 2 INSULATION KIT 300# RF PTFE/TEFLON MFTR STD / ASME B16.21 INS.KIT ASME B16.5	PL01-02-03	CARRARA		2	SET
769	4	0	SIZE: 4 INSULATION KIT 300# RF PTFE/TEFLON MFTR STD / ASME B16.21 INS.KIT ASME B16.5	PL01-02-03	CARRARA		8	SET
770	.75	0	SIZE: .75 INSULATION KIT 300# RF PTFE/TEFLON MFTR STD / ASME B16.21 INS.KIT ASME B16.5	PL01-02-03	CARRARA		95	SET
792	1	0	SIZE: 1" INSULATION KIT 300# RF PTFE/TEFLON MFTR STD / ASME B16.21 INS.KIT ASME B16.5	PL01-02-03	CARRARA		71	SET
352	6	S-10S	SIZE: 6 - SCHED.S-10S JACKET ENDING & BREAKING RING A182-F316/316L DUAL GR YH-ST-J01 NPS1=3"		M.Padana	PL01	29	Pcs GOOD CONDITION
268	.5	0	SIZE: .5 COUPLING 3000# FT / FT A105 - ASME B16.11	HN 14/79164	Kurvers Piping Italy	MEGA3_1-11	23	Pcs GOOD CONDITION
269	.5	S-XS	SIZE: 1/2" - SCHED.S-XS NIPPLE - BE / MT A106-B SMLS -	41127/SC BB	Kurvers Piping Italy	MEGA_1-11	48	Pcs GOOD CONDITION
386	30	.75	SIZE1: 30 - SIZE2: .75 REDUCING THREDOLET 3000# BE / FT A105 - MSS-SP-97		Van L	PL04	3	Pcs GOOD CONDITION
558	2	.75	SIZE1: 2 - SIZE2: .75 REDUCING THREDOLET 3000# BE / FT A182-F316L - MSS-SP-97	268547	Van L	VLCERT_PL 5_2_45-64	3	Pcs GOOD CONDITION
533	6	.75	SIZE1: 6 - SIZE2: .75 REDUCING THREDOLET 3000# BE / FT A182-F316/316L DUAL GR - MSS-SP-97	380253	Van L	CERT_PL41- 2_35-44	1	Pcs GOOD CONDITION
547	2	.75	SIZE1: 2 - SIZE2: .75 REDUCING THREDOLET 3000# BE / FT A182-F316/316L DUAL GR - MSS-SP-97	267626	Van L	CERT_PL41- 2_29-44	1	Pcs GOOD CONDITION
555	12	.75	SIZE1: 12 - SIZE2: .75 REDUCING THREDOLET 3000# BE / FT A182-F316/316L DUAL GR - MSS-SP-97	380253	Van L	CERT_PL41- 2_41-44	1	Pcs GOOD CONDITION
561	20	.75	SIZE1: 20 - SIZE2: .75 REDUCING THREDOLET 3000# BE / FT A182-F316/316L DUAL GR - MSS-SP-97	380253	Van L	VLCERT_PL 7_2_9-51	1	Pcs GOOD CONDITION
604	2	.75	SIZE1: 2 - SIZE2: .75 REDUCING THREDOLET 3000# BE / FT A182-F316/316L DUAL GR - MSS-SP-97				4	GOOD CONDITION

605	4	.75	SIZE1: 4 - SIZE2: .75 REDUCING THREDOLET 3000# BE / FT A182- F316/316L DUAL GR - MSS-SP-97	268425	Van L	MLCERT_PL 7_2_7-51	1	Pcs	GOOD CONDITION
757	0	0	- STEAM TRAP						GOOD CONDITION
748	0	0	- STEAM TRAP						GOOD CONDITION
746	0	0	- STEAM TRAP						GOOD CONDITION
753	0	0	- STEAM TRAP						GOOD CONDITION
743	0	0	- STEAM TRAP						GOOD CONDITION
755	0	0	- STEAM TRAP						GOOD CONDITION
751	0	0	- STEAM TRAP						GOOD CONDITION
761	0	0	- STEAM TRAP						GOOD CONDITION
750	0	0	- STEAM TRAP						GOOD CONDITION
760	0	0	- STEAM TRAP						GOOD CONDITION
56	.75	S-XS	SIZE: 3/4" - SCHED.S-XS PIPE A106-B PE SMLS	73550	Van L	?	18	m	CS PIPES BAD CONDITION
57	1	S-XS	SIZE: 1" - SCHED.S-XS PIPE A106-B PE SMLS	48469	Van L	?	18	m	CS PIPES BAD CONDITION
58	1.5	S-XS	SIZE: 1-1/2" - SCHED.S-XS PIPE A106- B PE SMLS	82153	Van L	?	18	m	CS PIPES BAD CONDITION

59	.5	S-XS	SIZE: 1/2" - SCHED.S-XS PIPE A106-B PE SMLS	82268	Van L	?	18	m	CS PIPES BAD CONDITION
60	1.5	S-XS	SIZE: 1-1/2" - SCHED.S-XS PIPE A106-B PE SMLS	1151004	Van L	?	54	m	CS PIPES BAD CONDITION
61	1	S-XS	SIZE: 1" - SCHED.S-XS PIPE A106-B PE SMLS	75695/48 597/4511 8	Van L	?	54	m	CS PIPES BAD CONDITION
63	4	S-STD	SIZE: 4" - SCHED.S-STD PIPE A106-B PE SMLS	11280	Van L	VL_PL04- 1_7-65	30	m	CS PIPES BAD CONDITION
64	4	S-STD	SIZE: 4" - SCHED.S-STD PIPE A106-B PE SMLS	11118	CTA	17/325	106.1	m	CS PIPES BAD CONDITION
65	1.5	S-XS	SIZE: 1-1/2" - SCHED.S-XS PIPE A106-B PE SMLS	46257	Van L	VLCERT_PL 5_1_13-44	79.04	m	CS PIPES BAD CONDITION
66	1	S-XS	SIZE: 1" - SCHED.S-XS PIPE A106-B PE SMLS	61840	Van L	VL_PL1_10- 71	168	m	CS PIPES BAD CONDITION
67	2	S-STD	SIZE: 2" - SCHED.S-STD PIPE A106-B PE SMLS	44997	Van L	CERT_PL03- 2_8-33	20.1	m	CS PIPES BAD CONDITION
68	3	S-STD	SIZE: 3" - SCHED.S-STD PIPE A106-B PE SMLS	61841	Van L	VL_PL1_22- 71	24	m	CS PIPES BAD CONDITION
69	6	S-STD	SIZE: 6" - SCHED.S-STD PIPE A106-B PE SMLS	78093K	Van L	VLCERT_PL 5_1_17-44	40.81	m	CS PIPES BAD CONDITION
70	.75	S-XS	SIZE: 3/4" - SCHED.S-XS PIPE A106-B PE SMLS	62362	Van L	VL_PL1_6- 71	30.5	m	CS PIPES BAD CONDITION
71	12	S-STD	SIZE: 12" - SCHED.S-STD PIPE A106-B PE SMLS	1162187	Van L	VL_PL1_46- 71	5.11	m	CS PIPES BAD CONDITION
72	14	S-STD	SIZE: 14" - SCHED.S-STD PIPE A106-B PE SMLS	1161612	Van L	VL_PL1_49- 71	4.84	m	CS PIPES BAD CONDITION

73	16	S-STD	SIZE: 16" - SCHED.S-STD PIPE A106-B PE SMLS	961672	CTA	75/325	9.23	m	CS PIPES BAD CONDITION
75	2	S-STD	SIZE: 2" - SCHED.S-STD PIPE A106-B PE SMLS	46154	Van L	VLCERT_PL 5_1_14-44	330.6	m	CS PIPES BAD CONDITION
76	12	S-STD	SIZE: 12" - SCHED.S-STD PIPE A106-B PE SMLS	1162187	Van L	VL_PL1_46- 71	1.9	m	CS PIPES BAD CONDITION
77	20	S-STD	SIZE: 20" - SCHED.S-STD PIPE A106-B PE SMLS	235441	Van L	VLCERT_PL 9-2_2/33	10.47	m	CS PIPES BAD CONDITION
78	20	S-STD	SIZE: 20" - SCHED.S-STD PIPE A106-B PE SMLS	953324	CTA	93/325	22.6	m	CS PIPES BAD CONDITION
80	14	S-STD	SIZE: 14" - SCHED.S-STD PIPE A106-B PE SMLS	1162718	Van L	CERT_PL03- 1_11-12	6	m	CS PIPES BAD CONDITION
81	14	S-STD	SIZE: 14" - SCHED.S-STD PIPE A106-B PE SMLS	961074	CTA	57/325	12	m	CS PIPES BAD CONDITION
82	12	S-STD	SIZE: 12" - SCHED.S-STD PIPE A106-B PE SMLS	1162187	Van L	VL_PL1_46- 71	45.04	m	CS PIPES BAD CONDITION
83	1.5	S-XS	SIZE: 1-1/2" - SCHED.S-XS PIPE A106-B PE SMLS	51753	Van L	CERT_6308 1_PL01_9_5- 18	6	m	CS PIPES BAD CONDITION
86	.5	S-XS	SIZE: 1/2" - SCHED.S-XS PIPE A106-B PE SMLS	550033	Van L		5.7	m	CS PIPES BAD CONDITION
87	.5	S-XS	SIZE: 1/2" - SCHED.S-XS PIPE A106-B PE SMLS	53667/53 067/5300 7	Van L		6.98	m	CS PIPES BAD CONDITION
88	20	S-STD	SIZE: 20" - SCHED.S-STD PIPE A106-B PE SMLS	235441	Van L	VLCERT_PL 9-2_2/33	10.47	m	CS PIPES BAD CONDITION
89	10	S-STD	SIZE: 10" - SCHED.S-STD PIPE A106-B PE SMLS	1162794	Van L	VLCERT_PL 5_1_19-44	24	m	CS PIPES BAD CONDITION

90	6	S-STD	SIZE: 6" - SCHED.S-STD PIPE A106-B PE SMLS	118318	CTA	19/325	4.81	m	CS PIPES BAD CONDITION
347	2	S-STD	SIZE: 2" - SCHED.S-STD PIPE A106-B PE SMLS		Van L		6	m	CS PIPES BAD CONDITION
62	26	S-STD	SIZE: 26 - SCHED.S-STD PIPE API 5L-B PSL1 PE SAW	916017	PFF	CERT1_8-24	16.5	m	CS PIPES BAD CONDITION
74	30	S-STD	SIZE: 30 - SCHED.S-STD PIPE API 5L-B PSL1 PE SAW	930961	Van L	Missing cert-930961	10.84	m	CS PIPES BAD CONDITION
79	26	S-STD	SIZE: 26 - SCHED.S-STD PIPE API 5L-B PSL1 PE SAW	933224	PFF	CERT1_21-24	24	m	CS PIPES BAD CONDITION
4	4	S-40S	SIZE: 4 - SCHED.S-40S PIPE A312-TP316/316L DUAL GR PE SMLS	590630	CTA	295/325	145.5	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
8	3	S-10S	SIZE: 3 - SCHED.S-10S PIPE A312-TP316/316L DUAL GR PE SMLS	570133	CTA	CERT CTA_302/407	10.37	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
9	4	S-40S	SIZE: 4 - SCHED.S-40S PIPE A312-TP316/316L DUAL GR PE SMLS	546264	Van L	VL_PL30_23,26,29/60		m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
10	4	S-10S	SIZE: 4 - SCHED.S-10S PIPE A312-TP316/316L DUAL GR PE SMLS	570045	CTA	CERT CTA_322/407	153.48	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
11	1.5	S-40S	SIZE: 1.5 - SCHED.S-40S PIPE A312-TP316/316L DUAL GR PE SMLS	544172	Van L	VL_PL30_11-60	12.33	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE

27	3	S-10S	SIZE: 3 - SCHED.S-10S PIPE A312-TP316/316L DUAL GR PE SMLS	670148	Van L	CERT_63081_PL01_7_30-41	24.68	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
28	2	S-10S	SIZE: 2 - SCHED.S-10S PIPE A312-TP316/316L DUAL GR PE SMLS	547364	Van L	CERT_63081_PL01_3_5-69	108	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
29	1	S-40S	SIZE: 1 - SCHED.S-40S PIPE A312-TP316/316L DUAL GR PE SMLS	546094	Van L	CERT_63081_PL01_2_46-51	18	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
38	2	S-10S	SIZE: 2 - SCHED.S-10S PIPE A312-TP316/316L DUAL GR PE SMLS	546798	Van L	CERT_PL32_7-29	288	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
39	3	S-10S	SIZE: 3 - SCHED.S-10S PIPE A312-TP316/316L DUAL GR PE SMLS	546618	Van L	Cert_PL31_1-19	114	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
40	4	S-40S	SIZE: 4 - SCHED.S-40S PIPE A312-TP316/316L DUAL GR PE SMLS	590630	CTA	347/407	6.43	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
42	2	S-10S	SIZE: 2 - SCHED.S-10S PIPE A312-TP316/316L DUAL GR PE SMLS	550930	Van L	?	69.92	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
43	1.5	S-40S	SIZE: 1.5 - SCHED.S-40S PIPE A312-TP316/316L DUAL GR PE SMLS	53158	Van L	?	6.45	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE

45	1.5	S-5S	SIZE: 1.5 - SCHED.S-5S PIPE A312-TP316/316L DUAL GR PE SMLS	53824	Van L	?	42	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
46	1	S-40S	SIZE: 1 - SCHED.S-40S PIPE A312-TP316/316L DUAL GR PE SMLS	53434	Van L	?	36	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
47	.75	S-40S	SIZE: .75 - SCHED.S-40S PIPE A312-TP316/316L DUAL GR PE SMLS	551143	Van L	?	60	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
48	.5	S-5S	SIZE: .5 - SCHED.S-5S PIPE A312-TP316/316L DUAL GR PE SMLS	53817	Van L	?	48	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
49	2	S-10S	SIZE: 2 - SCHED.S-10S PIPE A312-TP316/316L DUAL GR PE SMLS	780190	Van L	?	53.28	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
50	1	S-40S	SIZE: 1 - SCHED.S-40S PIPE A312-TP316/316L DUAL GR PE SMLS	53240	Van L	?	19.28	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
51	5	S-40S	SIZE: 5 - SCHED.S-40S PIPE A312-TP316/316L DUAL GR PE SMLS	544660	Van L	VL_PL_30_32-60	4.9	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
52	.75	S-40S	SIZE: .75 - SCHED.S-40S PIPE A312-TP316/316L DUAL GR PE SMLS	53106	Van L	?	5.5	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE

54	.75	S-5S	SIZE: .75 - SCHED.S-5S PIPE A312-TP316/316L DUAL GR PE SMLS	549353	Van L	?	20.13	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
55	1.5	S-40S	SIZE: 1.5 - SCHED.S-40S PIPE A312-TP316/316L DUAL GR PE SMLS	670149	Van L	?	73.37	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
85	4	S-40S	SIZE: 4 - SCHED.S-40S PIPE A312-TP316/316L DUAL GR PE SMLS	621120	Van L		5.8	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
92	5	S-40S	SIZE: 5 - SCHED.S-40S PIPE A312-TP316/316L DUAL GR PE SMLS	544660	Van L	VL_PL30_32-60	1.8	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
344	1	S-40S	SIZE: 1 - SCHED.S-40S PIPE A312-TP316/316L DUAL GR PE SMLS	50865	Van L		105.8	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
345	3	S-10S	SIZE: 3 - SCHED.S-10S PIPE A312-TP316/316L DUAL GR PE SMLS	545459	Van L	VL_PL30_14-60	6	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
346	3	S-10S	SIZE: 3 - SCHED.S-10S PIPE A312-TP316/316L DUAL GR PE SMLS	545516	Van L	VL_PL30_59-60	5	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
348	3	S-10S	SIZE: 3 - SCHED.S-10S PIPE A312-TP316/316L DUAL GR PE SMLS		Van L		5	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE

14	40	S-10.31	SIZE: 40 - SCHED.S-10.31 PIPE A358-316/316L DUAL GR PE EFW CL.1	507001	PFF		PL02_Pos.150	25.46	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
15	14	S-5S	SIZE: 14 - SCHED.S-5S PIPE A358-316/316L DUAL GR PE EFW CL.1	429051	Van L		VL_PL11D_2-22	11.21	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
16	12	S-10S	SIZE: 12 - SCHED.S-10S PIPE A358-316/316L DUAL GR PE EFW CL.1	518026	Van L		VL_PL10_98-207	11.8	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
17	8	S-5S	SIZE: 8 - SCHED.S-5S PIPE A358-316/316L DUAL GR PE EFW CL.1	422027	PFF		PL02_Pos.30	35.6	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
18	6	S-5S	SIZE: 6 - SCHED.S-5S PIPE A358-316/316L DUAL GR PE EFW CL.1	435018	PFF		PL02_Pos.10	316.31	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
19	8	S-10S	SIZE: 8 - SCHED.S-10S PIPE A358-316/316L DUAL GR PE EFW CL.1	427034	Van L		VL_PL11A_2-25	35.34	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
20	10	S-10S	SIZE: 10 - SCHED.S-10S PIPE A358-316/316L DUAL GR PE EFW CL.1	424119	Van L		VL_PL10_80-207	59	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
21	14	S-5S	SIZE: 14 - SCHED.S-5S PIPE A358-316/316L DUAL GR PE EFW CL.1	953590	Van L		VL_PL11D_10-22	11.8	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE

22	10	S-10S	SIZE: 10 - SCHED.S-10S PIPE A358-316/316L DUAL GR PE EFW CL.1	641112	Van L	CERT_63081_PL01_8_1-32	11.8	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
23	8	S-10S	SIZE: 8 - SCHED.S-10S PIPE A358-316/316L DUAL GR PE EFW CL.1	702080	Van L	CERT_63081_PL01_7_36-41	11.8	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
24	12	S-5S	SIZE: 12 - SCHED.S-5S PIPE A358-316/316L DUAL GR PE EFW CL.1	607015	Van L	VL_PL11C_20-26	11.8	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
25	24	S-40S	SIZE: 24 - SCHED.S-40S PIPE A358-316/316L DUAL GR PE EFW CL.1	440053	PFF	PL02_Pos.100	11.8	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
26	20	S-10S	SIZE: 20 - SCHED.S-10S PIPE A358-316/316L DUAL GR PE EFW CL.1	332069	PFF	PL02_Pos.110	11.8	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
30	20	S-5S	SIZE: 20 - SCHED.S-5S PIPE A358-316/316L DUAL GR PE EFW CL.1	550176	Van L	VL_PL10_194-207	7.8	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
31	16	S-10S	SIZE: 16 - SCHED.S-10S PIPE A358-316/316L DUAL GR PE EFW CL.1	550098	Van L	VL_PL10_187-207	20.9	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
33	12	S-40S	SIZE: 12 - SCHED.S-40S PIPE A358-316/316L DUAL GR PE EFW CL.1	610027	PFF	PL02_Pos.60	16.97	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE

100	6	0	SIZE: 6 GATE VALVE 150# RF 125 - 250 AARH A351-CF8M 12-316&HF BB-OS&Y API 600 A193-B8M CL2/8MA FLXW HW API 600 ASME B16.5	51507	CTA	370/407	11.42	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
111	16	0	SIZE: 16 GATE VALVE 150# RF 125 - 250 AARH A216-WCB 8-F6&HF BB-OS&Y API 600 B7/2H API 600 FLXW GE API 600 ASME B16.5	550033	Van L	?	18.99	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
336	6	0	SIZE: 6 GATE VALVE 150# RF 125 - 250 AARH A216-WCB 8-F6&HF BB-OS&Y API 600 B7/2H API 600 FLXW HW API 600 ASME B16.5	550033	Van L	?	5.7	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
105	4	0	SIZE: 4 GATE VALVE 150# RF 125 - 250 AARH A216-WCB 8-F6&HF BB-OS&Y API 600 B7/2H API 600 FLXW HW API 600 ASME B16.5	550033	Van L	?	5.7	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
103	8	0	SIZE: 8 GATE VALVE 150# RF 125 - 250 AARH A216-WCB 8-F6&HF BB-OS&Y API 600 B7/2H API 600 FLXW HW API 600 ASME B16.5	550033	Van L/MRC	63828/PL02	2	Pcs	NOT PRESERVED - TO FULLY INSPECTED IF TO BE REUSED
794	0	0	GRE 4", 45 DEG, ELBOW, ADHESIVE BONDED	Future Pipe Industries BV	FPI_PL+Certificates		2	PCS	GRE VISSUALY LOOKS GOOD REQUIRED THOROUGH INSPECTION
36	1.5	S-40S	SIZE: 1.5 - SCHED.S-40S PIPE A312 UNS N08904 PE SMLS	51507	CTA	370/407	11.42	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
44	1.5	S-40S	SIZE: 1.5 - SCHED.S-40S PIPE A312 UNS N08904 PE SMLS	550033	Van L	?	18.99	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
53	1.5	S-40S	SIZE: 1.5 - SCHED.S-40S PIPE A312 UNS N08904 PE SMLS	550033	Van L	?	5.7	m	ALL SS PIPE SHALL REQUIRE PICKLING AND PASSIVATION TREATMENT TO BE REUSED - MANY PIPES MARKING WAS NOT VISIBLE
100	6	0	SIZE: 6 GATE VALVE 150# RF 125 - 250 AARH A351-CF8M 12-316&HF BB-OS&Y API 600 A193-B8M CL2/8MA FLXW HW API 600 ASME B16.5	Van L/MRC	63828/PL02		3	Pcs	NOT PRESERVED - TO FULLY INSPECTED IF TO BE REUSED
111	16	0	SIZE: 16 GATE VALVE 150# RF 125 - 250 AARH A216-WCB 8-F6&HF BB-OS&Y API 600 B7/2H API 600 FLXW GE API 600 ASME B16.5	MRC Transmark	PL08		2	Pcs	NOT PRESERVED - TO FULLY INSPECTED IF TO BE REUSED
336	6	0	SIZE: 6 GATE VALVE 150# RF 125 - 250 AARH A216-WCB 8-F6&HF BB-OS&Y API 600 B7/2H API 600 FLXW HW API 600 ASME B16.5	MRC	MRC_PL5-1_34-35_50		1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
105	4	0	SIZE: 4 GATE VALVE 150# RF 125 - 250 AARH A216-WCB 8-F6&HF BB-OS&Y API 600 B7/2H API 600 FLXW HW API 600 ASME B16.5	Van L	63828/PL02		1	Pcs	NOT PRESERVED - TO FULLY INSPECTED IF TO BE REUSED
103	8	0	SIZE: 8 GATE VALVE 150# RF 125 - 250 AARH A216-WCB 8-F6&HF BB-OS&Y API 600 B7/2H API 600 FLXW HW API 600 ASME B16.5	Van L/MRC	63828/PL02		2	Pcs	NOT PRESERVED - TO FULLY INSPECTED IF TO BE REUSED

340				SIZE: .75 GATE VALVE 300# RF 125 - 250 AARH A182-F316/316L DUAL GR 12-316&HF BB-OS&Y API 602 A193-B8M CL2/8MA API 602 SOW HW API 602 ASME B16.5	268017	MRC	CERTMRC_ PL03-1_02-13	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
341				SIZE: 1 GATE VALVE 300# RF 125 - 250 AARH A182-F316/316L DUAL GR 12-316&HF BB-OS&Y API 602 A193-B8M CL2/8MA API 602 SOW HW API 602 ASME B16.5	265653	MRC	CERTMRC_ PL03-1_03-13	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
773				SIZE: 2 GATE VALVE 125# FF 125 - 250 AARH A126-B BRONZE BB-OS&Y MANUFACTURER STANDARD B7/2H MANUFACTURER STANDARD SOW HW MSS SP-70 ASME B16.5 UNDERWRITER LABORATERIES/FACTORY MUTUAL APPROVED				1	PCS	INDOOR VAVES ARE IN GOOD CONDITION
310				SIZE: 1.5 GLOBE VALVE 150# RF 125 - 250 AARH A105 8-F6&HF BB-OS&Y BS 1873 B7/2H HW BS 1873 ASME B16.5	16/78395	MRC	CERTMRC_ PL03-1_06-13	3	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
325				SIZE: .5 GLOBE VALVE 150# RF 125 - 250 AARH A105 8-F6&HF BB-OS&Y BS 1873 B7/2H HW BS 1873 ASME B16.5	14/72696	MRC	CERTMRC_ PL03-1_05-13	7	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
331				SIZE: .75 GLOBE VALVE 150# RF 125 - 250 AARH A105 8-F6&HF BB-OS&Y BS 1873 B7/2H HW BS 1873 ASME B16.5	14/72696	MRC	CERTMRC_ PL03-1_05-13	3	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
342				SIZE: 1 GLOBE VALVE 150# RF 125 - 250 AARH A105 8-F6&HF BB-OS&Y BS 1873 B7/2H HW BS 1873 ASME B16.5	14/72696	MRC	CERTMRC_ PL03-1_06-13	10	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
329				SIZE: .75 GLOBE VALVE 150# RF 125 - 250 AARH A105 DISC - REGULATING CONE TYPE 8-F6&HF BB-OS&Y BS 1873 B7/2H HW BS 1873 ASME B16.5	14/72696	MRC	CERTMRC_ PL03-1_07-13	5	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
102				SIZE: 3 GLOBE VALVE 150# RF 125 - 250 AARH A216-WCB 8-F6&HF BB-OS&Y BS 1873 B7/2H HW BS 1873 ASME B16.5		Van L	63828/PL02	3	Pcs	NOT PRESERVED - TO FULLY INSPECTED IF TO BE REUSED
112				SIZE: 6 GLOBE VALVE 150# RF 125 - 250 AARH A216-WCB 8-F6&HF BB-OS&Y BS 1873 B7/2H HW BS 1873 ASME B16.5		MRC Transmark	PL08	3	Pcs	NOT PRESERVED - TO FULLY INSPECTED IF TO BE REUSED
94				SIZE: 4 GLOBE VALVE 150# RF 125 - 250 AARH A216-WCB DISC - REGULATING CONE TYPE 8-F6&HF BB-OS&Y BS 1873 B7/2H HW BS 1873 ASME B16.5		MRC Transmark	PL13	1	Pcs	NOT PRESERVED - TO FULLY INSPECTED IF TO BE REUSED

320			SIZE: .75 GLOBE VALVE 150# RF 125 - 250 AARH A182-F316/316L DUAL GR DISC - REGULATING CONE TYPE 12-316&HF BB-OS&Y BS 1873 A193-B8M CL2/8MA HW BS 1873 ASME B16.5	268017	MRC	CERTMRC_PL03-4_04-21	5	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
332		1	SIZE: 1 GLOBE VALVE 150# RF 125 - 250 AARH A182-F316/316L DUAL GR DISC - REGULATING CONE TYPE 12-316&HF BB-OS&Y BS 1873 A193-B8M CL2/8MA HW BS 1873 ASME B16.5		MRC	PL15	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
141		2	SIZE: 2 GLOBE VALVE 150# RF 125 - 250 AARH A182-F904L UNS N08904 BB-OS&Y A193-B8M CL2/8MA HW BS 1873 ASME B16.5		MRC Transmark	PL08	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
210		.5	SIZE: .5 GLOBE VALVE 150# RF 125 - 250 AARH A182-F904L UNS N08904 BB-OS&Y A193-B8M CL2/8MA HW BS 1873 ASME B16.5		MRC Transmark	PL22	2	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
328		1	SIZE: 1 GLOBE VALVE 150# RF 125 - 250 AARH A182-F904L UNS N08904 BB-OS&Y A193-B8M CL2/8MA HW BS 1873 ASME B16.5		MRC	PL16	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
132		3	SIZE: 3 GLOBE VALVE 300# RF 125 - 250 AARH A351-CF8M 12-316&HF BB-OS&Y BS 1873 A193-B8M CL2/8MA HW BS 1873 ASME B16.5		VL	63828_PL02	3	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
151		2	SIZE: 2 GLOBE VALVE 300# RF 125 - 250 AARH A351-CF8M 12-316&HF BB-OS&Y BS 1873 A193-B8M CL2/8MA HW BS 1873 ASME B16.5		MRC Transmark	PL16	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
223		.75	SIZE: .75 GLOBE VALVE 300# RF 125 - 250 AARH A182-F316/316L DUAL GR 12-316&HF BB-OS&Y BS 1873 A193-B8M CL2/8MA HW BS 1873 ASME B16.5		MRC Transmark	PL03	7	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
311		.5	SIZE: .5 GLOBE VALVE 300# RF 125 - 250 AARH A182-F316/316L DUAL GR 12-316&HF BB-OS&Y BS 1873 A193-B8M CL2/8MA HW BS 1873 ASME B16.5	268017	MRC	CERTMRC_PL03-6_11-23	5	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
95		2	#N/A		MRC Transmark		3	Pcs	NOT PRESERVED - TO FULLY INSPECTED IF TO BE REUSED

349	.75	0	SIZE: .75 BALL VALVE 150# RF 125 - 250 AARH A182-F316/316L DUAL GR 316/PTFE TWO PIECES SPLIT-BODY FULL BORE A193-B8M CL2/8MA FLOATING BALL LE BS EN ISO 17292 ASME B16.5	A5ZF462	MRC	CERT_PL6-2_22-27/54	5	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
299	.5	0	SIZE: .5 BALL VALVE 150# RF 125 - 250 AARH A182-F316/316L DUAL GR 316/PTFE TWO PIECES SPLIT-BODY FULL BORE A193-B8M CL2/8MA FLOATING BALL LE BS EN ISO 17292 ASME B16.5	A542612	MRC	CERT_PL6-2_14-15_54	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
205	1.5	0	SIZE: 1.5 BALL VALVE 150# RF 125 - 250 AARH A182-F316/316L DUAL GR 316/PTFE TWO PIECES SPLIT-BODY FULL BORE A193-B8M CL2/8MA FLOATING BALL LE BS EN ISO 17292 ASME B16.5		MRC Transmark	PL06-19	7	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
203	1	0	SIZE: 1 BALL VALVE 150# RF 125 - 250 AARH A182-F316/316L DUAL GR 316/PTFE TWO PIECES SPLIT-BODY FULL BORE A193-B8M CL2/8MA FLOATING BALL LE BS EN ISO 17292 ASME B16.5		MRC Transmark	PL06	6	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
212	2	0	SIZE: 2 BALL VALVE 150# RF 125 - 250 AARH A351-CF8M 316/PTFE TWO PIECES SPLIT-BODY FULL BORE A193-B8M CL2/8MA FLOATING BALL LE BS EN ISO 17292 ASME B16.5		MRC Transmark	PL06-19-30	2	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
202	3	0	SIZE: 3 BALL VALVE 150# RF 125 - 250 AARH A351-CF8M 316/PTFE TWO PIECES SPLIT-BODY FULL BORE A193-B8M CL2/8MA FLOATING BALL LE BS EN ISO 17292 ASME B16.5		MRC Transmark	PL06-19	4	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
156	4	0	SIZE: 4 BALL VALVE 150# RF 125 - 250 AARH A351-CF8M 316/PTFE TWO PIECES SPLIT-BODY FULL BORE A193-B8M CL2/8MA FLOATING BALL LE BS EN ISO 17292 ASME B16.5		MRC Transmark	PL06	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
330	.5	0	SIZE: .5 BALL VALVE 150# RF 125 - 250 AARH A105 316/PTFE TWO PIECES SPLIT-BODY FULL BORE B7/2H FLOATING BALL LE BS EN ISO 17292 ASME B16.5		MRC	PL17	2	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
298	.75	0	SIZE: .75 BALL VALVE 150# RF 125 - 250 AARH A105 316/PTFE TWO PIECES SPLIT-BODY FULL BORE B7/2H FLOATING BALL LE BS EN ISO 17292 ASME B16.5	K47R	MRC	CERT_PL6-1_5-7_42	4	Pcs	INDOOR VAVES ARE IN GOOD CONDITION

220	1.5	0	SIZE: 1.5 PLUG VALVE 150# RF 125 - 250 AARH A182-F904L 904L/PTFE SLEEVE FULL BORE A193-B8M CL2/8MA TP LE API 599 ASME B16.5	AZ	PL06-08	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
216	.75	0	SIZE: .75 PLUG VALVE 150# RF 125 - 250 AARH A182-F904L 904L/PTFE SLEEVE FULL BORE A193-B8M CL2/8MA TP LE API 599 ASME B16.5	AZ	PL03	2	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
215	1	0	SIZE: 1 PLUG VALVE 150# RF 125 - 250 AARH A182-F904L 904L/PTFE SLEEVE FULL BORE A193-B8M CL2/8MA TP LE API 599 ASME B16.5	AZ	PL01-03-05-06-08	2	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
213	.5	0	SIZE: .5 PLUG VALVE 150# RF 125 - 250 AARH A182-F904L 904L/PTFE SLEEVE FULL BORE A193-B8M CL2/8MA TP LE API 599 ASME B16.5	AZ	PL01-03	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
350	.5	0	SIZE: .5 PLUG VALVE 150# RF 125 - 250 AARH A182-F316/316L DUAL GR 316L/PTFE SLEEVE FULL BORE A193-B8M CL2/8MA TP LE API 599 ASME B16.5	AZ	ARMAT	4	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
324	1.5	0	SIZE: 1.5 PLUG VALVE 150# RF 125 - 250 AARH A182-F316/316L DUAL GR 316L/PTFE SLEEVE FULL BORE A193-B8M CL2/8MA TP LE API 599 ASME B16.5	AZ	CERTAZ_PL4_96-100/115	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
226	.75	0	SIZE: .75 PLUG VALVE 150# RF 125 - 250 AARH A182-F316/316L DUAL GR 316L/PTFE SLEEVE FULL BORE A193-B8M CL2/8MA TP LE API 599 ASME B16.5	AZ	PL01-03-04-05-06	2	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
211	1	0	SIZE: 1 PLUG VALVE 150# RF 125 - 250 AARH A182-F316/316L DUAL GR 316L/PTFE SLEEVE FULL BORE A193-B8M CL2/8MA TP LE API 599 ASME B16.5	AZ	PL01-03-05-06	9	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
120	12	0	SIZE: 12 PLUG VALVE 150# RF 125 - 250 AARH A351-CF8M 316L/PTFE SLEEVE FULL BORE A193-B8M CL2/8MA TP GE API 599 ASME B16.5	AZ	PL03	2	Pcs	NOT PRESERVED - TO FULLY INSPECTED IF TO BE REUSED
222	2	0	SIZE: 2 PLUG VALVE 150# RF 125 - 250 AARH A351-CF8M 316L/PTFE SLEEVE FULL BORE A193-B8M CL2/8MA TP LE API 599 ASME B16.5	AZ	PL02-03-04-05-06	18	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
168	6	0	SIZE: 6 PLUG VALVE 150# RF 125 - 250 AARH A351-CF8M 316L/PTFE SLEEVE FULL BORE A193-B8M CL2/8MA TP LE API 599 ASME B16.5	AZ	PL01-04	3	Pcs	INDOOR VAVES ARE IN GOOD CONDITION

AG987

152	3	0	SIZE: 3 PLUG VALVE 300# RF 125 - 250 AARH UNS N08904 904L/PTFE SLEEVE FULL BORE A193-B8M CL2/8MA TP LE API 599 ASME B16.5	AZ	PL03	2	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
314	1	0	SIZE: 1 PLUG VALVE 300# RF 125 - 250 AARH A182-F904L 904L/PTFE SLEEVE FULL BORE A193-B8M CL2/8MA TP LE API 599 ASME B16.5 PTFE LINED MANUFACTURER STANDARD	AZ	CERTAZ_PL4_77-79/115	9	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
218	1	0	SIZE: 1 PLUG VALVE 300# RF 125 - 250 AARH A182-F904L 904L/PTFE SLEEVE FULL BORE A193-B8M CL2/8MA TP LE API 599 ASME B16.5	AZ	PL03-04-06-08-10	6	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
318	.75	0	SIZE: .75 PLUG VALVE 300# RF 125 - 250 AARH A182-F316/316L DUAL GR 316L/PTFE SLEEVE FULL BORE A193-B8M CL2/8MA TP LE API 599 ASME B16.5 STEM LEAKAGE CLASS A	AZ	PL03-3_4-7/28	4	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
146	1	0	SIZE: 1 PLUG VALVE 300# RF 125 - 250 AARH A182-F316/316L DUAL GR 316L/PTFE SLEEVE FULL BORE A193-B8M CL2/8MA TP LE API 599 ASME B16.5 STEM LEAKAGE CLASS A	AZ	PL06-10	3	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
221	.5	0	SIZE: .5 PLUG VALVE 300# RF 125 - 250 AARH A182-F316/316L DUAL GR 316L/PTFE SLEEVE FULL BORE A193-B8M CL2/8MA TP LE API 599 ASME B16.5		PL01-04	5	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
217	1	0	SIZE: 1 PLUG VALVE 300# RF 125 - 250 AARH A182-F316/316L DUAL GR 316L/PTFE SLEEVE FULL BORE A193-B8M CL2/8MA TP LE API 599 ASME B16.5	AZ	PL01	96	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
204	.75	0	SIZE: .75 PLUG VALVE 300# RF 125 - 250 AARH A182-F316/316L DUAL GR 316L/PTFE SLEEVE FULL BORE A193-B8M CL2/8MA TP LE API 599 ASME B16.5	AZ	PL01-03-04-06	7	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
154	2	0	SIZE: 2 PLUG VALVE 300# RF 125 - 250 AARH A351-CF8M 316L/PTFE REDUCED BORE A193-B8M CL2/8MA TP LE API 599 ASME B16.5	AZ	PL04	2	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
148	2	0	SIZE: 2 PLUG VALVE 300# RF 125 - 250 AARH A351-CF8M 316L/PTFE SLEEVE FULL BORE A193-B8M CL2/8MA TP LE API 599 ASME B16.5 STEM LEAKAGE CLASS A	AZ	PL03	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION

107	2	0	SIZE: 2 Y-GLOBE VALVE 150# RF 125 - 250 AARH A351-CF8M 12-316&HF BB-OS&Y BS 1873 A193-B8M CL2/8MA BS 1873 HW BS 1873 ASME B16.5		MRC Transmark	PL07-PL08	3	Pcs	NOT PRESERVED - TO FULLY INSPECTED IF TO BE REUSED
108	3	0	SIZE: 3 Y-GLOBE VALVE 150# RF 125 - 250 AARH A351-CF8M 12-316&HF BB-OS&Y BS 1873 A193-B8M CL2/8MA BS 1873 HW BS 1873 ASME B16.5		MRC Transmark	PL07-PL08	2	Pcs	NOT PRESERVED - TO FULLY INSPECTED IF TO BE REUSED
109	4	0	SIZE: 4 Y-GLOBE VALVE 150# RF 125 - 250 AARH A351-CF8M 12-316&HF BB-OS&Y BS 1873 A193-B8M CL2/8MA BS 1873 HW BS 1873 ASME B16.5		MRC Transmark	PL07-PL08	5	Pcs	NOT PRESERVED - TO FULLY INSPECTED IF TO BE REUSED
110	6	0	SIZE: 6 Y-GLOBE VALVE 150# RF 125 - 250 AARH A351-CF8M 12-316&HF BB-OS&Y BS 1873 A193-B8M CL2/8MA BS 1873 HW BS 1873 ASME B16.5		MRC Transmark	PL07-PL08	1	Pcs	NOT PRESERVED - TO FULLY INSPECTED IF TO BE REUSED
200	1	0	SIZE: 1 Y-GLOBE VALVE 150# RF 125 - 250 AARH A182-F316/316L DUAL GR 12-316&HF BB-OS&Y BS 1873 A193-B8M CL2/8MA BS 1873 HW BS 1873 ASME B16.5		MRC Transmark	PL03-17	7	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
315	.5	0	SIZE: .5 Y-GLOBE VALVE 150# RF 125 - 250 AARH A182-F316/316L DUAL GR 12-316&HF BB-OS&Y BS 1873 A193-B8M CL2/8MA BS 1873 HW BS 1873 ASME B16.5	268017	MRC	CERTMRC_ PL03-1_03-13	3	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
316	.75	0	SIZE: .75 Y-GLOBE VALVE 150# RF 125 - 250 AARH A182-F316/316L DUAL GR 12-316&HF BB-OS&Y BS 1873 A193-B8M CL2/8MA BS 1873 HW BS 1873 ASME B16.5	268017	MRC	CERTMRC_ PL03-7_07-15	3	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
117	3	0	SIZE: 3 Y-GLOBE VALVE 300# RF 125 - 250 AARH A351-CF8M 12-316&HF BB-OS&Y BS 1873 A193-B8M CL2/8MA BS 1873 HW BS 1873 ASME B16.5		MRC Transmark	PL07	1	Pcs	NOT PRESERVED - TO FULLY INSPECTED IF TO BE REUSED
139	2	0	SIZE: 2 Y-GLOBE VALVE 300# RF 125 - 250 AARH A351-CF8M 12-316&HF BB-OS&Y BS 1873 A193-B8M CL2/8MA BS 1873 HW BS 1873 ASME B16.5		VL	63828_PL02	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
199	.75	0	SIZE: .75 Y-GLOBE VALVE 300# RF 125 - 250 AARH A182-F316/316L DUAL GR 12-316&HF BB-OS&Y BS 1873 A193-B8M CL2/8MA BS 1873 HW BS 1873 ASME B16.5		MRC Transmark	PL03-17	3	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
214	.5	0	SIZE: .5 Y-GLOBE VALVE 300# RF 125 - 250 AARH A182-F316/316L DUAL GR 12-316&HF BB-OS&Y BS 1873 A193-B8M CL2/8MA BS 1873 HW BS 1873 ASME B16.5		MRC Transmark	PL03-16	2	Pcs	INDOOR VAVES ARE IN GOOD CONDITION

326	1	0	SIZE: 1 SWING CHECK VALVE 150# RF 125 - 250 AARH A105 8-F6&HF BC BS 1868 B7/2H BS 1868 ASME B16.5	14/72696	MRC	CERTMRC_ PL03-3_08- 22	4	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
163	2	0	SIZE: 2 SWING CHECK VALVE 150# RF 125 - 250 AARH A216-WCB 8- F6&HF BC BS 1868 B7/2H BS 1868 ASME B16.5		MRC Transmark	PL08	4	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
164	3	0	SIZE: 3 SWING CHECK VALVE 150# RF 125 - 250 AARH A216-WCB 8- F6&HF BC BS 1868 B7/2H BS 1868 ASME B16.5		VL	63828_PL02	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
170	6	0	SIZE: 6 SWING CHECK VALVE 150# RF 125 - 250 AARH A216-WCB 8- F6&HF BC BS 1868 B7/2H BS 1868 ASME B16.5		MRC Transmark	PL05-08	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
93	12	0	SIZE: 12 SWING CHECK VALVE 150# RF 125 - 250 AARH A351-CF8M 12- 316&HF BC BS 1868 A193-B8M CL2/8MA BS 1868 ASME B16.5		MRC Transmark	PL13	4	Pcs	NOT PRESERVED - TO FULLY INSPECTED IF TO BE REUSED
96	2	0	SIZE: 2 SWING CHECK VALVE 150# RF 125 - 250 AARH A351-CF8M 12- 316&HF BC BS 1868 A193-B8M CL2/8MA BS 1868 ASME B16.5		Van L	63828/PL02	7	Pcs	NOT PRESERVED - TO FULLY INSPECTED IF TO BE REUSED
98	10	0	SIZE: 10 SWING CHECK VALVE 150# RF 125 - 250 AARH A351-CF8M 12- 316&HF BC BS 1868 A193-B8M CL2/8MA BS 1868 ASME B16.5		Van L	63828/PL02	1	Pcs	NOT PRESERVED - TO FULLY INSPECTED IF TO BE REUSED
169	6	0	SIZE: 6 SWING CHECK VALVE 150# RF 125 - 250 AARH A351-CF8M 12- 316&HF BC BS 1868 A193-B8M CL2/8MA BS 1868 ASME B16.5		MRC Transmark	PL05	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
143	3	0	SIZE: 3 SWING CHECK VALVE 150# RF 125 - 250 AARH A351-CF8M 12- 316&HF BC BS 1868 A193-B8M CL2/8MA BS 1868 ASME B16.5		VL	63828_PL02	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
144	2	0	SIZE: 2 SWING CHECK VALVE 150# RF 125 - 250 AARH A351-CF8M 12- 316&HF BC BS 1868 A193-B8M CL2/8MA BS 1868 ASME B16.5		VL	63828_PL02	2	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
195	5	0	SIZE: .5 SWING CHECK VALVE 150# RF 125 - 250 AARH A182-F316/316L DUAL GR 12-316&HF BC BS 1868 A193-B8M CL2/8MA BS 1868 ASME B16.5		MRC Transmark	PL03-15	14	Pcs	INDOOR VAVES ARE IN GOOD CONDITION

302	1	0	SIZE: 1 SWING CHECK VALVE 150# RF 125 - 250 AARH A182-F316/316L DUAL GR 12-316&HF BC BS 1868 A193-B8M CL2/8MA BS 1868 ASME B16.5	268017	MRC	CERTMRC_ PL03-1_03-13	13	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
118	2	0	SIZE: 2 SWING CHECK VALVE 300# RF 125 - 250 AARH A351-CF8M 12- 316&HF BC BS 1868 A193-B8M CL2/8MA BS 1868 ASME B16.5		MRC Transmark	PL07-PL08	5	Pcs	NOT PRESERVED - TO FULLY INSPECTED IF TO BE REUSED
119	6	0	SIZE: 6 SWING CHECK VALVE 300# RF 125 - 250 AARH A351-CF8M 12- 316&HF BC BS 1868 A193-B8M CL2/8MA BS 1868 ASME B16.5		MRC Transmark	PL07	1	Pcs	NOT PRESERVED - TO FULLY INSPECTED IF TO BE REUSED
160	2	0	SIZE: 2 SWING CHECK VALVE 300# RF 125 - 250 AARH A351-CF8M 12- 316&HF BC BS 1868 A193-B8M CL2/8MA BS 1868 ASME B16.5		MRC Transmark	PL07-08	4	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
171	3	0	SIZE: 3 SWING CHECK VALVE 300# RF 125 - 250 AARH A351-CF8M 12- 316&HF BC BS 1868 A193-B8M CL2/8MA BS 1868 ASME B16.5		VL	63828_PL02	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
114	2	0	SIZE: 2 SWING CHECK VALVE 300# RF 125 - 250 AARH A351-CF8M 12- 316&HF BC A193-B8M CL2/8MA BS 1868 ASME B16.5 PTFE LINED MANUFACTURER STANDARD		MRC Transmark	PL12	1	Pcs	NOT PRESERVED - TO FULLY INSPECTED IF TO BE REUSED
304	1	0	SIZE: 1 SWING CHECK VALVE 300# RF 125 - 250 AARH A182-F316/316L DUAL GR 12-316&HF BC BS 1868 A193-B8M CL2/8MA BS 1868 ASME B16.5	268017	MRC	CERTMRC_ PL03-7_09-15	65	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
312	.75	0	SIZE: .75 SWING CHECK VALVE 300# RF 125 - 250 AARH A182-F316/316L DUAL GR 12-316&HF BC BS 1868 A193-B8M CL2/8MA BS 1868 ASME B16.5	268017	MRC	CERTMRC_ PL03-7_08-15	3	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
313	.5	0	SIZE: .5 SWING CHECK VALVE 300# RF 125 - 250 AARH A182-F316/316L DUAL GR 12-316&HF BC BS 1868 A193-B8M CL2/8MA BS 1868 ASME B16.5	268017	MRC	CERTMRC_ PL03-6_11-23	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
142	3	0	SIZE: 3 SWING CHECK VALVE 300# RF 125 - 250 AARH UNS N08904 UNS N08904 BC A193-B8M CL2/8MA BS 1868 ASME B16.5		MRC Transmark	PL14	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
125	14	0	SIZE: 14 BUTTERFLY LUG VALVE 150# RF 125 - 250 AARH A216-WCB 8-F6&HF MS GE API 609 ASME B16.5		MRC Transmark	PL18	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION

333	.5	S-40S	SIZE: .5 - SCHED.S-40S GLOBE VALVE BW 150# BE BE A182-F904L UNS N08904 BB-OS&Y A193-B8M CL2/8MA HANDWHEEL BS 1873	292054	MRC	CERTMRC_ PL03-1_07-13	7	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
228	.5	S-40S	SIZE: .5 - SCHED.S-40S GLOBE VALVE BW 150# BE BE A182-F316/316L DUAL GR 12-316&HF BB-OS&Y BS 1873 A193-B8M CL2/8MA HANDWHEEL BS 1873		MRC Transmark	PL03-15	10	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
225	.5	S-5S	SIZE: .5 - SCHED.S-5S GLOBE VALVE BW 150# BE BE A182-F316/316L DUAL GR 12-316&HF BB-OS&Y BS 1873 A193-B8M CL2/8MA HANDWHEEL BS 1873		MRC Transmark	PL03-15	3	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
308	.5	S-XS	SIZE: .5 - SCHED.S-XS GLOBE VALVE BW 150# BE BE A105 8-F6&HF BB-OS&Y BS 1873 B7/2H HANDWHEEL BS 1873			PL03-15	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
327	.75	0	SIZE: .75 PISTON CHECK VALVE 150# RF 125 - 250 AARH A105 8-F6&HF BC API 602 B7/2H MS, SL API 602 ASME B16.5	14/72696	MRC	CERTMRC_ PL03-3_09-22	5	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
323	1	0	SIZE: 1 PISTON CHECK VALVE 150# RF A182-F316/316L DUAL GR 12-316&HF BC BS EN ISO 15761 A193-B8M CL2/8MA MS, SL BS EN ISO 15761	268017	MRC	CERTMRC_ PL03-3_08-22	3	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
319	.5	0	SIZE: .5 PISTON CHECK VALVE 150# RF A182-F316/316L DUAL GR 12-316&HF BC BS EN ISO 15761 A193-B8M CL2/8MA MS, SL BS EN ISO 15761	268017	MRC	CERTMRC_ PL03-3_08-22	2	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
136	2	0	SIZE: 2 3 WAY PLUG VALVE 300# RF 125 - 250 AARH A351-CF8M 316L/PTFE SLEEVE FULL BORE - 90 DEG A193-B8M CL2/8MA LE API 599 ASME B16.5		AZ	PL07-09	10	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
134	4	0	SIZE: 4 BUTTERFLY LUG VALVE 150# RF BUNA-N LIN A216-WCB 1-F6 FULLY LINED LE API 609 ASME B16.5		MRC Transmark	PL04	1	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
133	3	0	SIZE: 3 BUTTERFLY LUG VALVE 150# RF BUNA-N LIN A216-WCB 1-F6 FULLY LINED LE API 609 ASME B16.5		MRC Transmark	PL04	2	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
135	8	0	SIZE: 8 BUTTERFLY LUG VALVE 150# RF BUNA-N LIN A216-WCB F6 FULLY LINED GE API 609 ASME B16.5		MRC Transmark	PL04-21	2	Pcs	INDOOR VAVES ARE IN GOOD CONDITION

317	.5	S-40S	SIZE: .5 - SCHED.S-40S GLOBE VALVE BW 300# BE BE A182-F904L UNS N08904 BB-OS&Y A193-B8M CL2/8MA HANDWHEEL BS 1873	620082	MRC	PL02-22	14	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
206	.5	S-40S	SIZE: .5 - SCHED.S-40S Y-GLOBE VALVE BW 150# BE BE A182-F316/316L DUAL GR 12-316&HF BB-OS&Y A193-B8M CL2/8MA HANDWHEEL BS 1873		MRC Transmark	PL03-17	11	Pcs	INDOOR VAVES ARE IN GOOD CONDITION
744	0	0	- INT STRAINER FOR STEAM TRAP						GOOD CONDITION
756	0	0	- INT STRAINER FOR STEAM TRAP						GOOD CONDITION
758	0	0	- INT STRAINER FOR STEAM TRAP						GOOD CONDITION
752	0	0	- INT STRAINER FOR STEAM TRAP						GOOD CONDITION
759	0	0	- INT STRAINER FOR STEAM TRAP						GOOD CONDITION
754	0	0	- INT STRAINER FOR STEAM TRAP						GOOD CONDITION
747	0	0	- INT STRAINER FOR STEAM TRAP						GOOD CONDITION
749	0	0	- INT STRAINER FOR STEAM TRAP						GOOD CONDITION
745	0	0	- INT STRAINER FOR STEAM TRAP						GOOD CONDITION
704	#N/A	#N/A	3"X2",SCH 40S, SS DUAL GRADE, CONCENTRIC REDUCER		Van L		10		GOOD CONDITION
736	#N/A	#N/A	5"X150RF, WN FLANGE, SS, DUAL GRADE	246534	Van L		2		GOOD CONDITION

795	#N/A	#N/A	GRE 10", 45 DEG, ELBOW,ADHESIVE BONDED		Future Pipe Industries BV	FPI_PL+Certificates	2	PCS	GRE VISSUALY LOOKS GOOD REQUIRED THOROUGH INSPECTION
796	#N/A	#N/A	GRE 4",90 DEG, ELBOW,ADHESIVE BONDED		Future Pipe Industries BV	FPI_PL+Certificates	1	PCS	GRE VISSUALY LOOKS GOOD REQUIRED THOROUGH INSPECTION
797	#N/A	#N/A	GRE 10",90 DEG, ELBOW,ADHESIVE BONDED		Future Pipe Industries BV	FPI_PL+Certificates	5	PCS	GRE VISSUALY LOOKS GOOD REQUIRED THOROUGH INSPECTION
798	#N/A	#N/A	GRE 10" FLANGE LAMINATED,ASA150, 275psi		Future Pipe Industries BV	FPI_PL+Certificates	2	PCS	GRE VISSUALY LOOKS GOOD REQUIRED THOROUGH INSPECTION
799	#N/A	#N/A	GRE 3" FLANGE LAMINATED,ASA150, 450psi		Future Pipe Industries BV	FPI_PL+Certificates	1	PCS	GRE VISSUALY LOOKS GOOD REQUIRED THOROUGH INSPECTION
800	#N/A	#N/A	GRE 30" FLANGE LAMINATED,ASA150, 275psi		Future Pipe Industries BV	FPI_PL+Certificates	2	PCS	GRE VISSUALY LOOKS GOOD REQUIRED THOROUGH INSPECTION
801	#N/A	#N/A	GRE 2" PIPE		Future Pipe Industries BV	FPI_PL+Certificates	1.2	M	GRE VISSUALY LOOKS GOOD REQUIRED THOROUGH INSPECTION

802	#N/A	#N/A	GRE 3" PIPE		Future Pipe Industries BV	FPI_PL+Certificates	21.87	M	GRE VISSUALY LOOKS GOOD REQUIRED THOROUGH INSPECTION
803	#N/A	#N/A	GRE 4" PIPE		Future Pipe Industries BV	FPI_PL+Certificates	31.68	M	GRE VISSUALY LOOKS GOOD REQUIRED THOROUGH INSPECTION
804	#N/A	#N/A	GRE 10" PIPE		Future Pipe Industries BV	FPI_PL+Certificates	61.3	M	GRE VISSUALY LOOKS GOOD REQUIRED THOROUGH INSPECTION
805	#N/A	#N/A	GRE 30" PIPE		Future Pipe Industries BV	FPI_PL+Certificates	25.22	M	GRE VISSUALY LOOKS GOOD REQUIRED THOROUGH INSPECTION
806	1.5	215	SIZE: 1.5 - LENGTH: 215 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				48	PCS	GOOD CONDITION
807	.625	200	SIZE: 5/8" - LENGTH: 200 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				12	PCS	GOOD CONDITION
808	.875	100	SIZE: 7/8" - LENGTH: 100 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				30	PCS	GOOD CONDITION
809	.875	110	SIZE: 7/8" - LENGTH: 110 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				18	PCS	GOOD CONDITION
810	.875	75	SIZE: 7/8" - LENGTH: 75 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				36	PCS	GOOD CONDITION
811	1	125	SIZE: 1" - LENGTH: 125 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				38	PCS	GOOD CONDITION
812	1.125	145	SIZE: 1-1/8" - LENGTH: 145 mm STUD BOLTS&NUTS A193-B8M CL2/A194-8MA ASME B18.2.1/2 INCH SIZE				28	PCS	GOOD CONDITION

813	.5	100	SIZE: .5 - LENGTH: 100 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				44	PCS	GOOD CONDITION
814	.5	105	SIZE: .5 - LENGTH: 105 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				14	PCS	GOOD CONDITION
815	.5	60	SIZE: .5 - LENGTH: 60 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				64	PCS	GOOD CONDITION
816	.5	65	SIZE: .5 - LENGTH: 65 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				532	PCS	GOOD CONDITION
817	.5	75	SIZE: .5 - LENGTH: 75 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				2	PCS	GOOD CONDITION
818	.5	80	SIZE: .5 - LENGTH: 80 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				134	PCS	GOOD CONDITION
819	.5	90	SIZE: .5 - LENGTH: 90 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				6	PCS	GOOD CONDITION
820	.5	95	SIZE: .5 - LENGTH: 95 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				34	PCS	GOOD CONDITION
821	.625	100	SIZE: .625 - LENGTH: 100 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				86	PCS	GOOD CONDITION
822	.625	115	SIZE: .625 - LENGTH: 115 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				22	PCS	GOOD CONDITION
823	.625	120	SIZE: .625 - LENGTH: 120 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				34	PCS	GOOD CONDITION
824	.625	125	SIZE: .625 - LENGTH: 125 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				40	PCS	GOOD CONDITION
825	.625	130	SIZE: .625 - LENGTH: 130 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				6	PCS	GOOD CONDITION
826	.625	135	SIZE: .625 - LENGTH: 135 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				12	PCS	GOOD CONDITION
827	.625	145	SIZE: .625 - LENGTH: 145 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				2	PCS	GOOD CONDITION

828	.625	90	SIZE: .625 - LENGTH: 90 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				132	PCS	GOOD CONDITION
829	.625	95	SIZE: .625 - LENGTH: 95 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				20	PCS	GOOD CONDITION
830	.75	110	SIZE: .75 - LENGTH: 110 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				232	PCS	GOOD CONDITION
831	.75	115	SIZE: .75 - LENGTH: 115 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				4	PCS	GOOD CONDITION
832	.75	120	SIZE: .75 - LENGTH: 120 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				322	PCS	GOOD CONDITION
833	.75	145	SIZE: .75 - LENGTH: 145 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				4	PCS	GOOD CONDITION
834	.75	150	SIZE: .75 - LENGTH: 150 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				26	PCS	GOOD CONDITION
835	.75	155	SIZE: .75 - LENGTH: 155 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				166	PCS	GOOD CONDITION
836	.75	165	SIZE: .75 - LENGTH: 165 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				26	PCS	GOOD CONDITION
837	.75	180	SIZE: .75 - LENGTH: 180 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				4	PCS	GOOD CONDITION
838	.75	250	SIZE: .75 - LENGTH: 250 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				12	PCS	GOOD CONDITION
839	.75	90	SIZE: .75 - LENGTH: 90 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				54	PCS	GOOD CONDITION
840	.875	125	SIZE: .875 - LENGTH: 125 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				78	PCS	GOOD CONDITION
841	.875	130	SIZE: .875 - LENGTH: 130 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				42	PCS	GOOD CONDITION
842	.875	150	SIZE: .875 - LENGTH: 150 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				28	PCS	GOOD CONDITION

843	.875	155	SIZE: .875 - LENGTH: 155 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				6	PCS	GOOD CONDITION
844	.875	160	SIZE: .875 - LENGTH: 160 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				12	PCS	GOOD CONDITION
845	.875	275	SIZE: .875 - LENGTH: 275 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				6	PCS	GOOD CONDITION
846	1	145	SIZE: 1 - LENGTH: 145 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				70	PCS	GOOD CONDITION
847	1.125	160	SIZE: 1.125 - LENGTH: 160 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				28	PCS	GOOD CONDITION
848	1.125	175	SIZE: 1.125 - LENGTH: 175 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				86	PCS	GOOD CONDITION
849	1.25	185	SIZE: 1.25 - LENGTH: 185 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				10	PCS	GOOD CONDITION
850	1.25	190	SIZE: 1.25 - LENGTH: 190 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				32	PCS	GOOD CONDITION
851	1.25	215	SIZE: 1.25 - LENGTH: 215 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				18	PCS	GOOD CONDITION
852	1.25	220	SIZE: 1.25 - LENGTH: 220 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				10	PCS	GOOD CONDITION
853	1.25	360	SIZE: 1.25 - LENGTH: 360 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				14	PCS	GOOD CONDITION
854	1.75	320	SIZE: 1.75 - LENGTH: 320 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				38	PCS	GOOD CONDITION
855	1.25	170	SIZE: 1.25 - LENGTH: 170 mm STUD BOLTS&NUTS A193-B7/A194-2H ASME B18.2.1/2 INCH SIZE, COATED				8	PCS	GOOD CONDITION
856	.5	100	SIZE: 1/2" - LENGTH: 100 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				50	PCS	GOOD CONDITION
857	.5	125	SIZE: 1/2" - LENGTH: 125 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				2	PCS	GOOD CONDITION

858	.5	60	SIZE: 1/2" - LENGTH: 60 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				18	PCS	GOOD CONDITION
859	.5	65	SIZE: 1/2" - LENGTH: 65 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				382	PCS	GOOD CONDITION
860	.5	75	SIZE: 1/2" - LENGTH: 75 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				30	PCS	GOOD CONDITION
861	.5	85	SIZE: 1/2" - LENGTH: 85 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				8	PCS	GOOD CONDITION
862	.625	100	SIZE: 5/8" - LENGTH: 100 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				1207	PCS	GOOD CONDITION
863	.625	105	SIZE: 5/8" - LENGTH: 105 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				24	PCS	GOOD CONDITION
864	.625	120	SIZE: 5/8" - LENGTH: 120 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				68	PCS	GOOD CONDITION
865	.625	125	SIZE: 5/8" - LENGTH: 125 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				60	PCS	GOOD CONDITION
866	.625	130	SIZE: 5/8" - LENGTH: 130 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				2	PCS	GOOD CONDITION
867	.625	135	SIZE: 5/8" - LENGTH: 135 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				46	PCS	GOOD CONDITION
868	.625	140	SIZE: 5/8" - LENGTH: 140 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				34	PCS	GOOD CONDITION
869	.625	145	SIZE: 5/8" - LENGTH: 145 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				38	PCS	GOOD CONDITION
870	.625	150	SIZE: 5/8" - LENGTH: 150 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				36	PCS	GOOD CONDITION
871	.625	155	SIZE: 5/8" - LENGTH: 155 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				8	PCS	GOOD CONDITION
872	.625	80	SIZE: 5/8" - LENGTH: 80 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				248	PCS	GOOD CONDITION

873	.625	85	SIZE: 5/8" - LENGTH: 85 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				758	PCS	GOOD CONDITION
874	.625	90	SIZE: 5/8" - LENGTH: 90 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				9	PCS	GOOD CONDITION
875	.625	95	SIZE: 5/8" - LENGTH: 95 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				458	PCS	GOOD CONDITION
876	.75	120	SIZE: 3/4" - LENGTH: 120 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				502	PCS	GOOD CONDITION
877	.75	125	SIZE: 3/4" - LENGTH: 125 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				22	PCS	GOOD CONDITION
878	.75	130	SIZE: 3/4" - LENGTH: 130 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				188	PCS	GOOD CONDITION
879	.75	145	SIZE: 3/4" - LENGTH: 145 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				4	PCS	GOOD CONDITION
880	.75	150	SIZE: 3/4" - LENGTH: 150 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				26	PCS	GOOD CONDITION
881	.75	160	SIZE: 3/4" - LENGTH: 160 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				8	PCS	GOOD CONDITION
882	.75	195	SIZE: 3/4" - LENGTH: 195 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				24	PCS	GOOD CONDITION
883	.75	210	SIZE: 3/4" - LENGTH: 210 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				24	PCS	GOOD CONDITION
884	.75	95	SIZE: 3/4" - LENGTH: 95 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				20	PCS	GOOD CONDITION
885	.875	125	SIZE: 7/8" - LENGTH: 125 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				30	PCS	GOOD CONDITION
886	.875	130	SIZE: 7/8" - LENGTH: 130 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				16	PCS	GOOD CONDITION
887	.875	140	SIZE: 7/8" - LENGTH: 140 mm STUD BOLTS&NUTS A193-B8M CL2/A194- 8MA ASME B18.2.1/2 INCH SIZE				42	PCS	GOOD CONDITION

888	.875	150	SIZE: 7/8" - LENGTH: 150 mm STUD BOLTS&NUTS A193-B8M CL2/A194-8MA ASME B18.2.1/2 INCH SIZE				108	PCS	GOOD CONDITION
889	.875	175	SIZE: 7/8" - LENGTH: 175 mm STUD BOLTS&NUTS A193-B8M CL2/A194-8MA ASME B18.2.1/2 INCH SIZE				12	PCS	GOOD CONDITION
890	.875	180	SIZE: 7/8" - LENGTH: 180 mm STUD BOLTS&NUTS A193-B8M CL2/A194-8MA ASME B18.2.1/2 INCH SIZE				18	PCS	GOOD CONDITION
891	.875	215	SIZE: 7/8" - LENGTH: 215 mm STUD BOLTS&NUTS A193-B8M CL2/A194-8MA ASME B18.2.1/2 INCH SIZE				84	PCS	GOOD CONDITION
892	1	145	SIZE: 1" - LENGTH: 145 mm STUD BOLTS&NUTS A193-B8M CL2/A194-8MA ASME B18.2.1/2 INCH SIZE				68	PCS	GOOD CONDITION
893	1.125	160	SIZE: 1-1/8" - LENGTH: 160 mm STUD BOLTS&NUTS A193-B8M CL2/A194-8MA ASME B18.2.1/2 INCH SIZE				8	PCS	GOOD CONDITION
894	1.125	175	SIZE: 1-1/8" - LENGTH: 175 mm STUD BOLTS&NUTS A193-B8M CL2/A194-8MA ASME B18.2.1/2 INCH SIZE				96	PCS	GOOD CONDITION
895	1.125	185	SIZE: 1-1/8" - LENGTH: 185 mm STUD BOLTS&NUTS A193-B8M CL2/A194-8MA ASME B18.2.1/2 INCH SIZE				20	PCS	GOOD CONDITION
896	1.25	190	SIZE: 1-1/4" - LENGTH: 190 mm STUD BOLTS&NUTS A193-B8M CL2/A194-8MA ASME B18.2.1/2 INCH SIZE				14	PCS	GOOD CONDITION
897	3	0	SIZE: 3 FLAT RING GASKET 300# FF PTFE ASME B16.21 ASME B16.5				1	PCS	GOOD CONDITION
898	1	0	SIZE: 1 SPIRAL WOUND GASKET 150# RF SS 316/GRAPHITE SS 316 CARBON STEEL ASME B16.20 ASME B16.5				513	PCS	GOOD CONDITION
899	1.5	0	SIZE: 1.5 SPIRAL WOUND GASKET 150# RF SS 316/GRAPHITE SS 316 CARBON STEEL ASME B16.20 ASME B16.5				125	PCS	GOOD CONDITION
900	10	0	SIZE: 10 SPIRAL WOUND GASKET 150# RF SS 316/GRAPHITE SS 316 CARBON STEEL ASME B16.20 ASME B16.5				16	PCS	GOOD CONDITION
901	12	0	SIZE: 12 SPIRAL WOUND GASKET 150# RF SS 316/GRAPHITE SS 316 CARBON STEEL ASME B16.20 ASME B16.5				7	PCS	GOOD CONDITION

902	14	0	SIZE: 14 SPIRAL WOUND GASKET 150# RF SS 316/GRAPHITE SS 316 CARBON STEEL ASME B16.20 ASME B16.5				4	PCS	GOOD CONDITION
903	.5	0	SIZE: .5 SPIRAL WOUND GASKET 150# RF SS 316/GRAPHITE SS 316 CARBON STEEL ASME B16.20 ASME B16.5				1395	PCS	GOOD CONDITION
904	.75	0	SIZE: .75 SPIRAL WOUND GASKET 150# RF SS 316/GRAPHITE SS 316 CARBON STEEL ASME B16.20 ASME B16.5				29	PCS	GOOD CONDITION
905	2	0	SIZE: 2 SPIRAL WOUND GASKET 150# RF SS 316/GRAPHITE SS 316 CARBON STEEL ASME B16.20 ASME B16.5				142	PCS	GOOD CONDITION
906	3	0	SIZE: 3 SPIRAL WOUND GASKET 150# RF SS 316/GRAPHITE SS 316 CARBON STEEL ASME B16.20 ASME B16.5				20	PCS	GOOD CONDITION
907	4	0	SIZE: 4 SPIRAL WOUND GASKET 150# RF SS 316/GRAPHITE SS 316 CARBON STEEL ASME B16.20 ASME B16.5				20	PCS	GOOD CONDITION
908	6	0	SIZE: 6 SPIRAL WOUND GASKET 150# RF SS 316/GRAPHITE SS 316 CARBON STEEL ASME B16.20 ASME B16.5				147	PCS	GOOD CONDITION
909	8	0	SIZE: 8 SPIRAL WOUND GASKET 150# RF SS 316/GRAPHITE SS 316 CARBON STEEL ASME B16.20 ASME B16.5				120	PCS	GOOD CONDITION
910	20	0	SIZE: 20 SPIRAL WOUND GASKET 150# RF SS 316/GRAPHITE SS 316 CARBON STEEL ASME B16.20 ASME B16.5				4	PCS	GOOD CONDITION
911	2	0	SIZE: 2 SPIRAL WOUND GASKET 300# RF SS 316/GRAPHITE SS 316 CARBON STEEL ASME B16.20 ASME B16.5				16	PCS	GOOD CONDITION
912	3	0	SIZE: 3 SPIRAL WOUND GASKET 300# RF SS 316/GRAPHITE SS 316 CARBON STEEL ASME B16.20 ASME B16.5				8	PCS	GOOD CONDITION
913	4	0	SIZE: 4 SPIRAL WOUND GASKET 300# RF SS 316/GRAPHITE SS 316 CARBON STEEL ASME B16.20 ASME B16.5				14	PCS	GOOD CONDITION

914	6	0	SIZE: 6 SPIRAL WOUND GASKET 300# RF SS 316/GRAPHITE SS 316 CARBON STEEL ASME B16.20 ASME B16.5				4	PCS	GOOD CONDITION
915	8	0	SIZE: 8 SPIRAL WOUND GASKET 300# RF SS 316/GRAPHITE SS 316 CARBON STEEL ASME B16.20 ASME B16.5				3	PCS	GOOD CONDITION
916	30	0	SIZE: 30 SPIRAL WOUND GASKET 300# RF SS 316/GRAPHITE SS 316 CARBON STEEL ASME B16.20 ASME B16.47-A				7	PCS	GOOD CONDITION
917	.5	0	SIZE: .5 SPIRAL WOUND GASKET 150# RF SS 316L/PTFE SS 316L SS 316L ASME B16.20 ASME B16.5				2	PCS	GOOD CONDITION
918	1	0	SIZE: 1 SPIRAL WOUND GASKET 150# RF SS 316L/PTFE SS 316L SS 316L ASME B16.20 ASME B16.5				22	PCS	GOOD CONDITION
919	1.5	0	SIZE: 1.5 SPIRAL WOUND GASKET 150# RF SS 316L/PTFE SS 316L SS 316L ASME B16.20 ASME B16.5				5	PCS	GOOD CONDITION
920	2	0	SIZE: 2 SPIRAL WOUND GASKET 150# RF SS 316L/PTFE SS 316L SS 316L ASME B16.20 ASME B16.5				8	PCS	GOOD CONDITION
921	3	0	SIZE: 3 SPIRAL WOUND GASKET 150# RF SS 316L/PTFE SS 316L SS 316L ASME B16.20 ASME B16.5				4	PCS	GOOD CONDITION
922	4	0	SIZE: 4 SPIRAL WOUND GASKET 150# RF SS 316L/PTFE SS 316L SS 316L ASME B16.20 ASME B16.5				2	PCS	GOOD CONDITION
923	6	0	SIZE: 6 SPIRAL WOUND GASKET 150# RF SS 316L/PTFE SS 316L SS 316L ASME B16.20 ASME B16.5				3	PCS	GOOD CONDITION
924	8	0	SIZE: 8 SPIRAL WOUND GASKET 150# RF SS 316L/PTFE SS 316L SS 316L ASME B16.20 ASME B16.5				1	PCS	GOOD CONDITION
925	32	0	SIZE: 32 SPIRAL WOUND GASKET 150# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.47-B				2	PCS	GOOD CONDITION
926	.5	0	SIZE: .5 SPIRAL WOUND GASKET 150# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				876	PCS	GOOD CONDITION

927	.75	0	SIZE: .75 SPIRAL WOUND GASKET 150# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				360	PCS	GOOD CONDITION
928	1	0	SIZE: 1 SPIRAL WOUND GASKET 150# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				782	PCS	GOOD CONDITION
929	1.5	0	SIZE: 1.5 SPIRAL WOUND GASKET 150# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				72	PCS	GOOD CONDITION
930	10	0	SIZE: 10 SPIRAL WOUND GASKET 150# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				6	PCS	GOOD CONDITION
931	12	0	SIZE: 12 SPIRAL WOUND GASKET 150# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				9	PCS	GOOD CONDITION
932	14	0	SIZE: 14 SPIRAL WOUND GASKET 150# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				6	PCS	GOOD CONDITION
933	16	0	SIZE: 16 SPIRAL WOUND GASKET 150# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				6	PCS	GOOD CONDITION
934	2	0	SIZE: 2 SPIRAL WOUND GASKET 150# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				401	PCS	GOOD CONDITION
935	3	0	SIZE: 3 SPIRAL WOUND GASKET 150# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				137	PCS	GOOD CONDITION
936	4	0	SIZE: 4 SPIRAL WOUND GASKET 150# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				174	PCS	GOOD CONDITION
937	6	0	SIZE: 6 SPIRAL WOUND GASKET 150# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				82	PCS	GOOD CONDITION
938	8	0	SIZE: 8 SPIRAL WOUND GASKET 150# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				42	PCS	GOOD CONDITION

939	.5	0	SIZE: .5 SPIRAL WOUND GASKET 300# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				125	PCS	GOOD CONDITION
940	.75	0	SIZE: .75 SPIRAL WOUND GASKET 300# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				32	PCS	GOOD CONDITION
941	1	0	SIZE: 1 SPIRAL WOUND GASKET 300# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				724	PCS	GOOD CONDITION
942	1.5	0	SIZE: 1.5 SPIRAL WOUND GASKET 300# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				50	PCS	GOOD CONDITION
943	12	0	SIZE: 12 SPIRAL WOUND GASKET 300# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				4	PCS	GOOD CONDITION
944	2	0	SIZE: 2 SPIRAL WOUND GASKET 300# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				275	PCS	GOOD CONDITION
945	3	0	SIZE: 3 SPIRAL WOUND GASKET 300# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				182	PCS	GOOD CONDITION
946	4	0	SIZE: 4 SPIRAL WOUND GASKET 300# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				33	PCS	GOOD CONDITION
947	6	0	SIZE: 6 SPIRAL WOUND GASKET 300# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				67	PCS	GOOD CONDITION
948	8	0	SIZE: 8 SPIRAL WOUND GASKET 300# RF SS 316L/GRAPHITE SS 316L SS 316L ASME B16.20 ASME B16.5				19	PCS	GOOD CONDITION
949	36	0	SIZE: 36 FLAT RING GASKET 150# FF PTFE ASME B16.21 ASME B16.47- B				6	PCS	GOOD CONDITION
950	.75	0	SIZE: .75 FLAT RING GASKET 150# FF PTFE ASME B16.21 ASME B16.5				5	PCS	GOOD CONDITION
951	1	0	SIZE: 1 FLAT RING GASKET 150# FF PTFE ASME B16.21 ASME B16.5				1	PCS	GOOD CONDITION
952	1.5	0	SIZE: 1.5 FLAT RING GASKET 150# FF PTFE ASME B16.21 ASME B16.5				1	PCS	GOOD CONDITION

953	10	0	SIZE: 10 FLAT RING GASKET 150# FF PTFE ASME B16.21 ASME B16.5				8	PCS	GOOD CONDITION
954	12	0	SIZE: 12 FLAT RING GASKET 150# FF PTFE ASME B16.21 ASME B16.5				6	PCS	GOOD CONDITION
955	14	0	SIZE: 14 FLAT RING GASKET 150# FF PTFE ASME B16.21 ASME B16.5				16	PCS	GOOD CONDITION
956	4	0	SIZE: 4 FLAT RING GASKET 150# FF PTFE ASME B16.21 ASME B16.5				4	PCS	GOOD CONDITION
957	6	0	SIZE: 6 FLAT RING GASKET 150# FF PTFE ASME B16.21 ASME B16.5				6	PCS	GOOD CONDITION
958	8	0	SIZE: 8 FLAT RING GASKET 150# FF PTFE ASME B16.21 ASME B16.5				9	PCS	GOOD CONDITION
959	1.5	0	SIZE: 1.5 SPIRAL WOUND GASKET 300# RF 904L/GRAPHITE 904L 904L ASME B16.20 ASME B16.5				1	PCS	GOOD CONDITION
960	.5	0	SIZE: .5 SPIRAL WOUND GASKET 150# RF 904L/GRAPHITE 904L 904L ASME B16.20 ASME B16.5				8	PCS	GOOD CONDITION
961	1.5	0	SIZE: 1.5 SPIRAL WOUND GASKET 150# RF 904L/GRAPHITE 904L 904L ASME B16.20 ASME B16.5				2	PCS	GOOD CONDITION
962	.75	0	SIZE: .75 SPIRAL WOUND GASKET 300# RF SS 316L/PTFE SS 316L SS 316L ASME B16.20 ASME B16.5				1	PCS	GOOD CONDITION
963	1	0	SIZE: 1 SPIRAL WOUND GASKET 300# RF SS 316L/PTFE SS 316L SS 316L ASME B16.20 ASME B16.5				119	PCS	GOOD CONDITION
964	1.5	0	SIZE: 1.5 SPIRAL WOUND GASKET 300# RF SS 316L/PTFE SS 316L SS 316L ASME B16.20 ASME B16.5				3	PCS	GOOD CONDITION
965	2	0	SIZE: 2 SPIRAL WOUND GASKET 300# RF SS 316L/PTFE SS 316L SS 316L ASME B16.20 ASME B16.5				42	PCS	GOOD CONDITION
966	3	0	SIZE: 3 SPIRAL WOUND GASKET 300# RF SS 316L/PTFE SS 316L SS 316L ASME B16.20 ASME B16.5				17	PCS	GOOD CONDITION
967	4	0	SIZE: 4 INSULATION KIT 300# RF PTFE/TEFLON MFTR STD /ASME B16.21 INS.KIT ASME B16.5				6	PCS	GOOD CONDITION



Surplus and Prime Worldwide