


XIRTEC IPEX PIPE		 Surplus and Prime Worldwide			
DIAMETER	TYPE	PART #	LENGTH	QUANTITY	GROSS LENGTH
1"			20		
1.25"	CPVC	019209	20	6	120
1.5"	CPVC	019211	20	5	100
2"	CPVC	19213	20	5	100
2.5"	CPVC	19216	20	5	100
3"	CPVC	19217	20	28	560
4"	CPVC	019219	20	86	1,720
6"	CPVC	019220	20	39	780
8"	CPVC	019221	20	225	4,500
10"	CPVC	019222	20	35	700
12"	CPVC	19223	20	14	280
1"	PVC	85110	20	12	240
1.25"	PVC	85117	20	1	20
1.5"	PVC	85115	20	8	19,209
2"	PVC	85120	20	77	1,540
2.5"	PVC	85125	20	1	20
3"	PVC	85130	20	0	0
4"	PVC	85140	20	126	2,520
6"	PVC	85160	20	113	2,260
8"	PVC	85180	20	32	640
10"	PVC	85190	20	22	440
12"	PVC	85195	20	38	760
				878	36609
				xirtec	



Surplus and Prime Worldwide

SPEARS FITTINGS

SCHEDULE	DIAMETER	PART #	DISCRIPTION	QUANTITY	TYPE
80	12	817-120C	45deg Socket Coupling	2	CPVC
80	12	827-120C	45deg ST Elbow Spigot X Socket	4	CPVC
80	12	3975-670	12" x 10" Reducing Wye Socket Sch 80 PVC	4	PVC
80	12	817-120	45deg Socket Coupling	1	PVC
80	12	827-120	45deg ST Elbow Spigot X Socket	6	PVC
80	12	801-120F	Tee Socket	49	PVC
80	12	854-120	Van Stone Flange	156	PVC
80	12	802-664	12"x12"x4" Tee Socket	2	PVC
80	12	806-120F	90deg Elbow Socket	83	PVC
80	12	801-666F	8"x8"x6" Tee Socket	39	PVC
80	12	837-666	12"x6" Reducing Bushing Spigot X Sock	16	PVC
80	12	837-668	12"x8" Reducing Bushing Spigot X Sock	6	PVC
80	12	837-670	12"x10" Reducing Bushing Spigot X Sock	4	PVC
80	12	809-120	90deg ST Elbow Spigot X Socket	8	PVC
80	12	801-668F	12"x12"x8" Tee Socket	16	PVC
80	12	856-120	Van Stone Flange	24	PVC
80	10	829-100F	Coupling	10	PVC
80	10	875-100CF	10" Wye Socket Sch 80 100 PSI FAB CPVC	12	CPVC

SCHEDULE	DIAMETER	PART #	DISCRIPTION	QUANTITY	TYPE
80	10	875-628F	10" x 8" Reducing Wye Socket Sch 80 100 PSI FAB PVC	4	PVC
80	10	3901-100TEST	Test Tee Socket X Thread w/ Plug	4	PVC
80	10	3906-100	90deg Elbow Socket	43	PVC
80	10	3906-100C	90deg Elbow Socket	6	CPVC
80	10	3978-100C	Clean-out Adapter Spigot X Plug	4	CPVC
80	10	801-623F	10" x 2" Reducing Tee Socket Sch80 Fab	8	PVC
80	10	801-626F	10" x 6" Reducing Tee Socket Sch80 Fab	32	PVC
80	10	801-624F	10' x 4" Reducing Tee Socket Sch80 Fab	12	PVC
80	10	806-100C	90deg Elbow Socket	11	CPVC
80	10	806-100F	90deg Elbow Socket	73	PVC
80	10	806-100LSF	LS 90deg Elbow Socket	7	PVC
80	10	817-100	45deg Elbow Socket	22	PVC
80	10	817-100C	45deg Elbow Socket	48	CPVC
80	10	827-100	45deg Elbow Spigot X Socket	2	PVC
80	10	827-100C	45deg Elbow Spigot X Socket	8	CPVC
80	10	829-100C	Coupling Socket	9	CPVC
80	10	829-624FE	10"x4" Eccentric Reducer Coupling	6	PVC
80	10	829-628	10" x 8" Reducer Coupling Socket	2	PVC
80	10	837-628	10" x 8" Reducer Bushing Spigot X Socket	7	PVC
80	10	854-100	Van Stone Flange Socket 150	80	PVC
80	10	856-100	Van Stone Flange Socket 150	6	PVC
80	10	875-624F	10" x 4" Red Wye Socket Sch80 100 PSI Fab	5	PVC

SCHEDULE	DIAMETER	PART #	DISCRIPTION	QUANTITY	TYPE
80	10	809-100C	10 CPVC 90 ST ELL SPIGOTXSOC SCH80	1	CPVC
80	10	876-624F	10X4 PVC RED DBL-WYE SOC SCH80 G	2	PVC
80	8	801-582	8"x4" t-connector	13	PVC
80	8	829-585CFE	8" x 6" CPVC Pressure Fitting	16	CPVC
80	8	837-585	8"x6" bushing	9	PVC
80	8	875-080	8"x8"x8" 45deg Y	2	PVC
80	8	875-080F	8" Wye Socket Sch 80 100 PSI FAB PVC	0	PVC
80	8	875-582CF	8" x 4" Reducing Wye Socket Sch 80 100 PSI FAB CPVC	19	CPVC
80	8	875-582F	8" x 4" Reducing Wye Socket Sch 80 100 PSI FAB PVC	13	PVC
80	8	875-585CF	8" x 6" Reducing Wye Socket Sch 80 100 PSI FAB CPVC	12	CPVC
80	8	875-585F	8" x 6" Reducing Wye Socket Sch 80 100 PSI FAB PVC	9	PVC
80	8	801-580CF	8" x 3" Reducing Tee Socket Sch80 Fab	109	CPVC
80	8	801-585	8" x 6" Reducing Tee Socket	12	PVC
80	8	806-080	90deg Elbow Socket	140	PVC
80	8	856-080	Van Stone Flange Spigot Class 150	30	PVC
80	8	817-080C	45deg Elbow Socket	112	CPVC
80	8	809-080	90deg ST Elbow Spigot X Socket	18	PVC
80	8	854-080C	Van Stone Flange Spigot Class 150	205	CPVC
80	8	806-080C	90deg Elbow Socket	68	CPVC
80	8	3901-080CTEST	Test Tee Soc X Thread W/Plug	10	CPVC
80	8	875-582	8"x8"x 4" Reducing Wye Socket Sch80 100 PSI	4	PVC

SCHEDULE	DIAMETER	PART #	DISCRIPTION	QUANTITY	TYPE
80	8	875-585	8"x8"x6" Reducing Wye Socket Sch80 100 PSI	8	PVC
80	8	3906-080	90deg Elbow Socket	58	PVC
80	8	3901-080TEST	Test Tee Soc X Thread W/Plug	14	PVC
80	8	809-080C	90deg ST Elbow Spigot X Socket	1	CPVC
80	8	817-080	45deg Elbow Socket	36	PVC
80	8	3906-080C	90deg Elbow Socket	4	PVC
80	8	829-080	Coupling Socket	4	PVC
80	8	829-582FE	8"x4" Eccentric Red Coupling Soc Sch80 Fab	4	PVC
80	8	3906-080PT	P-Trap Socket	3	PVC
80	8	801-080	8" Tee Socket	15	PVC
80	8	827-080C	45deg Elbow Spigot X Socket	1	CPVC
80	8	827-080	45deg Elbow Spigot X Socket	1	PVC
80	8	829-582F	Reducer Coupling Socket Sch80 Fab	3	PVC
80	8	854-080	Van Stone Slip Flange	12	PVC
80	6	817-060C	45deg Elbow Socket	10	CPVC
80	6	806-060	6" 90deg Elbow Socket	43	PVC
80	6	837-532	6"x4" Reducer Bushing Spigot X Socket	16	PVC
80	6	801-527CF	6"x1 1/2" Reducing Tee Socket Sch80 Fab	30	CPVC
80	6	801-530CF	6"x3" Reducing Tee Socket Sch80 Fab	80	CPVC
80	6	854-060	Van Stone Flange Socket Class 100	23	PVC
80	6	854-060C	6 CPVC VAN STONE FLANGE SOC CL150	7	CPVC
80	6	875-060	Wye Socket Sch80 150 PSI	25	PVC
80	6	856-060C	Van Stone Flange Spigot Class150	8	CPVC
80	6	856-060	Van Stone Flange Spigot Class150	4	PVC

SCHEDULE	DIAMETER	PART #	DISCRIPTION	QUANTITY	TYPE
80	6	809-060	90deg ST Elbow Spigot X Socket	6	PVC
80	6	827-060C	45deg ST Elbow Spigot X Socket	12	CPVC
80	6	827-060	45deg ST Elbow Spigot X Socket	14	PVC
80	6	817-060	45deg Elbow Socket	22	PVC
80	6	816-060	22.5deg Elbow	2	PVC
80	6	829-530	6"x3" Reducing Coupling Socket	12	PVC
80	6	829-532FE	6"x4" Eccentric Red Coupling Soc Sch80 Fab	4	PVC
80	6	829-532CFE	6"x4" Eccentric Red Coupling Soc Sch80 Fab	29	CPVC
80	6	847-060C	Cap	4	CPVC
80	6	837-528	6"x2" Reducer Bushing Spigot X Socket	63	PVC
80	6	3906-060C	90deg Elbow Socket	46	CPVC
80	6	3906-060	90deg Elbow Socket	14	PVC
80	6	875-530	6"x6"x3" Reducing Wye	6	PVC
80	6	875-532	6"x6"x4" Reducing Wye Socket Sch80 150 PSI	24	PVC
80	6	801-527	6"x11/2" Reducing Tee Socket	28	PVC
80	6	801-060	Tee Socket	5	PVC
80	6	801-532	6"x6"x4" Reducing Wye Socket	42	PVC
80	6	801-528CF	6"x6"x2" Reducing Tee Socket Sch80 Fab	30	CPVC
80	6	829-060	Coupling Socket	36	PVC
80	6	806-060C	90deg Elbow Socket	37	CPVC
80	6	3906-060PT	P-Trap Socket	11	PVC
80	4	837-422C	4"x3" CPVC REDUCING BUSHING SPIGOTXSOC SCH80	8	CPVC
80	4	829-419	4"x 1.5" Reducing Coupling Socket	4	PVC

SCHEDULE	DIAMETER	PART #	DISCRIPTION	QUANTITY	TYPE
80	4	829-420	4"x2" Reducing Coupling	1	PVC
80	4	829-422	4"x3" Reducing Coupling	1	PVC
80	4	837-422	4"x3" Reducer Bushing, 4 x 3 in, Spigot x Socket	37	PVC
80	4	847-040	4" cap	12	PVC
80	4	876-040F	4" Standard Double Wye Socket Sch80 100PSI Fab	7	PVC
80	4	837-416	4"x3/4" Reducer Bushing Spig x Soc	38	PVC
80	4	837-420	4"x2" Reducer Bushing Spigot X Socket	25	PVC
80	4	3978-040C	Clean-out Adapter Spigot X Plug	16	CPVC
80	4	829-420C	4"x2" Reducing Coupling Socket	4	CPVC
80	4	806-040	90deg Elbow Socket	1	PVC
80	4	806-040C	90deg Elbow Socket	1	CPVC
80	4	847-040C	Cap	2	CPVC
80	4	817-040C	45deg Elbow Socket	2	CPVC
80	4	809-040	90deg Street Elbow SpigotxSoc	2	PVC
80	4	827-040	45deg Street Elbow SpigotxSoc	86	PVC
80	4	856-040	Van Stone Flange Spigot Class 150	130	PVC
80	4	829-420CFE	4"x2" Eccentric Red Coupling Soc Sch80 Fab	10	PVC
80	4	829-422CFE	4"x3" Eccentric Red Coupling Soc Sch80 Fab	18	CPVC
80	4	829-422FE	4"x3" Eccentric Red Coupling Soc Sch80 Fab	4	PVC
80	4	829-040	Coupling Socket	3	PVC
80	4	827-040C	45deg Street Elbow Spigot Socket	27	CPVC
80	4	817-040	45deg Elbow Socket	5	PVC
80	4	853-040	Blind Flange	48	PVC

SCHEDULE	DIAMETER	PART #	DISCRIPTION	QUANTITY	TYPE
80	4	854-040	Van Stone Flange Spigot Class 150	12	PVC
80	4	801-040	Tee Socket	2	PVC
80	4	875-420	4"x4"x2" Reducing Wye Socket 150 PSI	1	PVC
80	4	3906-040	90deg Elbow Socket	20	PVC
80	4	801-422C	4"x4"x3" CPVC Reducing Tee Socket	4	CPVC
80	4	875-422C	4"x4"x3" CPVC Reducing Wye Socket 150 PSI	105	CPVC
80	4	801-422	4"x4"x3" Reducing Tee Socket	4	PVC
80	4	801-419C	4"x4"x1.5" CPVC Reducing Tee Socket	16	CPVC
80	4	801-417	4"x4"x1" Reducing Tee Socket	14	PVC
80	4	875-040	4" Standard Wye Socket 150 PSI	4	PVC
80	4	875-040C	4" CPVC Standard Wye Socket 150 PSI	20	CPVC
80	4	3906-040PT	P-Trap	14	PVC
80	3	801-338	3"x3"x2" Reducing Tee-Socket	1	PVC
80	3	806-030	3" Standard 90 Deg Elbow Socket	57	PVC
80	3	809-030	3" PVC 90 STREET ELBOW SPIGOTXSOC SCH80	12	PVC
80	3	829-338	3"x2" Reducing Coupling Socket	2	PVC
80	3	847-030	3" cap socket	14	PVC
80	3	806-030C	90deg CPVC Elbow Socket	743	CPVC
80	3	856-030	Van Stone Spigot Flange	16	PVC
80	3	854-030	Van Stone Flange Socket	6	PVC
80	3	801-030C	CPVC Standard Tee Socket	140	CPVC
80	3	854-030C	CPVC Van Stone Flange Socket	101	CPVC
80	3	827-030	3" 45deg Street Elbow Spigot x Socket	62	PVC
80	3	827-030C	CPVC 45deg Street Elbow Spigot x Socket	159	CPVC

SCHEDULE	DIAMETER	PART #	DISCRIPTION	QUANTITY	TYPE
80	3	875-030C	CPVC 45deg Wye Socket	21	CPVC
80	3	875-338	3"x3"x2" Reducing Wye Socket	8	PVC
80	3	801-335C	3"x3"x1" CPVC Reducing Tee Socket	48	CPVC
80	3	809-030C	90deg ST Elbow Spigot x Socket, CPVC	241	CPVC
80	3	3906-030C	90deg Elbow Socket, CPVC	12	CPVC
80	3	829-338CFE	3"x2" Eccentric Reducing CPLONG Socket CPVC	5	CPVC
80	3	801-335	3"x3"x1" Reducing Tee Socket		CPVC
80	3	878-030CSR	Steel Reinforced Fitting	2	CPVC
80	3	801-334C	3"x3"x3/4" Reducing Tee Socket	14	CPVC
80	3	817-030C	45deg Elbow Socket	6	CPVC
80	3	3978-030C	Clean-out Adapter Spigot X Thrd Plug	71	CPVC
80	3	837-335	3"x1" Reducing Bushing	4	PVC
80	3	837-338	3"x2" Reducing Bushing	20	PVC
80	3	847-030C	CPVC Cap Socket	18	CPVC
80	3	829-030	Coupling SocketxSocket	87	PVC
80	3	801-337C	3"x3"x1 1/2" Reducing Tee Socket	78	CPVC
80	3	829-030C	CPVC Coupling Socket	195	CPVC
80	3	837-334	3X3/4 PVC RED BUSHING SPIGOTXSOC SCH80	8	PVC
80	3	875-030	3 PVC WYE SOC SCH80 150PSI	2	PVC
80	3	817-030	3 PVC 45 ELL SOC SCH80	1	PVC
80	3	856-030C	3 CPVC VAN STONE FLANGE SPIGOT CL150	14	CPVC
80	2	806-020	2 PVC 90 ELL SOC SCH80	33	PVC
80	2	829-020	2" SxS Coupling	4	PVC
80	2	837-247	2X1/2 PVC RED BUSHING SPIGOTXSOC SCH80	19	PVC

SCHEDULE	DIAMETER	PART #	DISCRIPTION	QUANTITY	TYPE
80	2	837-248	2"x 3/4" bushing	9	PVC
80	2	838-248SR	2" x 3/4" RED BUSH SPIGOTXSRFPT	2	PVC
80	2	875-020	2" PVC WYE SOCKET SCH80 235PSI	18	PVC
80	2	878-020CSR	2 CPVC SPG FEM ADAPTER SPGXSRFPT SCH80	8	CPVC
80	2	876-020F	2 PVC DBL-WYE SOC SCH80 100PSI G	6	PVC
80	2	897-020C	2 CPVC UNION SOCXSOC EPDM	8	CPVC
80	2	801-248C	2X3/4 CPVC RED TEE SOC SCH80	16	CPVC
80	2	806-020C	2 CPVC 90 ELL SOC SCH80	15	PVC
80	2	829-249CFE	2X1 CPVC ECC RED COUPLING SOC SCH80 FAB	2	CPVC
80	2	829-248C	2X3/4 CPVC RED COUPLING SOC SCH80	32	CPVC
80	2	854-020	2 PVC VAN STONE FLANGE SOC CL150 150PSI	26	PVC
80	2	854-020C	2 CPVC VAN STONE FLG SOC CL150 150PSI	20	CPVC
80	2	856-020	2 PVC VAN STONE FLANGE SPIGOT CL150	5	CPVC
80	2	817-020C	2 CPVC 45 ELL SOC SCH80	4	CPVC
80	2	817-020	2 PVC 45 ELL SOC SCH80	4	PVC
80	2	3906-020PT	2 PVC P-TRAP SOC SCH80	1	PVC
80	2	809-020	2 PVC 90 ST ELL SPIGOTXSOC SCH80	17	PVC
80	2	827-020	2 PVC 45 ST ELL SPIGOTXSOC SCH80	2	PVC
80	2	801-249C	2X1 CPVC RED TEE SOC SCH80	16	CPVC
80	2	801-250	2X1-1/4 PVC RED TEE SOC SCH80	2	PVC

SCHEDULE	DIAMETER	PART #	DISCRIPTION	QUANTITY	TYPE
80	2	829-249	2X1 PVC RED COUPLING SOC SCH80	12	PVC
80	2	829-250	2X1-1/4 PVC RED COUPLING SOC SCH80	1	PVC
80	2	5427-020C	2 CPVC BUTTERFLY CHECK VALVE SPIGOT EPDM	14	CPVC
80	2	838-249CSR	2X1 CPVC RED BUSH SPIGOTXSRFPT SCH80	40	CPVC
80	2	829-251	2X1-1/2 PVC RED COUPLING SCH80	8	PVC
80	2	836-020	2 PVC MALE ADAPTER MPTXSOC SCH80	6	PVC
80	2	837-249	2X1 PVC RED BUSHING SPIGOTXSOC SCH80	12	PVC
80	2	829-247C	2X1/2 CPVC RED COUPLING SOC SCH80	13	CPVC
80	2	806-020S	2 PVC SWEEP ELL SOC SCH80	22	PVC
80	2	829-020C	2 CPVC COUPLING SOC SCH80	5	CPVC
80	2	809-020C	2 CPVC 90 ST ELL SPIGOTXSOC SCH80	2	CPVC
80	1 1/2	5422A-015C	1.5" CPVC Butterfly Check valve EPDM O-ring	199	CPVC
80	1 1/2	801-211C	1.5"x1.5"x1" CPVC Reducing Tee Socket	309	CPVC
80	1 1/2	817-015C	1.5" 45deg Elbow Socket	120	CPVC
80	1 1/2	YS22C8-015C	1-1/2 CPVC Y STRAINER SOC EPDM C8 MESH	110	CPVC
80	1 1/2	801-210c	1-1/2X3/4 CPVC RED TEE SOC SCH80	10	CPVC
80	1 1/2	801-209c	1-1/2X1/2 CPVC RED TEE SOC SCH80	78	CPVC

SCHEDULE	DIAMETER	PART #	DISCRIPTION	QUANTITY	TYPE
80	1 1/2	806-015c	1-1/2 CPVC 90 ELL SOC SCH80	370	CPVC
80	1 1/2	854-015	1-1/2 PVC VAN STONE FLG SOC CL150 150PSI	16	PVC
80	1 1/2	856-015	1-1/2 PVC VAN STONE FLANGE SPIGOT CL150	3	PVC
80	1 1/2	801-015C	1-1/2 CPVC TEE SOC SCH80	6	CPVC
80	1 1/2	801-211	1-1/2X1 PVC RED TEE SOC SCH80		PVC
80	1 1/2	878-015CSR	1-1/2 CPVC SPG FEM ADAPTER SPGXFPT	2	PVC
80	1 1/2	837-210	1-1/2X3/4 PVC RED BUSH SPIGOTXSOC SCH80	116	PVC
80	1 1/2	809-015	1-1/2 PVC 90 ST ELL SPIGOTXSOC SCH80	14	PVC
80	1 1/2	2223-015C	1-1/2 CPVC TU BALL CHECK VALVE FLGD EPDM		CPVC
80	1 1/2	837-210C	1-1/2X3/4 CPVC RED BUSH SPIGOTXSOC SCH80	7	CPVC
80	1 1/4	806-012	1-1/4 PVC 90 ELL SOC SCH80	8	PVC
80	1 1/4	801-168	1 1/4x1 1/4x1" Tee	2	PVC
80	1	806-010C	1 CPVC 90 ELL SOC SCH80	11	CPVC
80	1	817-010C	1" 45deg Elbow Socket	384	CPVC
80	1	836-010	1 PVC MALE ADAPTER MPTXSOC SCH80	2216	PVC
80	1	837-130	1"x 1/2" Reducer Bushing Spigot x Socket	20	PVC
80	1	837-131C	1"x3/4" Reducer Bushing Spigot x Socket	4	CPVC
80	1	861-131	1"x3/4" Ruducing Adapter Spigot x MNPT -male threaded		PVC

SCHEDULE	DIAMETER	PART #	DISCRIPTION	QUANTITY	TYPE
80	1	878-128csr	1X1/4 CPVC RED SPG FEM ADAPTER SPGXSRFPT	24	CPVC
80	1	897-010C	1" PVC UNION SOCXSOC EPDM	8	PVC
80	1	835-010CSR	1 CPVC FEMALE ADAPTER SOCXSRFPT SCH80	550	CPVC
80	1	878-010CSR	1 CPVC SPG FEM ADAPTER SPGXSRFPT SCH80	950	CPVC
80	1	801-010	1 PVC TEE SOC SCH80	52	PVC
80	1	801-010C	1 CPVC TEE SOC SCH80	325	CPVC
80	1	809-010C	1 CPVC 90 ST ELL SPIGOTXSOC SCH80	448	CPVC
80	1	835-010SR	1 PVC FEMALE ADAPTER SOCXSRFPT SCH80	16	PVC
80	1	829-131C	1X3/4 CPVC RED COUPLING SOC SCH80	4	CPVC
80	1	806-010	1 PVC 90 ELL SOC SCH80	75	PVC
80	1	817-010	1 PVC 45 ELL SOC SCH80	108	PVC
80	1	801-131C	1X3/4 CPVC RED TEE SOC SCH80	2	CPVC
80	1	829-010	1 PVC COUPLING SOC SCH80	8	PVC
80	1	809-010	1 PVC 90 ST ELL SPIGOTXSOC SCH80	4	PVC
80	1	801-131	1X3/4 PVC RED TEE SOC SCH80	4	PVC
80	1	854-010	1 PVC LE VAN STONE FLG SOC CL150 150PSI	5	PVC
80	1	878-128SRBL	1X1/4 PVC LE RED SPG FEM ADPT SPFXSRFPT		PVC
80	3/4	817-007	3/4" 45deg Elbow Socket	7	PVC
80	3/4	836-007	3/4 PVC MALE ADAPTER MPTXSOC SCH80	139	PVC

SCHEDULE	DIAMETER	PART #	DISCRIPTION	QUANTITY	TYPE
80	3/4	3629-007C	3/4 CPVC TU2K STANDARD BV SOC/FPT EPDM	234	CPVC
80	3/4	806-007C	3/4 CPVC 90 ELL SOC SCH80	40	CPVC
80	3/4	806-007	3/4 PVC 90 ELL SOC SCH80	14	PVC
80	3/4	878-007CSR	3/4 CPVC SPG FEM ADAPTER SPGXSRFPT SCH80	114	CPVC
80	3/4	897-007C	3/4 CPVC UNION SOCXSOC EPDM	10	CPVC
80	3/4	899-007C	3/4 CPVC UNION SOCXFPT EPDM	2	CPVC
80	1/2	802-072csr	1/2"x1/2"x1/4" CPVC REDUCING TEE SOCXSRFPT SCH80	225	CPVC
80	1/2	806-005C	1/2" 90deg Elbow Socket	4	CPVC
80	1/2	801-005	1/2" TEE SOCKET		PVC
80	1/2	801-005C	1/2 CPVC TEE SOC SCH80	452	CPVC
80	1/2	848-005CSR	1/2 CPVC CAP SRFPT SCH80	748	CPVC
80	1/2	835-005CSR	1/2 CPVC FEMALE ADAPTER SOCXSRFPT SCH80	448	CPVC
80	1/2	836-005C	1/2 CPVC MALE ADAPTER MPTXSOC SCH80	449	CPVC
80	1/2	3629-005	1/2 PVC TU2K STANDARD BV SOC/FPT EPDM	3	PVC
80	1/2	817-005C	1/2 CPVC 45 ELL SOC SCH80	4	CPVC
80	1/2	835-005C	1/2 CPVC FEMALE ADAPTER SOCXFPT SCH80		CPVC
80	1/2	878-005CSR	1/2 CPVC SPG FEM ADAPTER SPGXSRFPT SCH80	443	CPVC
			TOTALS	15706	

FLOW CONTROL



Surplus and Prime Worldwide

SCHEDULE	DIAMETER (")	DESCRIPTION	QUANTITY	PART #
80	12	Lugged, Gear-operated Butterfly Valve, EPDM Liner and Seals	40	BYV11120A0EG100
80	10	Lugged, Gear-operated Butterfly Valve, EPDM Liner and Seals	54	BYV11100A0EG100
80	8	Lugged, Gear-operated Butterfly Valve, EPDM Liner and Seals	49	BYV11080A0EG100
80	6	Lugged, Gear-operated Butterfly Valve, EPDM Liner and Seals	74	BYV11060A0EG100
80	4	Lugged, Lever-operated Butterfly Valve, EPDM Liner and Seals	234	BYV11040A0ELI00
80	4	Lugged, Lever-operated Butterfly Valve, EPDM Liner and Seals	3	BYV22040A0ELI00
80	3	Lugged, Lever-operated Butterfly Valve, EPDM Liner and Seals	12	BYV22030A0ELI00
80	3	True Union Ball Valve, Socket, EPDM O-Ring	301	TBH2300A0SE00
80	1.5	True Union Ball Valve, Socket and threaded end, EPDM O-Ring	193	TBH2150ASTE00
80	2	True Union Ball Valve, Socket and threaded end, EPDM O-Ring	100	TBH1200ASTE00
80	1	True Union Ball Valve, Socket and threaded end, EPDM O-Ring	1,504	TBH2100ASTE00
80	0.75	True Union Ball Valve, Socket and threaded end, EPDM O-Ring	116	TBH1075ASTE00
80	0.5	True Union Ball Valve, Socket and threaded end, EPDM O-Ring	158	TBH2050ASTE00
80	0.5	True Union Ball Valve, Socket and threaded end, EPDM O-Ring	12	TBH1050ASTE00
80	2	True Union Ball Valve, Socket and threaded end, EPDM O-Ring	13	TBH2200ASTE00
			2,863	